2020 TRANSIT MAJOR PRODUCT FEATURES

Ford eSourceBook To learn more about the features on this vehicle, go to www.fordesourcebook.com Transit Body Decoder To learn more about the Transit body codes, go to www.transitbodydecoder.com • All Audio Packs have been updated (58T, 58U, 58V, 58W, 58X, 58Y MODEL/SERIES/AVAILABILITY CHANGES and 584) Added Crew Van (201A) to the Transit program Speakers have been updated (91L and 91M) • Added All-Wheel Drive (AWD) to the Transit program Alternators have been updated (Standard and 63C) 10-Passenger Seating is now standard on Regular Length Passenger PACKAGES/OPTIONS ADDED Van Grilles have been updated. Transit now offers Three Bar Grilles • New 3.5L PFDi V6 (998) engine and 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine and Biodiesel Engine Prep Package (98B) (Carbon Black & Chrome Surround) and a Honey comb Mesh Grille (Carbon Black Surround) New 10-speed transmission (44U) replaces the 6-speed transmission Automatic Rain-Sensing Windshield Wipers are now standard New standard Ford Co-Pilot360[™] Technologies, such as Post-Single-note Horn is now standard Collison Braking, Pre-Collision Assist with Automatic Emergency Updated Enhanced Frontal Area Limitation 2 (15E) maximum frontal Braking (AEB), Auto High-Beam Headlamps, Lane-Keeping System area restriction up to 82 ft². For additional information please and Forward Collison Warning reference the Incomplete Vehicle Manual and SVE Bulletins. New optional Ford Co-Pilot360[™] Technologies, such as Adaptive High Capacity Upfitter Switches are now included in a new package Cruise Control (60D), Enhanced Active Park Assist (94B), Blind Spot called the Upfitter Package (67C). Information System (BLIS®) with Cross-traffic Alert and Trailer Heavy-Duty Cargo Flooring (60B) is now an upgradeable option on Coverage (65A), Side Sensing System (94A), Front and Rear Splitthe Interior Upgrade Package - Cargo Van (96C) and Load Area View Camera (61D) and Adjustable Speed Limiting Device (ASLD) Protection Package (96D) are now av ailable Scuff Plate Kit (85A) is not available on the Interior Upgrade Package New Power Sliding Door (65C) has been added Cargo Van (96C) and Load Area Protection Package (96D) New standard FordPass[™] Connect / Telematics Modem ٠ Deleted Tinted Glass (92B) as an orderable option. It is now New Swivel seating packages (21T and 218) standard. New 3-across, 'Dual-passenger', seating packages (212, 213, 216 • and 217) PACKAGES/OPTIONS DELETED New wheel options, such as 16" Forged Aluminum Wheel (64G), 16" Heavy-Duty Forged Aluminum Wheels (76E/76G) Deleted Short-Arm Manual Mirrors (54A) New Diffused Silver (FK), Agate Black (UM) and Kapoor Red (AW) Deleted 2nd and 4th row flip-row window packages (17G, 17H, 17J paint colors and 17K) New Ebony Cloth (CB), Ebony Leather (LB), Dark Palazzo Grey Cloth Deleted CNG/Propane Gaseous Engine Prep Package (98C) (CK) and Dark Palazzo Grey VinyI (VK) seat materials and colors Deleted 16" White Steel Wheel with Mini-Cap and Lug Nut Covers New exterior lighting features, such as High-Intensity Discharge (HID) (64C) Headlamps (91A), Autolamp (91B) and Front Fog Lamps (55D) The combination of Dual Alternator (63C) and 3.5L PFDi V6 (998) New Extended Range Fuel Tank (31 gallons) (655) ٠ engine has been deleted from 20MY Transit program New functional features, such as Power Outlet - 110V/400W (90D) Sunglass Holder has been deleted from 20MY Transit program and Upfitter Interface Module (UIM) (55A) are now available RV Prep Package (47D) is deleted from 20MY Transit program New Instrument Panel and new Small, Medium and Large Center Premium 'Wood-like' Flooring (16J) is deleted from 20MY Transit Consoles (67E) program New standard USB Ports - 5 amps on Passenger Van XL and Passenger Van XLT LATE AVAILABILITY ITEMS New standard Electric Power Assisted Steering (EPAS) 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) New Bulkhead – Lockable Door with Window (47T) and Bulkhead – Egress Window (17L) Window Only (47U) are now available on Cargo Van 3-Passenger seating (212, 213, 216 and 217) . New Body Colored Front Bumper (53G), Body Colored Side Moldings Low Roof Crew Van (E1Z, E9Z, R1Z, R2Z, W1Z and W2Z) ٠ (17N) are now available on Cutaway Programmable Battery Guard/Enhanced Cut-off Relay (59C) • Added Nominal Tonnage chart The combination of Radio Prep Package (58T) and FordPass™ New window/glass options, such as Egress Window (17L) and Safety Connect / Telematics Modem Glass (65B) Bulkhead – Lockable Door with Window (47T) New Heavy-Duty Front Axle (41E) is now available Bulkhead - Window Only (47U) New Smart Acceleration Truncation is now available for Fleet only Power Sliding Door (65C) (55B) New Vehicle Maintenance Monitor (61C) is now available LATEST ORDER GUIDE UPDATES • New Enhanced Frontal Area Limitation (15E) • Updated the Axle Availability Chart New Dual-Note Horn (85D) option • Clarified that Rearview Mirror (90B) is not available with Radio Prep Package (58T) or Rear View Display in Rearview Mirror (61B) PACKAGES/OPTIONS CHANGED Power Outlet - 110V/400W (90D) is not available with Dual Alternator (63C), Ambulance Prep Package - Cargo Van (47B) or Ambulance Changed Body Configuration chart to include new body codes Prep Package - Cutaway (47F) Changed Front Seat Matrix, Rear Seat Matrix and Seat Configuration Power Sliding Door (65C) is no longer standard on the combination of Chart to include new seats and seat features AWD and DRW configurations (F4U, S4U and U5X) Updated the Wheel Availability Chart to include new wheels Updated the Engine Horsepower and Torque Ratings Chart Updated the Color & Trim Availability Chart to include seat material Radio Prep Package (58T) is not required on the Right Hand Door and paint swatches Delete (60X) any more. All audio packages are av ailable.

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information.

2020 TRANSIT STANDARD EQUIPMENT

EXTERIOR	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Body Side Moldings – Carbon Black	•	•	•	•	•	•
Front License Plate Bracket	•	•	•	•	•	•
Bumpers_			1		1	1
Front Bumper – Carbon Black, Body Colored with Lower Valence	•	•	•	_	•	•
Front Bumper – Body Colored	_		_	•	_	—
Rear Bumper – Carbon Black, without Integral Step	•	•	•	•	_	_
Doors – Rear						
50/50 Hinged Rear Door, 180-degree Opening (Regular Length)	•	•	•	•	_	_
50/50 Hinged Rear Door, 253-degree Opening (Long and Extended Length configurations)	•	•	•	•	_	-
Doors – Side						
Sliding Passenger-side Door	•	•	•	•	—	—
Exterior Lighting – Front						
★Front Fog Lamps	—	_	-	•	—	—
Halogen Headlamps	•	•	•	_	•	•
Chrome-trimmed Halogen Headlamps with Autolamp	_	_	-	•	_	_
Roof Marker Lamps (Included on DRW Cargo						
Van, Crew Van, Passenger Van XL and Passenger Van XLT)	•	•	•	•	•	•
Exterior Lighting – Rear		Į	1			
Center High Mount Stop Lamp (CHMSL)	•	•	•	•	_	I _
Taillamps	•	•	•	•	•	•
Fuel						
Auxiliary Fuel Port	•	•	•	•	•	•
Fuel Tank – Capless Fuel Fill, 25 U.S. gallons						
(midship) Grille	•	•	•	•	•	•
★Three Bar Grille with Carbon Black Surround	•	•	•	_	_	_
★Three Bar Grille with Chrome Surround	_		_	•	_	_
★Honey comb Mesh Grille with Carbon Black Surround	_	_	_	_	٠	•
Mirrors						
Mirror Delete	_	_		_	•	•
Short-Arm, Power Adjusting, Manual-Folding	•	•	•	_	_	_
Short-Arm, Power Adjusting, Power-Folding Heated with Turn Signals	—	—	_	•	—	—
Running Boards		1	1			1
Running Board	—	•	—	—	—	—
<u> Tires – Single Rear Wheel (SRW)</u>		1	1			
235/65R16C 121/119 R BSW all-season	•	•	•	•	•	•
<u>Tires – Dual Rear Wheel (DRW)</u> 195/75R16C 107/105 R BSW all-season (RWD	•	•	•	•	•	•
with Standard Front Axle configurations only) 205/75R16C 113/111 BSW all-season (AWD,						
11,000lb GVWR or RWD with Heavy-Duty Front Axle configurations only)	•	•	•	•	•	•
<u>Towing</u>						
Rear Tow Hook	•	•	•	•	—	—
<u>Wheels – SRW</u> 16" Silver Steel Wheel with Black Hubcap	•	•	•	_	•	•
(Standard Front Axle configurations only) 16" Steel Wheel with Full Silver Wheel Cover	•	•		•	•	
(Standard Front Axle configurations only) 16" Silver Steel Wheel with Exposed Lug Nuts	_	_	_	-	_	_
(Heav y -Duty Front Axle configurations only) Wheels – DRW	•	•	•	•	•	•
16" Heavy-Duty Silver Steel Wheel with Exposed Lug Nuts Note: The center ornament only comes on the	•	•	•	•	•	•
front wheels, and not on the rear wheels.						

2020 TRANSIT STANDARD EQUIPMENT

EXTERIOR	CARGO VAN	CREW VAN	PASSENGER	PASSENGER	CUTAWAY	CHASSIS
Wheels – Spare Tire			VAN XL	VAN XLT		CAB
Full-size Spare Tire and Wheel	•	•	•	•	_	_
Windows/Glass						
Windows All-around	_	_	•	•	_	
Rear-window	—	•	•	•	_	•
No Cargo Area Windows	•	-	-	_	-	_
High-Strength Laminated Glass (Sliding Doors	•	•	_	—	_	_
only) Tinted Glass	•	•	•	•	•	•
INTERIOR	Ţ	-			-	-
Cargo Tie-Down Hooks (Regular and Long						
Length configurations: 8 tie-down hooks;	•	•	_	_	_	_
Extended Length: 10 tie-down hooks)						
Step Well Pads – Black	•	•	•	•	—	_
Center Console						1
★Small Center Console. Included with 3-						
Passenger seating (212, 213, 216 and 217).	•	_	_	_	•	•
Note: Includes an integrated shifter and a						
deploy able cup holder ★Medium Center Console						
Note: Includes an integrated shifter and a dual			•			•
cup holder						
*Large Center Console						
Note: Includes an integrated shifter, a dual cup	_	_	_	•	_	_
holder and an additional storage area						
Door-Locks and Windows						
Glove Box – Locking	•	•	•	•	•	•
Rear Cargo Door – Interior Exit Handle	•	•	—	_	_	—
Rear Cargo Door – Locking	•	•	•	•	_	_
Power Equipment Group (Power Locks and Windows) with Remote Keyless-Entry	•	•	•	•	•	•
Floor Covering						
Viny I, Front only	•	•	•	_	•	•
Viny I, Front and Rear Carpet, Front and Rear	_	•	• _	•		
Carpet Floor Mats, Front only	_	_	_	•	_	_
Rearview Mirror						
Rearview Mirror (When Equipped with Rear Glass).	-	•	•	•	_	•
Rearview Mirror Delete (When Equipped Without Rear Glass)	•	_	-	_	•	—
Interior Lighting						
Front Dome Lamp with Map Lights and Theater Dimming	•	•	•	•	•	•
Rear Dome Lamp with Map Lights and Theater						
Dimming	—	—	-	•	—	—
Rear Compartment Lighting	•	•	•	•	_	_
Rear Compartment LED Lamp Switch	•	•	_	_	_	_
Accessory Delay – 30 minutes	•	•	•	•	•	•
Interior Trim						
Front Overhead Shelf. Not included on Low Roof	•	•	•	•	•	•
Cargo Van, Crew Van and Passenger Vans						
A-Pillar Assist Handles (Driver and Passenger-	•	•	•	•	•	•
side) B-Pillar Assist Handle (Passenger-side)	•	•	•	•		
D-Pillar Weld Nuts	•	•	_	_	_	
Headliner – Cloth, Front only	•	•	_	_	•	•
Headliner – Cloth, Full-length	_	_	•	•	_	_
Rear View Camera						
No Rear View Camera						
Note: For incomplete vehicles, upfitter must add						
a rear view camera to vehicles that are 10,000lb						
GVWR or less to complete the vehicle and meet	—	—	-	—	•	•
FMVSS 111 requirements. Rear View Camera						
and Prep Kit (61A) is available as a dunnage kit						
that requires upfitter installation.						

2020 TRANSIT STANDARD EQUIPMENT

	CHASSIS CAB
Seating - Front Driver and Front-passenger Manual Reclining Bucket Seats with Adjustable Headrest (Includes driver-side and passenger-side inboard armrest) <th>• </br></th>	•
Bucket Seats with Adjustable Headrest (Includes driv er-side and passenger-side inboard armrest) • <td< td=""><td>• </td></td<>	•
driver-side and passenger-side inboard armrest)	•
Rear-Seat(s) Recline and Inboard Armrest	- - -
Note: Last row of seats do not recline. Image: Constraint of the constrain	- - - -
Manual Driver-side Lumbar Support -	- - -
Seating – Rear (Refer to the Rear Seat Matrix on page 24 for complete seat details) 5-Passenger Seating. 1 st row: 2 seats, 2 nd row: 3	- - -
5-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats.	- - -
seats. - <td>- - -</td>	- - -
*10-Passenger Seating. 1 st row: 2 seats, 2 nd row:	- - -
2 seats, 3 rd row: 3 seats, 4 th row: 3 seats. -	- - -
Standard with Regular Length Passenger Van. Image: Constraint of the system of the	- -
12-Passenger Seating. 1 st row: 2 seats, 2 nd row: 3 seats, 3 rd row: 3 seats, 4 th row: 4 seats. -	-
seats, 3 rd row: 3 seats, 4 th row: 4 seats. — … <t< td=""><td>-</td></t<>	-
Standard with Long Length Passenger Van.Image: Constraint of the system of	-
15-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats, 3nd row: 3 seats, 4th row: 3 seats, 5th row: 4 seats. Standard with Extended Length Passenger Van </td <td>-</td>	-
seats, 3 rd row: 3 seats, 4 th row: 3 seats, 5 th row: 4 seats. Standard with Extended Length Passenger VanSun Visors•••-•Sun Visors••••-••Illuminated Sun Visors••••••••••FUNCTIONAL•• <t< td=""><td>- •</td></t<>	- •
4 seats. Standard with Extended Length -	•
Passenger Van.Image: Constraint of the second s	•
Sun Visors••-••Sun Visors•••-•••Illuminated Sun Visors•FUNCTIONAL•Alternator - 240 amp (2.0L EcoBlue® Bi-Turbo 14 Diesel engine only) and 250 amp (3.5L PFDi V6 and 3.5L EcoBoost® V6 engines only)••••••Frame Rail Extension Adapters•••* Horn - Single-note••••••••	•
Sun Visors••-••Illuminated Sun Visors•FUNCTIONALAlternator - 240 amp (2.0L EcoBlue® Bi-Turbo 14 Diesel engine only) and 250 amp (3.5L PFDi V6 and 3.5L EcoBoost® V6 engines only)•••••••••••Frame Rail Extension Adapters * Horn - Single-note••••	•
Illuminated Sun Visors—————FUNCTIONALAlternator – 240 amp (2.0L EcoBlue® Bi-Turbo 14 Diesel engine only) and 250 amp (3.5L PFDi V6 and 3.5L EcoBoost® V6 engines only)•••	•
FUNCTIONAL Alternator – 240 amp (2.0L EcoBlue® Bi-Turbo 14 Diesel engine only) and 250 amp (3.5L PFDi V6 and 3.5L EcoBoost® V6 engines only) Frame Rail Extension Adapters ★Horn – Single-note	
Alternator – 240 amp (2.0L EcoBlue® Bi-Turbo 14 • <	
Diesel engine only) and 250 amp (3.5L PFDi V6 and 3.5L EcoBoost® V6 engines only)•• <td></td>	
and 3.5L EcoBoost® V6 engines only)————Frame Rail Extension Adapters————●★ Horn – Single-note••••●	
Frame Rail Extension Adapters————••* Horn – Single-note••••••	•
*Horn - Single-note • • • • •	
	•
Air Conditioning	•
Front only • • — •	•
Front and Rear — — • • — –	—
Audio	
Antenna – Fender Mounted • • • • • •	•
AWFM stereo, Bluetooth, Dual USB ports and a	•
4.0" multi-function display (Audio Pack #18)	
AWFM stereo, Bluetooth, Dual USB ports, SYNC	
3 and a 4.0" multi-function display (Audio Pack — — — — — • — — —	-
#19)	
Batteries	
Single Battery – 70 amp-hr (3.5L PFDi V6 engine	•
only)	-
Single AGM Battery – 70 amp-hr (3.5L	•
EcoBoost® V6 engine only)	-
Dual AGM Batteries – 70 amp-hr each (2.0L	•
EcoBlue® Bi-Turbo 14 Diesel engine only)	
Brakes	
★Brakes – 4-wheel Anti-lock Disc Brakes	
Note: Depending on driving habits and	
configuration, the brake pad life is up to 50%	
improved. In addition, brake pad wear indicators • • • • •	•
are now included and will send a warning	
message to the cluster if brake pads reach a	
certain wear threshold.	
Manual Parking Brake	•
Push Down Manual Parking Brake (11,000	
GWVR configuration only)	

2020 TRANSIT STANDARD EQUIPMENT

FUNCTIONAL CARGO VAN CREW VAN PASSENGER VAN XLT CARGO VAN CARGO VAN XLT CARGO VAN XLT		/			• •		
FordPasy ^{min} Connect / Federaliss Worker Prop Image: An of Connect / Federaliss Worker Prop Image: An of Connect / Federaliss Worker Prop Visit: Ford Telement Services Networker Prop Image: An of Connect / Federaliss Worker Prop Image: An of Connect / Federaliss Worker Prop Visit: Ford Telement Services Networker Prop Image: An of Connect / Federaliss Worker Prop Image: An of Connect / Federaliss Worker Prop Device entables thematics services Neugh Ford Image: An of Connect / Federaliss Worker Prop Image: An of Connect / Federaliss Worker Prop Terret Area Limitation Image: An of Connect / Federaliss Worker Prod Image: An of Connect / Federaliss Worker Prop Terret Area Limitation Regimes Second Image: Prof Worker Prof Prof Area Prof Worker Prof Second Worker Prof Prof Prof Prof Prof Prof Prof Pro	FUNCTIONAL	CARGO VAN	CREW VAN			CUTAWAY	CHASSIS CAB
Nets: Four Telenatics "and Data Services Prop Included for Field NUT: Gordpass "Connect 46 Wi-Fi Modem provides data to support telenatics and data services information part or autorizad providers. Activ ata and 833*CS-Ford (833- Davice anables telenatics and maintenance laters. Davice theorem and the later for the laters and the later maintenance laters. Davice theorem and the later for the later laters and the laters are telenation up to 27 4f. Forthal Area Limitation Davie theorem and laters are telenation up to 27 4f. Forthal Area Limitation Tachmenter. Foal Level and Coolant Temperature Internet Foal Level and Coolant Temperature Note: Depending on seating configuration, one is David mainten for the 2" row, 3" row, 4" row and 8" row. Steering Wheel – Till and Telescoping David mainten theorem and theorem and the later david theorem and the later david the later david the later david the later david theorem and theorem and theorem Teorem Found - Dever Rack and Photon Distance wheel Annual Association and the later david theorem and theorem and theorem and theorem and the later david theorem and theorem and the later david theorem and the later david theorem and the later david theorem and theorem and the later david theorem and theorem and theorem and the later david theorem and theorem and the later david theorem and the later david theo	Embedded Modem						
Base Frontial Area Limitation	Note: Ford Telematics [™] and Data Services Prep included for Fleet ONLY: FordPass [™] Connect 4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.fleet.ford.com or call 833-FCS-Ford (833- 327-3673).	•	•	•	•		•
Note: Provide What Find Larger Articitions - For additional information please reference the information please reference the incomplete Vehicle Manual and SVE Bulletins. Incomplete Vehicle Manual and SVE Bulleting Minel - Second Streeming (IPAS)		1	1	1	1		1
Tachometer, Fuel Level and Coolant .	Note: Provides a Vehicle Emission Control Information label with a frontal area restriction up to 72 ft ² . Frontal area limitation requires second unit body to meet profile restrctions. For additional information please reference the	_	_	_	_	•	•
Temperature Imarice Power * PowerPoint - 12V Note: Cne is located in the instrument panel and one in center console. • one in center console. • * USB Ports - 5 amps • Note: Depending on seating configuration, one is located in each of the 2" row, 3" row, 4" row and 5" row. - Steering • * Elicitude Power Assisted Steering (EPAS) • Steering Wheel - Power Rack and Phinon • * Steering Wheel - Power Rack and Phinon • Steering Wheel - Power Rack and Phinon • Steering Wheel - Tit and Telescoping • Suspension • Front - Independent MacPherson-strut, Stabilizer Bar • Bar • • Rear - Leaf Springs, Heavy-duty Gas Shock • Absorbers • • SArEHYSEOURITY • • Audocking Drive Away with Crash Unlocking. • • Nota: Belt minder is included on the driver and front passenger seal(s). • • Socarege Passive Anti-Thert System (PATS) • • • with engine immobilizer • • •<						-	
* PowerPoint - 12V Note: One is located in the instrument panel and one in center console. * USB Ports - 5 amps Note: Operating on seating configuration, one is located in each of the 2 rd row, 3 rd row, 4 th row and 5 th row. Steering * Electric Power Assisted Steering (EPAS) Steering Wheel - Power Rack and Pinion Steering Wheel - Tilt and Telescoping Susponsion Susponsion Rear - Leaf Springs, Heavy-duty Gas Shock Absorbers Autolocking Drive Away with Crash Unlocking. Not available with Manual Locks. Adv ance Trace W woll Statility Control ¹¹⁴ (RSCØ) Safety Belts - 3-point, All Positions Steer Subject Statem V Horse Manual Locks. Note: Belt minder is included on the driver and front passenger seat(s). Story Data Mark Statem V Nota vailable with Manual Locks. Songer Seate(s). Songer Seate(s). Steering Wheel Statem V Nota vailable with Manual Locks. Adv ance Trace W woll Statem V Nota vailable with Manual Locks. Steering Wheel Statem V Nota vailable with Manual Locks. Steering Wheel Statem V Nota vailable with Manual Locks. Steering Wheel Statem V Nota vailable with Manual Locks. Steering Wheel Statem V Nota vailable with Manual Locks. Steering Wheel Statem V Nota vailable wit		•	•	•	•	•	•
Note: One is located in the instrument panel and one in center console. •		1	1	1	1		1
Note: Depending on seating configuration, one is located in each of the 2 rd row, 3 rd row, 4 th row and 5 th row. -	Note: One is located in the instrument panel and	•	•	•	•	•	•
★ Electric Power Assisted Steering (EPAS) •<	Note: Depending on seating configuration, one is located in each of the 2 nd row, 3 rd row, 4 th row	-	-	•	•	-	-
Steering Wheel – Power Rack and Pinion •							
Steering Wheel – Tilt and Telescoping • • • • Suspension Front – Independent MacPherson-strut, Stabilizer Bar • • • • • Rear – Leaf Springs, Heavy-duty Gas Shock Absorbers • • • • • • Autolocking Drive Away with Crash Unlocking. Not av ailable with Manual Locks. • <td< td=""><td></td><td>_</td><td>•</td><td>•</td><td>-</td><td>•</td><td>•</td></td<>		_	•	•	-	•	•
Suspension Front - Independent MacPherson-strut, Stabilizer Bar • • • • • • • • • • • • • • • • • • •	•	•	•	•	•	•	•
Front – Independent MacPherson-strut, Stabilizer Bar Image: Stabilizer Bar Image: Stabilizer Bar Rear – Leaf Springs, Heav y-duty Gas Shock Absorbers Image: Stabilizer Stabilizer Image: Stabilizer Bar Autolocking Drive Away with Crash Unlocking. Not available with Manual Locks. Image: Stabilizer Bar Image: Stabilizer Bar Autolocking Drive Away with Crash Unlocking. Not available with Manual Locks. Image: Stabilizer Bar		•	•	•	•	•	•
Absorbers	Front – Independent MacPherson-strut, Stabilizer	•	•	•	•	•	•
Autolocking Drive Away with Crash Unlocking. Not av ailable with Manual Locks.Image: Solution of the solution of the drive rand front passenger seat(s).Image: Solution of the drive rand front passenger seat Delete (21) and front passenger seat Delete (60X)Image: Solution of the drive rand front passenger seat Delete (60X)Image: Solution of the drive rand front passenger seat Delete (60X)Image: Solution of the drive rand front passenger seat Delete (60X)Image: Solution of the drive rand front p		•	•	•	•	•	•
Not av ailable with Manual Locks. Image: Control Total (RSC®) Safety Belts - 3-point, All Positions Safety Belts - 3-point, All Positions Image: Control Total (RSC®) Safety Belts - 3-point, All Positions Note: Belt minder is included on the driver and front passenger seat(s). Image: Control Total (RSC®) Solutions SecuriLock® Passive Anti-Theft System (PATS) with engine immobilizer Image: Control Total (RSC®) Solutions SOS Post-Crash Alert System Image: Control Total (RSC) Image: Control Total (RSC®) Solutions SOS Post-Crash Alert System Image: Control Total (RSC®) and Audio Pack #18 (S8U). Image: Control (RSC®) Solutions Note: Automatically flashes the hazard lights and intermittently sounds the horn when the airbag deploys. Image: Control (RSC®) Solutions. Tire Pressure Monitoring System (TPMS). Image: Control (RSC®) Solutions. Image: Control (RSC®) Solutions. Airbags Image: Control (RSC®) Solutions. Image: Control (RSC®) Solutions. Image: Control (RSC®) Solutions. Airbags Image: Control (RSC®) Solutions. Image: Control (RSC®) Solutions. Image: Control (RSC®) Solutions. Airbags Image: Control (RSC®) Solutions. Image: Control (RSC®) Solutions. Image: Control (RSC®) Solutions. Airbags Image: Control (RSC®) Solutions. Image: Control (RSC®) Solutions. Image: Control (RSC®) Solutions.	SAFETY/SECURITY						
Safety Belts – 3-point, All PositionsAll PositionsNote: Belt minder is included on the driver and front passenger seat(s).•••<	Not available with Manual Locks.	•	•	•	•	•	•
front passenger seat(s).Image: Constraint of the search of t		•	•	•	•	•	•
with engine immobilizer Image: SoS Post-Crash Alert Sy stem ™. Not available with Radio Prep Package (58T) and Audio Pack #18 (58U). Note: Automatically flashes the hazard lights and intermittently sounds the horn when the airbag deploys. Image: Sos Post-Crash Alert Sy stem (TPMS). Standard on SRW and DRW configurations. Airbags Image: Sos Post-Crash Alert Sy stem (TPMS). Standard on SRW and DRW configurations. Image: Sos Post-Crash Alert Sy stem (TPMS). Standard on SRW and DRW configurations. Driver and Passenger Airbags Image: Sos Post-Crash Alert Sy stem (TPMS). Standard On SRW and DRW configurations. Image: Sos Post-Crash Alert Sy stem (TPMS). Standard on SRW and DRW configurations. Driver and Passenger Airbags Image: Sos Post-Crash Alert Sy stem (TPMS). Standard On SRW and DRW configurations. Image: Sos Post-Crash Alert Sy stem (TPMS). Standard On SRW and DRW configurations. JIF Passenger-Side Airbag Cut-off Switch. Not available with Passenger Seat Delete (21J and 21K) or Right Hand Door Delete (60X) Image: Sos Post Post Post Post Post Post Post Po	front passenger seat(s).	•	•	•	•	•	•
with Radio Prep Package (58T) and Audio Pack #18 (58U). Note: Automatically flashes the hazard lights and intermittently sounds the horn when the airbag deploy s. Tire Pressure Monitoring System (TPMS). Standard on SRW and DRW configurations. Airbags Driver and Passenger Airbags Passenger-side Airbag Cut-off Switch. Not av ailable with Passenger Seat Delete (21J and 21K) or Right Hand Door Delete (60X)	with engine immobilizer	•	•	•	•	•	•
intermittently sounds the horn when the airbag deploy s. Tire Pressure Monitoring System (TPMS). Standard on SRW and DRW configurations. Airbags Driver and Passenger Airbags Passenger-side Airbag Cut-off Switch. Not av ailable with Passenger Seat Delete (21J and 21K) or Right Hand Door Delete (60X)	with Radio Prep Package (58T) and Audio Pack #18 (58U).	•	•	•	•	•	•
Standard on SRW and DRW configurations. • <td>intermittently sounds the horn when the airbag deploys.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	intermittently sounds the horn when the airbag deploys.						
Driver and Passenger Airbags • <th< td=""><td>Standard on SRW and DRW configurations.</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></th<>	Standard on SRW and DRW configurations.	•	•	•	•	•	•
Passenger-side Airbag Cut-off Switch. Not available with Passenger Seat Delete (21J and 21K) or Right Hand Door Delete (60X)		•	•	•	•	•	•
oomiguratione	Passenger-side Airbag Cut-off Switch. Not av ailable with Passenger Seat Delete (21J and 21K) or Right Hand Door Delete (60X)	•	•	_	_	•	•
Safety Canopy® Side-curtain Airbags		•	•	•	•	•	•

2020 TRANSIT STANDARD EQUIPMENT

FORD CO-PILOT360™ TECHNOLOGY	CARGO VAN	CREWVAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
★Forward Collison Warning	•	•	•	•	•	•
Hill Start Assist	•	•	•	•	•	•
★Post-Collison Braking						
Note: Can potentially lessen the severity of a secondary collision by automatically applying moderate brake pressure when an initial collision	•	•	•	•	•	•
event is detected.						
Side Wind Stabilization	•	•	•	•	•	•
Ford Co-Pilot360 [™]						
★Pre-Collision Assist with Automatic Emergency Braking (AEB)						
Note: If a potential collision is detected, a warning						
flashes and an alert sounds, and if the driver's	•	•	•	•	•	•
response is not sufficient, the system can						
automatically apply the brakes to help minimize						
a frontal collision.						
★Blind Spot Information System (BLIS®) with						
Cross-traffic Alert and Trailer Coverage						
Note: BLIS can alert the driver when a vehicle	_	_		•	_	_
enters their blind spot. And when a trailer is				-		
connected, BLIS sensors extend the area of						
detection to include the length of the trailer.						
★Lane-Keeping System						
Note: Includes Lane-Keeping Alert and Driver						
Alert. This feature can alert the driver, during	•	•	•	•	•	•
day or night, if their vehicle is unintentionally						
leaving its intended lane.						
★Auto High-Beam Headlamps	•	•	•	•	•	•
★Rear View Camera with Trailer Hitch Assist.						
Note: Camera will be high-mount for Medium	•	•	•	•	—	—
Roof and High Roof.			1			1
Exterior Sensors		1	1			
Reverse Sensing System				•	_	
★Side Sensing System Windshield Wipers	—	—	_	•	—	
Automatic Rain-Sensing Windshield Wipers	•	•	•		•	
Automatic Main-Sensing Windshield Wipers	•	•	•	•	•	•

	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSI CAB
ODY CODES	Order Code	101A	201A	301A	302A	501A	701A
OTE: Body Codes have changed, dou OTE: ¹ Low Roof Crew Van is Late Ava				t input Wheelba	se into CONCEP	PS now	
OW ROOF (83.6")		, ,					
ansit-150 (GVWR: Cargo Van 8,670# eqular (130")	Crew Van 8,670# F RWD	Fassenger Van E1Y	8,550#) E1Z ¹	K1Y	K1Y		_
egular (130″)	AWD	E2Y	E9Z ¹	K2Y	K2Y	—	
ong (148")	RWD	E1Y	E1Z ¹	-	_	-	-
ong (148") ransit-250 (GVWR: Cargo Van 9,070#	AWD	E2Y Cutaway 9.070#	E9Z ¹	9.070#)	—	_	—
egular (130")	RWD	R1Y	R1Z ¹	<u> </u>	—	—	—
egular (130")	AWD	R2Y	R2Z ¹	-	_	_	- 1
egular (138") egular (138")	RWD AWD		_		_	R5P R7P	R5Z R7Z
ong (148")	RWD	R1Y	R1Z ¹	—	—	—	_
ong (148")	AWD	R2Y	R2Z ¹	-	_	_	- 1
ong (156") ong (156")	RWD AWD		_	_		R5P R7P	R5Z R7Z
ansit-350 (GVWR: Cargo Van 9,500#				0# Passenger \			
Seating and RWD is 9,400# Passenge	er Van with 14 or 15	Passenger Sea	ting and AWD				
egular (130") egular (130")	RWD AWD	W1Y W2Y	W1Z ¹ W2Z ¹		_	_	_
egular (130) egular (138")	RWD	VVZY		_	_	 W5P	— W5Z
egular (138")	AWD	—	-	—	_	W7P	W7Z
ong (148")	RWD	W1Y	W1Z ¹	X2Y	X2Y	_	-
ong (148") ong (156")	AWD RWD	W2Y	W2Z ¹	X9Y	X9Y	— W5P	— W5Z
ong (156")	AWD	_	—	—	—	W7P	W7Z
ansit-350 HD DRW (GVWR: Cutaway		<u>b 9,950#)</u>					
egular (138")	RWD AWD	—	—	—	—	F6P F8P	F6Z F8Z
egular (138") ong (156")	RWD	_	_	_		F8P F6P	F8Z F6Z
ong (156")	AWD	_	—	_	_	F8P	F8Z
ktended (178")	RWD	_	—	—	—	F6P	F6Z
xtended (178") ransit-350 HD DRW (GVWR: Cutaway	AWD	ab 10 260#)	I —	I —		F8P	F8Z
egular (138")	10,360# Chassis Ca	<u>ab 10,360#)</u>		I –	1	S6P	S6Z
egular (138")	AWD	—	—	—	—	S8P	S8Z
ong (156")	RWD	_	-	-	_	S6P	S6Z
ong (156") xtended (178")	AWD RWD	_	_			S8P S6P	S8Z S6Z
xtended (178")	AWD	_	_	_	_	S8P	S8Z
ransit-350 HD DRW (GVWR: Cutaway		<u>ab 11,000#)</u>					
egular (138") egular (138")	RWD AWD		—		_	U6P U8P	U6Z U8Z
ong (156")	RWD	_	_	_	_	U6P	U6Z
ong (156")	AWD	_	-	-	-	U8P	U8Z
xtended (178")	RWD	—	—	—	_	U6P	U6Z
xtended (178") EDIUM ROOF (100.8")	AWD	—	—	—	—	U8P	U8Z
ransit-150 (GVWR: Cargo Van 8.670#	Crew Van 8.670#	Passenger Van	8,550#)				
egular (130")	RWD	E1C	E1D	K1C	K1C	—	—
Regular (130")	AWD	E2C	E2D	K2C	K2C	-	—
ong (148") ong (148")	RWD AWD	E1C E2C	E1D E2D		_	_	
ransit-250 (GVWR: Cargo Van 9,070#	Crew Van 9,070#)						
egular (130")	RWD	R1C	R1D	_	_	_	_
egular (130") ong (148")	AWD RWD	R2C R1C	R2D R1D			_	_
ong (148)	AWD	R1C R2C	R1D R2D	_	_	_	
ansit-350 (GVWR: Cargo Van 9,500#	Crew Van 9,250#, e	xcept with Lon	g (148") is 9,50		/an 9,250#, exce	pt with 14 or 1	5-Passenge
Seating and RWD is 9,400# Passenge eqular (130")	er Van with 14 or 15- RWD	-Passenger Sea W9C	ting and AWD W1D	<u>is 9,550#</u>			
egular (130) egular (130")	AWD	W9C W2C	W1D W2D		_	_	_
ong (148")	RWD	W9C	W1D	X2C	X2C	—	_
ong (148")	AWD	W2C	W2D	X9C	X9C	_	—
ansit-350 (GVWR: Passenger Van 9,5 ong (148")	600#) RWD	_		W4Z	W4Z		_
ong (148")	AWD	_	_	VV4Z		_	
GH ROOF (110.1")							
ansit-250 (GVWR: Cargo Van 9,070#		DAY	DAV	1	1		
ong (148") ong (148")	RWD AWD	R1X R2X	R1V R2V		_	_	
ktended (148")	RWD	R3X		_	_	_	_
(tended (148")	AWD	R3U	—	—	_	—	—
ansit-350 (GVWR: Cargo Van 9,500#			9,250#, except	with 14 or 15-Pa	ssenger Seatin	g and RWD is 9	<u>,400# </u>
Passenger Van with 14 or 15-Passeng ong (148")	RWD	W1X	W1V	X2X	X2X	_	_
	AWD	W2X	W2V	X9X	X9X		—
ong (148")							
xtended (148") xtended (148")	RWD AWD	W3X W3U	_			_	

	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
BODY CODES	Order	101A	201A	301A	302A	501A	701A
Transit-350 (GVWR: Passenger Van 9,500#)	Code	<u> </u>		<u> </u>			
Long (148")	RWD	-	-	W4X	W4X	-	-
∟ong (148") Transit-350 HD DRW (GVWR: Cargo Van 9,950#	AWD Crew Van	9.950#)	—	—	_	-	—
Extended (148")	RWD	F4X	F4V	—	—	_	—
Extended (148") Transit-350 HD DRW (GVWR: Cargo Van 10,360#	AWD	F4U n 10.360# Pass	F4W		—		
Extended (148")	RWD	S4X	S4V	U4X	U4X	—	—
Extended (148")	AWD	S4U	S4W	U5X	U5X	—	—
POWERTRAIN							
Engine *3.5L PFDi V6. Not available on Cargo Van (S4U), Crew Van (S4W), Passenger Van XL/XLT (W4X, W4Z and U5X), Cutaway (S6P, S8P, U6P and U8P) or Chassis Cab (S6Z, S8Z, U6Z and U8Z). Note: Includes port injection and E-85 Flex-Fuel Capable capability.	998	S	S	S	S	S	S
3.5L EcoBoost® V6. Standard on Cargo Van (S4U), Crew Van (S4W), Passenger Van XL/XLT (U5X), Cutaway (S8P, U6P and U8P) and Chassis Cab (S8Z, U6Z and U8Z). Not available on Passenger Van XL/XLT (K1C, K1Y, K2C, K2Y, W4X and W4Z).	99G	S/O	S/O	S/O	S/O	S/O	S/O
Note: Includes Auto Start-Stop technology *2.0L EcoBlue® Bi-Turbo I4 Diesel. Standard on Passenger Van XL/XLT (W4X and W4Z), Cutaway (S6P) and Chassis Cab (S6Z). Not av ailable on Cargo Van (E1Y, E2C, E2Y, E1C, F4U, R2C, R2X, R2Y, R3U, S4U, W2C, W3U, W2X, W2Y, W1Y, W9C and W1X), Crew Van (E1Z, E9Z, R2D, R2Z, R2V, W1Z, W2Z, E1D, E2D, W1D, W2D, W1V, W2V, F4V, F4W, S4V and S4W), Passenger Van XL/XLT (U5X, X9C, X9X, X9Y, K1C, K1Y, K2C and K2Y), Cutaway (S8P, F8P, R7P, W7P, U6P and U8P) or Chassis Cab (S8Z, F8Z, R7Z, W7Z, U6Z and U8Z). Late Availability. Note: Includes Auto Start-Stop technology, PTC Heater, Dual AGM Batteries (63E), Engine Hour Meter and SEIC capability. Transmission	99A	ο	0	S/O	S/O	S/O	S/O
* 10-Speed Automatic Overdrive with SelectShift®. Auxiliary Transmission Oil Cooler is standard. EXTERIOR	44U	S	S	S	S	S	S
Roof Marker Lamp Delete. Standard on SRW Cargo Van, Crew Van and Passenger Vans. Note: Vehicle shipped with temporary tape over five (5) holes. Upfitter is responsible to seal holes on Cutaway only.	18A	S	S	S	S	Ο	_
Body Side Moldings *Body Side Moldings – Body Colored. Requires Front Bumper – Body Colored (53G). Note: Body colored body side moldings are offered in Oxford White (YZ), Agate Black (UM), Ingot Silv er (UX), Magnetic (J7). The body side moldings will match the exterior color of the Cutaway.	17N	_	-	_	_	O	_
Bumpers *Front Bumper – Body Colored. Includes Front Fog Lamps (55D). Note: Body colored front bumpers are offered in ev ery exterior color. The front bumper will match the exterior color of the Passenger Van XLT/Cutaway.	53G	_	-	-	S	о	_
Rear Bumper – Carbon Black, with integral step. Optional on Low Roof.	43E	0	0	0	0	—	—
Doors 60/40 Hinged Passenger-side Door (Low Roof)	59A	0		0	0	—	_
Dual Sliding Side Doors. Only available on Medium and High Roof configurations. Not available with the combination of AWD and DRW configurations (F4U and S4U).	59B	0	_	_	_	_	_
(F40 and \$40). (F40 and \$40). (F40 and \$40). (Factor and \$40). (F	65C	0	-	0	0	_	_

2020 TRANSIT OPTIONAL EQUIPMENT

EXTERIOR	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
EATERIOR	Order Code	101A	201A	301A	302A	501A	701A
Right Hand Door Delete. Included with School Bus Prep Package (47C), MFSAB Prep Package (47Q) and available with Shuttle Bus Prep Package (47S). Note: Intended for upfitters that intend to modify the factory roof. Includes only front driver airbag. See Package/Option page for details.	60X	_	_	_	_	I/P/O	_
Exterior Lighting – Front * High-Intensity Discharge (HID) Headlamps. Chassis Cab and Cutaway are not available with 3.5L PFDi V6 (998) engine. Note: HID headlamps emit a brighter, more natural light than halogen headlamps, which can help improve visibility. HID headlamps also include LED signature surround.	91A	-	0	0	0	0	0
★ Autolamp. Includes Wiper Activ ated Headlamps. Note: When the headlamp control is in the Autolamp position, the headlamps will turn on automatically in low lighting conditions. The headlamps will also stay on for a set period of time after the owner turns off the ignition. ★ Front Fog Lamps. Included in Rev erse Sensing	91B	0	0	o	S	Ο	-
System (43R) and Front and Rear Split-View Camera (61D). Note: Auxiliary lamps that are generally integrated into the front fascia and designed to help illuminate the roadway during poor visibility.	55D	O/I	O/I	O/I	S	O/I	O/I
Exterior Lighting – Rear ight-emitting Diode (LED) Tailamps. For Upfitter use. Included in Ambulance Prep Package – Cutaway (47F), School Bus Prep Package (47C) and Multi-Function School Activity Bus Prep Package (47Q).	43Q	_	_	_	-	O/I	0
Euel Tank ★Extended Range Fuel Tank – Capless Fuel Fill, 31 U.S. gallons (midship). Not av ailable on Regular Length configurations and Passenger Van XL/XLT (X9X) with the combination of the 15- Passenger Seating (96P) and the 3.5L EcoBoost® V6 (99G) engine.	655	0	0	o	0	0	Ο
Mirrors – Short-Arm Power Adjusting, Manual-Folding. Not available with BLIS with Cross-traffic Alert and Trailer Coverage (65A).	541	S	S	S	—	0	-
Power Adjusting, Manual-Folding Heated with Turn Signals. Not available with BLIS with Cross-traffic Alert and Trailer Coverage (65A).	545	Ο	Ο	0	_	0	0
Mirrors – Long-Arm Power Adjusting, Manual-Folding. Not available with BLIS with Cross-traffic Alert and Trailer Coverage (65A).	543	о	0	0	_	О	-
Power Adjusting, Manual-Folding Heated with Turn Signals. Available with BLIS with Cross-traffic Alert and Trailer Coverage (65A).	544	O/P	O/P	O/P	O/P	0	0
Running Boards Running Board. Not available with Dual Sliding Side Doors (59B). Note: Running board covers the B-C Pillar Passenger-side.	68H	0	S	0	0	—	_
Power Running Board. Not av ailable with Dual Sliding Side Doors (59B). And not av ailable on Cargo Van with VinyI, Front and Rear (16E), Interior Upgrade Package – Cargo Van (96C), Load Area Protection Package (96D). Note: Running board cov ers the B-C Pillar Passenger-side.	68L	0	_	o	0	_	_
Extended Length Running Boards. Not av ailable with 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine or Dual Sliding Side Doors (59B). Note: Running board covers the A-B Pillar Driver- side and A-C Pillar Passenger-side.	68J	0	0	o	Ο	—	_
Chassis Cab/Cutaway Running Boards. Covers A- B Pillar on both Driver and Passenger-side.	68C	_	_	-	—	0	0
Trailering Tow/Haul Mode with Trailer Wiring Provisions. Included in Motorhome Prep Package (47M). See Package/Options page for details.	53D	0	0	0	0	O/I	0

EXTERIOR	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
EXTERIOR	Order Code	101A	201A	301A	302A	501A	701A
Trailer Brake Controller (TBC). Requires Cruise Control (60C) or Adaptive Cruise Control (60D) and requires Heavy-Duty Trailer Tow Package (53B) or Tow/Haul Mode with Trailer Wiring Provisions (53D). Not av ailable with 3-Passenger seating (212, 213, 216 and 217).	67D	о	0	ο	Ο	0	0
Heav y -Duty Trailer Tow Package Note: Deletes Rear Tow Hook. See Package/Option page for details.	53B	ο	ο	0	о	_	_
<u>Wheels – SRW</u> 16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only). Included with Exterior Upgrade Package – SRW (Standard Front Axle configurations only) (18D). ("" Schuded American Wheel Constduct Front Axle	64H	I/O	I/O	О	S	I/O	I/O
16" Sty led Aluminum Wheel (Standard Front Axle conf igurations only). Av ailable with Exterior Upgrade Package – SRW (Standard Front Axle conf igurations only) (18D). Note: Includes locking lug nuts	64S	P/O	P/O	0	0	P/O	P/O
★16" Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Heavy-Duty Front Axle configurations only) (18D).	64G	P/O	P/O	Ο	Ο	P/O	P/O
Mheels – DRW ★16" Heavy-Duty Forged Aluminum Wheel (Standard Front Axle configurations only). Available with Exterior Upgrade Package – DRW (Standard Front Axle configurations only) (18L). ★16" Heavy-Duty Forged Aluminum Wheel	76E	P/O	P/O	o	о	P/O	P/O
(Heav y-Duty Front Axle configurations only). Av ailable with Exterior Upgrade Package – DRW (Heav y-Duty Front Axle configurations only) (18L). Wheels – Spare Tire	76G	P/O	P/O	0	0	P/O	P/O
Spare Tire and Wheel. Included in the Ambulance Prep Package – Cutaway (47F). Note: Includes 4 ton jack, tool kit and full-size matching tire	51D	S	S	S	S	O/I	0
Spare Tire and Wheel Delete. Optional on Extended Length only.	51A	0	0	0	0	S	S
<u>Windows (Refer to the Windows Offering Chart c</u> Fixed Rear Cargo Door Glass	n page 21 17A	for complete w	indow details)	· _		_	S
ixed Rear Cargo Door Glass and Fixed Passenger-side Cargo Door Glass.	17B	0	_	_	-	_	_
Fixed Rear Cargo Door Glass and Fixed Driver and Passenger-side Cargo Door Glass. Requires Dual Sliding Side Doors (59B) on Cargo Van.	17D	ο	s	_	—	_	_
Windows-All-Around, Fixed. Not available with Dual Sliding Side Doors (59B).	17F	0	-	S	S	—	—
★Egress Window. Only available with Windows-All- Around, Fixed (17F). Requires Privacy Glass (92E). Not available on Low Roof Passenger Vans. Late Availability. Note: Replaces 2 nd row Driver-side window.	17L	_	_	о	о	_	_
Class * Safety Glass. Included with Multi-Function School Activity Bus (MFSAB) Prep (47Q) and School Bus Prep (47C) packages. Note: Applies to the front and side windows. Provides additional safety that makes the glass less likely to break, or less likely to pose a threat when broken.	65B	_	_	_	_	O/I	_
High Strength Laminated Glass. Available with Windows-All-Around, Fixed (17F) only. Optional on Medium/High Roof Long-Length Cargo Van. Not available with Dual Sliding Side Doors (59B). Note: High strength laminated glass applies to 2 nd - 4 th row windows	92A	0	-	-	-	-	-
Privacy Glass. Includes Rear-window Defroster (57N). Note: Provides protection of vehicle occupant(s) and occupant personal belongings. The glass also provides occupant comfort by helping to reduce vehicle cool-down time.	92E	ο	0	ο	0	—	_
Rear-Window Defroster. Requires any window package that includes fixed rear cargo door glass (17A-K)	57N	О	о	о	о	—	—

INTERIOR	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
Cruise Control. Includes Adjustable Speed Limiting Device (ASLD). Jote: The ASLD feature is great for city driving; it allows the driver to set an upper speed limit for the vehicle. If the vehicle begins to approach the upper speed limit then audible and visual warning are given.	60C	0	0	0	S	0	0
D-Pillar Assist Handles lote: Located on the Driv er and Passenger-side. Due to space requirements, the Driv er-side handle is deleted if Front/Rear Aux A/C and Heater (Driv er controlled) (57G) is also ordered.	66C	0	0	_	_	_	_
luminated Sun Visors. Included with Interior Upgrade Package – Cargo Van (96C) and Interior Upgrade Package – Cutaway/Chassis Cab (47A).	85C	O/I	0	ο	S	O/I	O/I
Rearview Mirror. Included with rear glass window configurations (17A, 17B, 17D and 17F). Not av ailable with Radio Prep Package (58T) or Rear View Display in Rearview Mirror (61B). Bulkheads	90B	I	S	s	S	ο	S
 Bulkhead – Lockable Door with Window. Optional only on Medium Roof and High Roof. Late Availability. Iote: The bulkhead is located behind the driver and passenger seats in the Cargo Van, and separates them from the cargo area. 	47T	o	_	_	_	_	_
Bulkhead – Window Only. Optional only on Low Roof and Medium Roof. Late Availability.	47U	0	_	-	_	_	—
Center Console Large Center Console. Included with Upfitter Package (67C) and Trailer Brake Controller (67D). Iote: Includes an integrated shifter, a dual cup holder and an additional storage area loor Covering	67E	O/I	O/I	O/I	S	O/I	O/I
/iny I, Front only . Included with the Builders Prep Package (47E) for Passenger Van XL. Jote: Wheel Well Liners and Scuff Plates Kit are not included.	16C	S	—	I	-	S	S
/inyl, Front and Rear. Included in Interior Upgrade Package – Cargo Van (96C) and Load Area Protection Package (96D). Not available with Front/Rear Aux A/C and Heater (Driver controlled) (57G) on Cargo Van, Heavy-Duty Cargo Flooring (60B) or Heavy-Duty Scuff Plate Kit (85B). Jote: Wheel Well Liners are included as part of the rear vinyl floor covering. On the Crew Van, the vinyl flooring is only in the 1st and 2nd rows.	16E	0/1	s	s	0	_	_
Carpet, Front only. Included with Builders Prep Package (47E). Iote: Deletes all rear floor covering.	16G	0	_	-	I.	0	0
Carpet, Front and Rear Carpet Floor Mats, Front only	16H 86B	0	0	0	S S		0
leav y -Duty Cargo Flooring. Includes Heav y -Duty Scuff Plate Kit (85B) only on Cargo Van. Not av ailable with Dual Sliding Side Doors (59B), Viny I, Front and Rear (16E), Front/Rear Aux A/C and Heater (Driver controlled) (57G) or DRW configurations (F4X, F4U, S4X and S4U).	60B	0	_	_	_	_	_
Seating – Front (Refer to the Front Seat Matrix on Dark Palazzo Gray Cloth, 2-way manual Driver and	page 23 f	or complete se	at details)				
2-way manual Passenger seats. Cargo Van is only available with 10,360lb GVWR configurations, and Chassis Cab is only available with 10,360/11,000lb GVWR configurations. Note: Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	21C	Ο	_	_	_	Ο	Ο

				•			
INTERIOR	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
Ebony Cloth, 2-way manual Driv er and 2-way manual Passenger seats. Cargo Van is only av ailable with 10,360lb GVWR configuration, and Chassis Cab is only av ailable with 10,360/11,000lb GVWR configurations. Note: Roof modification by the upf itter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	21D	0	_	-	—	0	0
Dark Palazzo Gray Viny I, 2-way manual Driver and 2-way manual Passenger seats.	21G	S	S	0	_	S	S
Dark Palazzo Gray Vinyl, 2-way manual Driver seat. Includes the Auxiliary Fuse Panel with High Spec Interface Connector (87E) when the 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine is ordered. Cargo Van is only available with 10,360lb GVWR configurations. Note: Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	21J	ο	_	_	_	ο	_
Dark Palazzo Gray Cloth, 2-way manual Driver	21K	0	_	_	_	0	_
seat. Dark Palazzo Gray Cloth, 2-way manual Driver and	21L	0	0	_	S	0	0
2-way manual Passenger seats. Ebony Cloth, 2-way manual Driver and 2-way	21M	0	0	S	0	0	0
manual Passenger seats. Dark Palazzo Gray VinyI, 2-way manual Driver and	21P	0	0	0	_	0	0
2-way manual Passenger seats. Dark Palazzo Gray Cloth, 10-way power Driver and 10-way power Passenger seats. Cargo Van and Crew Van are not av ailable with the 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine, or the combination of 9,250/9,500lb GVWR and the 3.5L EcoBoost® V6 (99G) or 3.5L PFDi V6 (998) engines.	21Q	0	0	-	0	0	0
Ebony Cloth, 10-way power Driver and 10-way power Passenger seats. Cargo Van and Crew Van are not av ailable with the 2.0L EcoBlue® Bi- Turbo 14 Diesel (99A) engine, or the combination of 9,250/9,500lb GVWR and the 3.5L EcoBoost® V6 (99G) or 3.5L PFDi V6 (998) engines.	21R	0	0	0	0	0	0
Ebony Leather, 10-way power Driver and 10-way power Passenger seats.	21S	0	—	—	0	0	—
★Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats. Requires Push Down Manual Parking Brake (90G) and Dual AGM Batteries (63E). Not available on Low Roof Cargo Van.	21T	0	-	-	-	0	-
 ★ Dark Palazzo Gray Vinyl, 2-way manual Driver and 2-way manual dual Passenger seats. Cargo Van is only available with the combination of 10,360lb GVWR and the 3.5L EcoBoost® V6 (99G) or 3.5L PFDi V6 (998) engines, and Chassis Cab is only available with combination of 10,360/11,000lb GVWR and the 3.5L EcoBoost® V6 (99G) engine. Not available with the 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine. Late Availability. Note: Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on v ehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof". 	212	Ο		_	_	Ο	0
Seating – Front (Refer to the Front Seat Matrix or *Dark Palazzo Gray Vinyl, 2-way manual Driver	n page 23 f	or complete se	at details)				
and 2-way manual dual Passenger seats. Not av ailable with the 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine. Late Availability.	213	0	—	—	—	0	Ο

INTERIOR	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
★Ebony Cloth, 2-way manual Driver and 2-way manual dual Passenger seats. Cargo Van is only av ailable with the combination of 10,360lb GVWR and the 3.5L EcoBoost® V6 (99G) or 3.5L PFDi V6 (998) engines, and Chassis Cab is only av ailable with combination of 10,360/11,000lb GVWR and the 3.5L EcoBoost® V6 (99G) engine. Not av ailable with the 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine. Late Availability. Note: Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	216	Ο	_	_	—	Ο	0
★Ebony Cloth, 2-way manual Driv er and 2-way manual dual Passenger seats. Not available with the 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine. Late Availability.	217	0	_	_	—	0	0
*Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats. Requires Push Down Manual Parking Brake (90G) and Dual AGM Batteries (63E). Cargo Van is only av ailable with 10,360lb GVWR configurations. Note: Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on v ehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	218	0	_	-	—	Ο	_
<u> Seating – Rear (Refer to the Rear Seat Matrix on p</u>	age 24 for	complete seat	details)				
1-Passenger, 2-Passenger, or 3-Passenger Seating. 2-Passenger Seating is standard on Cargo Van, Cutaway and Chassis Cab, except when Passenger Seat Delete (21J and 21K) is ordered, then its 1-Passenger Seating. 2- Passenger Seating is standard on Passenger Van with Builders Prep Package (47E). 2-Passenger Seating (with additional rear seat attachment points) is optional on Passenger Van without Builders Prep Package (47E). 3-Passenger seating is standard on Cargo Van, Cutaway and Chassis Cab when 3-Passenger seating (212, 213, 216 and 217) are ordered. Optional with Long and Extended Length Passenger Van. Passenger Van XL/XLT (X2C, X2X and X2Y) is not available with the combination of Long Length configurations and the 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine. 3-Passenger seating (212, 213, 216 and 217) is Late Availability. Note: 13 rear seats are removed, but seat attachment points are still present. This note only applies to 2-Passenger Seating on Passenger Van without Builders Prep Package (47E).	96K	S	_	Ο	Ο	S	S
2-Passenger Seating. Optional with Long Length Passenger Van without Builders Prep Package (47E) only. Note: 10 rear seats are removed, but seat attachment points are still present.	96X	_	_	ο	Ο	_	_
5-Passenger Seating. 1 st row: 2 seats, 2 nd row: 3 seats. Optional with Medium Roof, Regular Length Passenger Van only. Note: 3 rear seats are removed, but seat attachment points are still present.	96U	-	-	ο	0	-	-
8-Passenger Seating. 1 st row: 2 seats, 2 nd row: 3 seats, 3 rd row: 3 seats. Optional with Low Roof Regular Length Passenger Van.	96L	_	_	О	Ο	_	_
8-Passenger Seating. 1 st row: 2 seats, 2 nd row: 3 seats, 3 rd row: 3 seats. Optional with Medium Roof Regular Length Passenger Van.	96M	—	—	ο	0	—	-
8-Passenger Seating. 1 st row: 2 seats, 2 nd row: 3 seats, 3 rd row: 3 seats. Optional with Long Length Passenger Van. Not availabe with Low Roof Passenger Van. Note: 4 rear seats are removed, but seat attachment points are still present.	96V	—	—	ο	Ο	—	_

INTERIOR	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
INTERIOR	Order Code	101A	201A	301A	302A	501A	701A
Seating - Rear (Refer to the Rear Seat Matrix on		r complete sea	t details)	1			
10-Passenger Seating. 1 st row: 2 seats, 2 nd row: 2 seats, 3 rd row: 3 seats, 4 th row: 3 seats. Optional with Extended Length Passenger Van. Note: 4 rear seats are removed, but seat attachment points are still present.	96W	_	_	0	0	_	_
14-Passenger Seating. 1 st row: 2 seats, 2 nd row: 2 seats, 3 rd row: 3 seats, 4 th row: 3 seats, 5 th row: 4 seats. Optional with Long Length Passenger Van. Passenger Van XL/XLT (W4X, W4Z, X2C, X2X and X2Y) is not available with the combination of Long Length configurations and the 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine.	96S	_	_	0	0	-	_
14-Passenger Seating. 1 st row: 2 seats, 2 nd row: 2 seats, 3 rd row: 3 seats, 4 th row: 3 seats, 5 th row: 4 seats. Optional with Extended Length Passenger Van.	96T	_	_	ο	Ο	_	_
15-Passenger Seating. 1 st row: 2 seats, 2 nd row: 3 seats, 3 rd row: 3 seats, 4 th row: 3 seats, 5 th row: 4 seats. Optional with Long Length Passenger Van. Passenger Van XL/XLT (W4X, W4Z, X2C, X2X and X2Y) is not available with the combination of Long Length configurations and the 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine. FUNCTIONAL	96P	_	_	o	0	-	_
Auxiliary Fuse Panel with High Spec Interface Connector. Includes Dual AGM Batteries (63E) and Modified Vehicle Wiring System (53K).	87E	0	Ο	0	0	0	Ο
★Dual Alternator (250 amps each). Includes Auxiliary Fuse Panel with High Spec Interface Connector (87E). Included with Ambulance Prep Packages (47B and 47F). Not av ailable with 3.5L PFDi V6 (998) or 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engines.	63C	O/I	о	o	0	O/I	ο
*Horn – Dual-note. Included on School Bus Prep Package (47C), MFSAB Prep Package (47Q), Ambulance Prep Package – Cargo Van (47B) and Ambulance Prep Package – Cutaway (47F).	85D	о	о	о	ο	0	о
Keyless Entry Keypad	52C	0	0	0	0	0	0
Modified Vehicle Wiring System. Included with Builders Package (47E), Ambulance Prep Package – Cargo Van (47B), and Auxiliary Fuse Panel with High Spec Interface Connector (87E).	53K	O/I	O/I	O/I	O/I	S	S
Programmable Battery Guard/Enhanced Cut-off Relay. Not av ailable with Push Down Manual Parking Brake (90G), Power Outlet – 110V/150W (90C) or Power Outlet – 110V/400W (90D). Late Availability. Note: Controls a production/serv ice fit isolation relay to allow PTO at engine run/off while protecting certain systems/functions.	59C	0	0	0	0	0	0
Push Down Manual Parking Brake. Standard on Chassis Cab and Cutaway 11,000 GWVR configuration only. Not av ailable with Programmable Battery Guard/Enhanced Cut-off Relay (59C), Power Outlet – 110V/150W (90C) or Power Outlet – 110V/400W (90D). Note: The push down manual parking brake feature allows the driv er to push the hand lev er to the fully down position, while the parking brake remains engaged. This is particularly useful in situations where additional clearance to pass over the parking brake lev er is necessary, such as a swivel seat. Air Conditioning	90G	O	o	o	Ο	S/O	S/O
 Pront/Rear Aux A/C and Heater (Driver controlled). Not av ailable with Passenger Seat Delete (21J and 21K), 3-Passenger seating (212, 213, 216 and 217), Cargo Van with VinyI, Front and Rear (16E), Interior Upgrade Package – Cargo Van (96C), Builders Prep Package (47E) or Load Area Protection Package (96D). Note: Heat is distributed from rear of front-passenger seat. A/C is distributed from the rear of van. 	57G	0	0	s	S	_	_

2020 TRANSIT OPTIONAL EQUIPMENT

			-				
FUNCTIONAL	Body Type Order	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Code	101A	201A	301A	302A	501A	701A
Audio – Audio Packs Audio Pack #18 – AWFM stereo, Bluetooth, Dual USB ports and a 4.0" multi-function display. Audio Pack #18 is standard on Cargo Van, Crew Van and Passenger Van XL when Rear View Camera with Trailer Hitch Assist is selected. And is standard on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front/4 rear) – Passenger Van XL	58U	S	s	s	-	S	S
Audio Pack #19 – AM/FM stereo, Bluetooth, Dual USB ports, SYNC 3 and a 4.0" multi-function display. Audio Pack #19 is optional on Cargo Van, Crew Van and Passenger Van XL when Rear View Camera with Trailer Hitch Assist is selected. And is optional on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT	58V	0	0	0	S	0	0
Audio Pack #20 – AM/FM stereo with HD/SiriusXM® capability, Bluetooth, Dual USB ports, SYNC 3 and a 4.0" multi-function display. Audio Pack #20 is optional on Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT when Rear View Camera with Trailer Hitch Assist is selected. And is optional on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT	58W	Ο	Ο	O	Ο	Ο	Ο
Audio Pack #21 – AM/FM stereo, Bluetooth, audio input jack, Dual USB ports, SYNC 3 and a 8.0" colored multi-function touch screen. Audio Pack #21 is optional on Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT when Rear View Camera with Trailer Hitch Assist is selected. And is optional on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. Audio Pack #21 is included with Front and Rear Split-View Camera (61D). – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT		I/O	I/O	I/O	I/O	I/O	I/O
Audio Pack #22 – AM/FM stereo with HD/SiriusXM® capability, Bluetooth, audio input jack, Dual USB ports, SYNC 3 and a 8.0" colored multi-function touch screen. Audio Pack #22 is optional on Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT when Rear View Camera with Trailer Hitch Assist is selected. And is optional on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. Audio Pack #22 is available with Front and Rear Split-View Camera (61D). – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT	58Y	P/O	P/O	P/O	P/O	P/O	P/O

2020 TRANSIT OPTIONAL EQUIPMENT

FUNCTIONAL	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
FUNCTIONAL	Order Code	101A	201A	301A	302A	501A	701A
Audio – Audio Packs	Code		I		I		
Audio Pack #28 – AM/FM stereo with HD/SiriusXM® capability, Bluetooth, audio input jack, Dual USB ports, SYNC 3 and a 8.0" colored multi-function touch screen with Navigation. Audio Pack #28 is optional on Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT when Rear View Camera with Trailer Hitch Assist is selected. And is optional on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. Audio Pack #28 is available with Front and Rear Split-View Camera (61D). – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT	584	P/O	P/O	P/O	P/O	P/O	P/O
Audio – Speakers S speakers (4 front/2 rear). Optional with Audio	1	1	1	1	1		1
Pack #18, 19, 20, 21, 22 and 28 (58U, 58V, 58W, 58X, 58Y and 584) on Cargo Van, Crew Van and Cutaway. Note: Rear speakers shipped in dunnage box for Cutaway only.	91L	0	0	_	_	0	_
8 speakers (4 front/4 rear). Included with Audio Pack #18, 19, 20, 21, 22 and 28 (58U, 58V, 58W, 58X, 58Y and 584) on Passenger Van XL and included with Audio Pack #19, 20, 21, 22 and 28 on Passenger Van XLT. Optional with Audio Pack #18, 19, 20, 21, 22 and 28 on Cutaway. Note: Rear speakers shipped in dunnage box for Cutaway only.	91M	-	_	I	I	0	_
Axle							
*Heavy-Duty Front Axle Note: Up to 4,630 lb FGAWR. Refer to the Axle Av ailability charts beginning on page 28 for complete option details.	41E	S/O/I	S/O	S	S	S/O/I	S/O/I
Batteries Single AGM Battery (70 amp-hr). Optional on 3.5L	63X	0	0	0	0	0	0
PFDi V6 (998) engine only. Dual AGM Batteries. (70 amp-hr each). Optional on and 3.5L EcoBoost® V6 (99G) and 3.5L PFDi V6 (998) engines. Included with Power Outlet – 110V/400W (90D), Auxiliary Fuse Panel with High Spec Interface Connector (87E), and the	63E	0/1	0/1	0/1	0/1	0/1	0/1
combination of X9C, X9X or X9Y and 15- Passenger Seating.							
Frontal Area Limitation Enhanced Frontal Area Limitation 1 Note: Provides a Vehicle Emission Control Information label with a frontal area restriction up to 82 ft ² . Frontal area limitation requires second unit body to meet profile restrctions. For additional information please reference the Incomplete Vehicle Manual and SVE Bulletins.	15D	_	_	_	_	0	O
 *Enhanced Frontal Area Limitation 2. Available on 10,360 or 11,000lb GVWR configurations only. Note: Provides a Vehicle Emission Control Information label with a frontal area restriction up to 82 ft². Frontal area limitation requires second unit body to meet profile restrictions. For additional information please reference the Incomplete Vehicle Manual and SVE Bulletins. 	15E	-	_	_	-	0	0
Heating Engine Block Heater (400W Rating) – Standard on 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine. Optional on 3.5L PFDi V6 (998) and 3.5L EcoBoost® V6 (99G) engines. Note: Recommended when minimum temperature is 10°F or below.	41H	S/O	S/O	S/O	S/O	S/O	S/O
Instrumentation ★Vehicle Maintenance Monitor. Includes Engine							
Hour Meter. Note: Depending on the engine, this feature will display engine hour meter, oil life, oil level, tire pressure, water in fuel, DEF information and exhuast filter status.	61C	0	0	0	0	0	0

2020 TRANSIT OPTIONAL EQUIPMENT

FUNCTIONAL	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
nterior Power		<u> </u>	-	<u>.</u>			
Power Oulet – 110V/150W. Not available with Passenger Seat Delete (21J and 21K) and 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine combination, Push Down Manual Parking Brake (90G), or Programmable Battery Guard/Enhanced Cut-off Relay (59C). Note: The AC power outlet is designed to power low-draw electrical devices with a household-sty le outlet f or added convenience.	90C	0	0	o	0	0	0
Power Outlet – 110V/400W. Includes Dual AGM Batteries (63E). Not av ailable with Passenger Seat Delete (21J and 21K), Push Down Manual Parking Brake (90G), Programmable Battery Guard/Enhanced Cut-off Relay (59C), Front/Rear Aux A/C and Heater (Driver controlled) (57G), Dual Alternator (63C), Ambulance Prep Package – Cargo Van (47B) or Ambulance Prep Package – Cutaway (47F). Note: High-power outlets deliver up to 400 watts of power, allowing drivers to easily charge smaller corded tools, battery chargers or mobile devices on-site.	90D	0	0	_	_	0	0
Powerpoint – 12V. One located in the rear of vehicle	87A	0	0	_	_	_	_
Regeneration Initation				1			
Manual Regen Initiation. Requires the 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine. Note: The diesel particulate filter requires periodic regeneration to maintain correct operation. If the driver is not operating the vehicle in a manner to allow effective automatic regeneration, then activitating the manual regeneration initiation is recommended. Please see your Owner Manual for the manual regeneration procedure and recommended vehicle operating conditions.	98D	o	0	0	0	0	0
Manual Regen Initiation with Active Regen Inhibitor. Requires the 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine. Upfitter Accessories	98E	0	0	0	0	0	0
★ Upfitter Package. Includes High Capacity Upfitter Switches, Large Center Console (67E) and Auxiliary Fuse Panel with High Spec Interface Connector (87E). Not av ailable with 3-Passenger seating (212, 213, 216 and 217).	67C	0	0	0	0	0	0
* Upfitter Interface Module (UIM). Not available with Front and Rear Split-View Camera (61D). Note: This technology makes it easy for upfitters to operate aftermarket equipment, such as lift buckets or cranes. Upfitters can connect/program the optional upfitter switches to operate aftermarket-installed equipment with up to 9 digitally configurable inputs. Please see fleet.ford.com/partsandservice/upfitter-interface for additional information. SAFETY/SECURITY	55A	o	o	0	ο	Ο	ο
Perimeter Alarm.	59D	0	0	0	0	—	_
<u>Keys</u> Keys: 2 additional (4 total) with key fobs. Not	0.05	•	-	-	0	^	-
av ailable with Right Hand Door Delete (60X). My Key ®, Crew Van, Passenger Van XL,	86F	0	0	0	0	0	0
Passenger Van XLT, Cutaway and Chassis Cab require Cruise Control (60C). Cargo Van requires Cruise Control (60C) or Adaptive Cruise Control (60D).	62B	о	0	ο	ο	Ο	0
Camera – Rear View Rear View Camera and Prep Kit. Will display in rearview mirror when ordered with Radio Prep Package (58T), otherwise will display in multi- function display Note: For incomplete vehicles, upf itter must add a rear view camera to vehicles that are 10,000lb GVWR or less to complete the vehicle and meet FMVSS 111 requirements. Rear View Camera and Prep Kit (61A) is available as a dunnage kit that requires upf itter installation.	61A	_	_	_	_	Ο	Ο

SAFETY/SECURITY	Body Type Order	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB			
	Code	101A	201A	301A	302A	501A	701A			
Rear View Display in Rearview Mirror. Includes Radio Prep Package (58T). Not available with Low Roof configurations, Cruise Control (60C), Adaptive Cruise Control (60D) or Interior Upgrade Package – Cargo Van (96C). Note: When vehicle is in Reverse, this feature displays an image of what's directly behind the vehicle. This image will appear in the rear veiw mirror.	61B	0	0	-	–	-	-			
FORD CO-PILOT360 TM TECHNOLOGY										
★Adaptive Cruise Control. Includes Adjustable Speed Limiting Device (ASLD). Note: Adaptive cruise control keeps a constant speed without having to work the brake or accelerator pedals. Plus it automatically maintains a driv er-inputted preset distance (or gap) from vehicles ahead.	60D	Ο	ο	O	Ο	Ο	0			
★Blind Spot Information System (BLIS®) with Cross-traffic Alert and Trailer Coverage. Includes Short-Arm, Power Adjusting, Power-Folding Heated with Turn Signals. Note: BLIS deletes the standard Short-Arm, Power Adjusting, Manual-Folding Mirrors (541) on Cargo Van, Crew Van and Passenger Van XL.	65A	0	0	0	S	-	_			
★Enhanced Active Park Assist. Includes Front Sensing System, Side Sensing System (94A) and Reverse Sensing System (43R). Not available with Extended Length configurations. Note: Enhanced active park assist helps make parking less stressful. It helps steer the vehicle, in Reverse, into a perpendicular parking space or steer the vehicle into or out of a parallel parking space.	94B	0	0	0	Ο	_	_			
Camera – Front & Rear View										
 ★ Front and Rear Split-View Camera. Includes Side Sensing System (94A) and Reverse Sensing System (43R) on Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT. Only available with Audio Pack #21 (58X), Audio Pack #22 (58Y) and Audio Pack #28 (584). Not available with Rear View Camera and Prep Kit (61A) or Rear View Display in Rearview Mirror (61B). Note: Front and rear facing cameras allow the driver to toggle through different camera views via a button located on the instrument panel. For incomplete vehicles, upfitter must add a rear view camera to vehicles that are 10,000lb GVWR or less to complete the vehicle and meet FMVSS 111 requirements. Rear View Camera and Prep Kit (61A) is available as a dunnage kit that requires upfitter installation. 	61D	Ο	ο	ο	Ο	Ο	0			
Exterior Sensors Reverse Sensing System. Included with Front and Rear Split-View Camera (61D), Side Sensing System (94A) and Enhanced Active Park Assist (94B).	43R	O/I	O/I	O/I	S	-	_			
 ★ Side Sensing System. Included with Front and Rear Split-View Camera (61D). Also includes Reverse Sensing System (43R). Note: Works similar to the Reverse Sensing System, as it sounds a tone when the vehicle gets close to surrounding vehicles and other objects. 	94A	O/I	O/I	O/I	S	-	_			

DACKAGES/KITS	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
PACKAGES/KITS	Order Code	101A	201A	301A	302A	501A	701A
Audio Prep Packages	Code						
Radio Prep Package. Includes antenna, cov er plate in place of radio, wiring that is normally provided with single-CD audio packages and speakers. A radio chassis is not provided. Not av ailable with Low Roof Cargo Van, Low Roof Crew Van, Cruise Control (60C), Rearview Mirror (90B), Adaptiv e Cruise Control (60D), My Key® (62B), Interior Upgrade Package – Cargo Van (96C), Interior Upgrade Package – Cutaway/Chassis Cab (47A) or Motorhome Prep Package (47M). The combination of Radio Prep Package (58T) and FordPass™ Connect / Telematics Modem is Late Availability. Radio Prep Package is included on Cargo Van and Crew Van when the Rear View Display in Rearview Mirror (61B) is selected. And is optional on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. Not av ailable with Side Sensing System (94A), Rev erse Sensing System (43R) and Enhanced Active Park Assist (94B). – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab	58T	I	1	_	_	ο	ο
Engine Prep Packages ★Biodiesel Engine Prep Package. Requires the	000						
2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine.	98B	0	0	0	0	0	0
Exterior Prep Packages Exterior Upgrade Package – SRW	18D	0	0	I —	S	O/I	0
Exterior Upgrade Package – DRW	18L	0	0	—	S	O/I	0
Heating Prep Packages Auxiliary Heater Prep Package without Rear Controls. Av ailable with Builders Prep Package (47E). Not av ailable with Front/Rear Aux A/C and Heater (Driver controlled) (57G).	62A	Ο	0	Р	Ρ	О	0
Auxiliary Heater / AC Prep Package without Rear Controls. Av ailable with Builders Prep Package (47E). Included in Ambulance Prep Package – Cutaway (47F). Not av ailable with Front/Rear Aux A/C and Heater (Driv er controlled) (57G). Note: Package includes stub lines for delivery of coolant/refrigerant for easy addition of an aftermarket rear heater and A/C system. Requires aftermarket upfit of a climate control system. Interior Prep Packages	62C	O	0	Ρ	Ρ	0/1	Ο
Interior Upgrade Package – Cargo Van	96C	0	—	- 1	—	_	—
Interior Upgrade Package – Cutaway/Chassis Cab Smoker's Package	47A	—	-	_	_	0	0
Note: Comes with a cigarette lighter and ash cup. The cigarette lighter replaces the 12V Powerpoint.	66B	0	0	0	0	0	0
Trim Packages Load Area Protection Package. Not Available with Windows-All-Around, Fixed (17F) or Push Down Manual Parking Brake (90G). Note: Includes complete rear poly propy lene panels on side walls and doors.	96D	ο	-	-	-	-	-
Scuff Plate Kit. Not av ailable with Dual Sliding Side Doors (59B), Load Area Protection Package (96D) or the Interior Upgrade Package – Cargo Van (96C). Note: Scuff plate kit includes plastic scuffs for rear cargo doors and side cargo door (60/40 Hinged Passenger-side Door or Sliding Passenger-side Door). Scuff plate kit is not installed on vehicle, needs to be installed by upfitter/dealership.	85A	o	_	-	-	-	-
Heavy-Duty Scuff Plate Kit. Not av ailable with Dual Sliding Side Doors (59B) or the Vinyl, Front and Rear (16E). Not av ailable with Load Area Protection Package (96D) or the Interior Upgrade Package – Cargo Van (96C) unless ordered with Heavy-Duty Cargo Flooring (60B). Note: Heavy-duty scuff plate kit includes heavy- duty scuffs for rear cargo doors and side cargo door (60/40 Hinged Passenger-side Door or Sliding Passenger-side Door). Heavy-duty scuff plate kit is not installed on vehicle, needs to be installed by upfitter/dealership.	85B	o	_	_	_	_	_

PACKAGES/KITS	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
Miscellaneous Prep Packages	-	-			-		
Ambulance Prep Package – Cargo Van. Not av ailable with 3.5L PFDi V6 (998) or 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engines.	47B	о	—	—	—	—	_
Ambulance Prep Package – Cutaway. Only av ailable with 10,360/11,000 GWVR and 3.5L EcoBoost® V6 (99G) engine combinations.	47F	_	_	_	_	0	_
Builder's Prep Package	47E	—	-	0	0	-	_
Motorhome Prep Package	47M	—	—	—		0	_
Shuttle Bus Prep Package FORD ACCESSORIES, PRE-INSTALLED	47S	—	—	—	—	0	—
Back Up Alarm Note: The back up alarm has 102 dB(A) warning	43B	0	0	0	0	0	0
capability.							
Heavy Duty Tray Style Floor Mats (Front).	86N	0	0	0	0	0	0
Remote Start. Not available on 2.0L EcoBlue® Bi- Turbo I4 Diesel (99A) engine.	68B	0	0	0	0	0	0
Wheel Well Liners – Black (Front only)	15C	0	0	0	0	0	0
FACTORY-INVOICED, DEALER-INSTALLED ACC	ESSORIES						
Stainless Steel Wheel Liners. Factory -Invoiced, Dealer-Installed Accessory. Only available on DRW configurations and the standard 16" Heavy - Duty Silv er Steel Wheel with Exposed Lug Nuts. Not available with AWD, Heavy -Duty Front Axle (41E) or 11,000lb GVWR configurations.	87B	Ο	Ο	ο	Ο	Ο	Ο
FLEET OPTIONS (Requires Valid FIN Code)							
Day time Running Lamps Note: Provide enhanced vehicle visibility during day light conditions.	942	F	F	F	F	F	F
Exterior Mirror Delete. Available on Ambulance Prep Package – Cutaway (47F).	54X	F	F	—	—	S	S
Multi-Function School Activity Bus (MFSAB) Prep Package. Not available with Extended Length configurations. See Package/Option page for details.	47Q	_	_	_	_	F	_
Orange Safety Belts. Not av ailable with 10-way power seat (21Q, 21R and 21S), swivel seat (21T and 218) or 3-Passenger seating (212, 213, 216 and 217). Note: Belt minder is included on the front driver and passenger seat(s).	76C	F	F	-	-	F	F
School Bus Prep Package. Not available with Extended Length configurations. See Package/Option page for details.	47C	_	_	_	_	F	_
 Smart Acceleration Truncation Note: Smart Acceleration Truncation provides improved fuel economy by limiting power on unladen vehicles. 	55B	F	F	F	F	F	F
Decal Options (Refer to the Decal Options on page	ge 22 for c	omplete details	<u>.)</u>				
Decal #1 – Up to 15 ft^2	51E	F	F	F	F	—	—
Decal #2 – Up to 25 ft^2 Decal #3 – Up to 45 ft^2	51F 51G	F	F	F	F		
Decal #3 – Op to 45 ft Decal #4 – Up to 70 ft^2	51G 51H	F	F	F	F	_	_
Decal #5 – Up to 95 ft ²	51J	F	F	F	F	—	—
Speed Limiting Device	5014		F				
65-mph Governed Top Speed	52M 52H	F	F	F	F	F	F
70-mph Governed Top Speed 75-mph Governed Top Speed	52H 52N	F	F	F	F	F	F
Wheels – DRW	0211						•
16" Heav y-Duty White Steel Wheel with Exposed Lug Nuts (Standard Front Axle configurations only). Av ailable with Exterior Upgrade Package – DRW (18L).	76D	P/F	P/F	F	P/F	P/F	P/F

2020 TRANSIT OPTIONAL EQUIPMENT

PROPRIETARY

WINDOW OFFERINGS

= Standard Glass			2020 Tra	ansit - W	indow C	Offerings			
= Door without Glass		:	SINGLE REAR WHEE				DUAL REAR WHEEL	2	
= Fixed Glass Option	LOW	ROOF	N	IEDIUM & HIGH ROC	F	HIGH ROOF			
= Egress Window	Sliding Passenger-side Door	60/40 Hinged Passenger-side Door	Sliding Passenger-side Door	Power Sliding Door	Dual Sliding Side Doors	Sliding Passenger-side Door	Power Sliding Door	Dual Sliding Side Doors	
No Rear Glass Standard on Cargo Vans Side Door Glass: No Rear Door Glass: No Bodyside Glass: No									
Fixed Rear Cargo Door Glass Optional on Cargo Van. Side Door Glass: No Rear Door Glass: Yes Bodyside Glass: No		174		174			174		
Fixed Rear Cargo Door Glass and Fixed Passenger-side Cargo Door Glass Optional on Cargo Van. Side Door Glass: Yes Rear Door Glass: Yes Bodyside Glass: No	178	178	178	178	178	178	178	178	
Fixed Rear Cargo Door Glass and Fixed Driver and Passenger-side Cargo Door Glass Standard on Crew Van. Optional on Cargo Van. Side Door Glass: Yes Rear Door Glass: Yes Bodyside Glass: Yes Note: Requires Dual Sliding Side Doors (598) on Cargo Van	N/A	N/A	N/A	N/A	170	N/A	N/A	170	
Windows-All-Around, Fixed Optional on Cargo Van. Standard/Optional on Passenger Van. Side Door Glass: Yes Rear Door Glass: Yes Bodyside Glass: Yes	175	175	175	17F	N/A	17F	176	N/A	
Egress Window Optional on Passenger Van. Side Door Glass: Yes Rear Door Glass: Yes Bodyside Glass: Yes Note: Only available with Windows-All -Around, Fixed (17F), Requires Privacy Glass (192E), Not available on Low Roof Passenger Vans.	17.	î) 171	171.	17L	N/A	۲ ۱۳	17.	N/A	

2020 TRANSIT OPTIONAL EQUIPMENT

DECAL OPTIONS



Decal #1 (51E): – Up to 15 sq-ft¹



Decal #2 (51F): – Up to 25 sq-ft¹



Decal #3 (51G): – Up to 45 sq-ft¹



Decal #4 (51H): - Up to 70 sq-ft¹



Decal #5 (51J): – Up to 95 sq-ft¹

¹ Fleet only option. Pricing is for non-reflective material, 25 vehicle order minimum, and graphic design must be completed and approved by Ford prior to ordering vehicle in CONCEPS. To get started visit the Ford Commercial Graphics website and click on Factory Orderable Option Form link. Complete and submit the request form and attach y our graphic design (if av ailable). A Ford Commercial Graphics representative will follow-up to finalize the graphic design and provide a design proof for customer review and approval, and to determine which graphic option code and price apply. Lastly, customer can then proceed to place vehicle order and graphic option code in CONCEPS.

2020 TRANSIT OPTIONAL EQUIPMENT

FRONT SEAT MATRIX

Order Code	Seat Pack #	Color	Material	Driver Seat Control	Passenger Seat Control	Single Passenger Seat	Dual Passenger Seat	Driver Heated Seat	Passenger Heated Seat	Driver Lumbar Support	Passenger Lumbar Support	Driver Armrest	Passenger Armrest	2-Way Adjustable Headrest
21C	2	Dark Palazzo Gray	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21D	3	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21G	6	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	No	No	No	No	No	Yes	No	Yes
21J	8	Dark Palazzo Gray	Vinyl	2-Way Manual	No	No	No	No	No	No	No	Yes	No	Yes
21K	9	Dark Palazzo Gray	Cloth	2-Way Manual	No	No	No	No	No	Yes	No	Yes	No	Yes
21L	10	Dark Palazzo Gray	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21M	11	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21P	13	Dark Palazzo Grav	Vinyl	2-Way Manual	2-Way Manual	Yes	No	No	No	No	No	Yes	Yes	Yes
21Q	14	Dark Palazzo Gray	Cloth	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
21R	15	Ebony	Cloth	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
215	16	Ebony	Leather	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
21T	17	Dark Palazzo Gray	Cloth	4-Way Manual Swivel Seat	4-Way Manual Swivel Seat	Yes	No	No	No	Yes	No	Yes	Yes	Yes
212	25	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	Yes	No	No	No	No	Yes	No	Yes
213	26	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	Yes	No	No	No	No	Yes	No	Yes
216	29	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	Yes	No	No	Yes	No	Yes	No	Yes
217	30	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	Yes	No	No	Yes	No	Yes	No	Yes
218	31	Dark Palazzo Gray	Cloth	4-Way Manual Swivel Seat	4-Way Manual Swivel Seat	Yes	No	No	No	Yes	No	Yes	Yes	Yes

FRONT SEAT MATRIX CONTINUED

Order Code	Seat Pack #	Color	Material	Driver Beltminder System	Passenger CRS Top Tether Anchorage	Driver Front Airbag	Passenger Front Airbag	Driver Thorax Airbags	Passenger Thorax Airbags	Driver Curtain Airbags (Front Only)	Passenger Curtain Airbags (Front Only)	Driver Curtain Airbags (Front and Rear)	Passenger Curtain Airbags (Front and Rear)
21C	2	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
21D	3	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
21G	6	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21J	8	Dark Palazzo Gray	Vinyl	Yes	No	Yes	No	Yes	No	Yes	Yes	No	No
21K	9	Dark Palazzo Gray	Cloth	Yes	No	Yes	No	Yes	No	Yes	Yes	No	No
21L	10	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21M	11	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21P	13	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21Q	14	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21R	15	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21S	16	Ebony	Leather	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21T	17	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
212	25	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
213	26	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
216	29	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
217	30	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
218	31	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	No	No	No	No	No	No

¹ Contains Driver and Passenger Curtain Airbags (Front and Rear) when a Passenger Van XL or Passenger Van XLT is selected.

2020 TRANSIT **OPTIONAL EQUIPMENT**

PROPRIETARY

REAR SEAT MATRIX

Order Code	Passenger Seating	Second Row Seating	Third Row Seating	Fourth Row Seating	Fifth Row Seating	Rear Seat Center Armrest	Second Row Double Seat (D)	Second Row Triple Narrow Seat (K)	Second Row Triple Wide Seat (C)
96K	1 or 2 ^{1,2} or 3 ⁴	No	No	No	No	No	No	No	No
96X	2 ²	No	No	No	No	No	No	No	No
-	5	Yes	No	No	No	No	No	No	Yes
96U	5 ²	Yes	No	No	No	No ³	No	No	Yes
96L	8	Yes	Yes	No	No	No ³	No	Yes	No
96M	8	Yes	Yes	No	No	No ³	No	No	Yes
96V	8 ²	Yes	Yes	No	No	No ³	No	Yes	No
-	10	Yes	Yes	Yes	No	No ³	Yes	No	No
96W	10 ²	Yes	Yes	Yes	No	No ³	Yes	No	No
-	12	Yes	Yes	Yes	No	No ³	No	Yes	No
96S	14	Yes	Yes	Yes	Yes	No ³	Yes	No	No
96T	14	Yes	Yes	Yes	Yes	No ³	Yes	No	No
-	15	Yes	Yes	Yes	Yes	No ³	No	Yes	No
96P	15	Yes	Yes	Yes	Yes	No ³	No	Yes	No

REAR SEAT MATRIX CONTINUED

Order Code	Passenger Seating	Third Row Single/Double Seat (D+F)	Third Row Triple Wide Seat (C)	Fourth Row Single/Double Seat (D+Q)	Fourth Row Triple Wide Seat (C)	Fourth Row Double/Double Seat (J+J)	Fifth Row Single/Double/S ingle Seat (Y+X+Y)	Fifth Row Double/Double Seat (J+J)
96K	1 or 2 ^{1,2} or 3 ⁴	No	No	No	No	No	No	No
96X	2 ²	No	No	No	No	No	No	No
-	5	No	No	No	No	No	No	No
96U	5 ²	No	No	No	No	No	No	No
96L	8	No	Yes	No	No	No	No	No
96M	8	No	Yes	No	No	No	No	No
96V	8 ²	Yes	No	No	No	No	No	No
-	10	Yes	No	No	Yes	No	No	No
96W	10 ²	Yes	No	Yes	No	No	No	No
-	12	Yes	No	No	No	Yes	No	No
96S	14	Yes	No	Yes	No	No	Yes	No
96T	14	Yes	No	Yes	No	No	No	Yes
-	15	Yes	No	Yes	No	No	No	Yes
96P	15	Yes	No	Yes	No	No	Yes	No

¹ 2-Passenger Seating is standard on Cargo Van, Cutaway and Chassis Cab, except when Passenger Seat Delete (21J and 21K) is ordered, then its 1-Passenger Seat. 2-Passenger Seating is standard on Passenger Van with Builders Prep Package (61A)
² Incomplete Vehicle; some rear seats are removed, but seat attachment points still exist


³ Included on Passenger Van XLT

⁴ Late av ailability

2020 TRANSIT OPTIONAL EQUIPMENT

PROPRIETARY





★ = New for this model year

2020 TRANSIT

PROPRIETARY

NOMINAL TONNAGE (CARGO VAN)

CARGO VA	V	Series (T-xxx)	Drive Type	Nominal
	1			Tonnage ¹
	E1Y	T-150	RWD	3/4
	E2Y	T-150	AWD	3/4
Low Roof	R1Y	T-250	RWD	3/4
EOW ROOT	R2Y	T-250	AWD	3/4
	W1Y	T-350	RWD	1
	W2Y	T-350	AWD	1
	E1C	T-150	RWD	3/4
	E2C	T-150	AWD	3/4
Medium Roof	R1C	T-250	RWD	3/4
wealum Roor	R2C	T-250	AWD	3/4
	W2C	T-350	AWD	1
	W9C	T-350	RWD	1
		T 050	DIAG	014
	R1X	T-250	RWD	3/4
	R2X	T-250	AWD	3/4
	R3U	T-250	AWD	3/4
	R3X	T-250	RWD	3/4
	W1X	T-350	RWD	1
High Roof	W2X	T-350	AWD	1
	W3U	T-350	AWD	1
	W3X	T-350	RWD	1
	F4U	T-350HD	AWD	1
	F4X	T-350HD	RWD	1
	S4U	T-350HD	AWD	1
	S4X	T-350HD	RWD	1

NOMINAL TONNAGE (CREW VAN)

CREW VAN		Series (T-xxx)	Drive Type	Nominal Tonnage ¹
	E1Z	T-150	RWD	3/4
	E9Z	T-150	AWD	3/4
Low Roof	R1Z	T-250	RWD	3/4
	R2Z	T-250	AWD	3/4
	W1Z	T-350	RWD	1
	W2Z	T-350	AWD	1
	E1D	T-150	RWD	3/4
	E1D E2D		AWD	3/4
		T-150		
Medium Roof	R1D	T-250	RWD	3/4
	R2D	T-250	AWD	3/4
	W1D	T-350	RWD	1
	W2D	T-350	AWD	1
	R1V	T-250	RWD	3/4
	R2V	T-250	AWD	3/4
	W1V	T-350	RWD	1
Link Doof	W2V	T-350	AWD	1
High Roof	F4V	T-350HD	RWD	1
	F4W	T-350HD	AWD	1
	S4W	T-350HD	AWD	1
	S4V	T-350HD	RWD	1

¹ Nominal tonnage is a general classification of the v an's pay load capacities. Reference the v an's published maximum pay load rating and/or GVWR rating to know how much weight a specific configuration can carry.

2020 TRANSIT

PROPRIETARY

NOMINAL TONNAGE (PASSENGER VAN)

PASSENGER	/AN	Series (T-xxx)	Drive Type	Nominal Tonnage ¹		
	K1Y	T-150	RWD	1/2		
Low Roof	K2Y	T-150	AWD	1/2		
LOW ROOT	X2Y	T-350	RWD	1/2		
	X9Y	T-350	AWD	1/2		
	K1C	T-150	T-150 RWD			
	K2C	T-150	AWD	1/2		
Medium Roof	X2C	T-350	RWD	1/2		
	X9C	T-350	AWD	1/2		
	W4Z	T-350	RWD	1/2		
	X2X	T-350	RWD	1/2		
	X9X	T-350	AWD	1/2		
High Roof	W4X	T-350	RWD	1/2		
	U4X	T-350HD	RWD	1/2		
	U5X	T-350HD	AWD	1/2		

NOMINAL TONNAGE (CUTAWAY)

CUTAWAY		Series (T-xxx)	Drive Type	Nominal Tonnage ¹
	R5P	T-250	RWD	3/4
	R7P	T-250	AWD	3/4
	W7P	T-350	AWD	1
	W5P	T-350	RWD	1
Low Roof	F6P	T-350HD	RWD	1
	F8P	T-350HD	AWD	1
	S6P	T-350HD	RWD	1
	S8P	T-350HD	AWD	1
	U6P	T-350HD	RWD	1
	U8P	T-350HD	AWD	1

NOMINAL TONNAGE (CHASSIS CAB)

CHASSIS CA	В	Series (T-xxx)	Drive Type	Nominal Tonnage ¹
	R5Z	T-250	RWD	3/4
	R7Z	T-250	AWD	3/4
	W7Z	T-350	AWD	1
	W5Z	T-350	RWD	1
Low Roof	F6Z	T-350HD	RWD	1
	F8Z	T-350HD	AWD	1
	S6Z	T-350HD	RWD	1
	S8Z	T-350HD	AWD	1
	U6Z	T-350HD	RWD	1
	U8Z	T-350HD	AWD	1

¹ Nominal tonnage is a general classification of the van's pay load capacities. Reference the van's published maximum pay load rating and/or GVWR rating to know how much weight a specific configuration can carry.

2020 TRANSIT **AXLE AVAILABILITY**

PROPRIETARY

FRONT AXLE AVAILABILITY (CARGOVAN)

		3.5L PFDi	V6 (998)	3.5L EcoBoo	st® V6 (99G)	2.0L EcoBlue® Bi-T	urbo l4 Diesel (99A)	
CARGO VAN		Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	
Regular (130")	E1Y	S	0	S	0	-	-	
Regulai (150)	E2Y	-	S	-	S	-	-	
Long (148")	E1Y	S	0	S	O/I ³	-	-	
Long (140)	E2Y	-	S	-	S	-	-	
Regular (130")	R1Y	S	0	S	0	S	0	
Regulai (150)	R2Y	-	S	-	S	-	-	
Long (148")	R1Y	S	O/I ³	S	O/I ³	-	S	
	R2Y	-	S	-	S	-	-	
Regular (130")	W1Y	S	0	S	0	-	-	
Regular (150)	W2Y	-	S	-	S	-	-	
Long (148")	W1Y	S	0/I ^{3,4}	-	S	-	-	
Long (140)	W2Y	-	S	-	S	-	-	
Regular (130")	E1C	S	0	S	0	-	-	
Regular (150)	E2C	-	S	-	S	-	-	
Long (148")	E1C	S	0	S	O/I ³	-	-	
Long (148)	E2C	-	S	-	S	-	-	
Demulan (420%)	R1C	S	0	S	0	S	0	
Regular (130")	R2C	-	S	-	S	-	-	
Long (149")	R1C	S	O/I ³	S	O/I ³	-	S	
Long (148")	R2C	-	S	-	S	-	-	
Benular (120%)	W9C	S	0	S	0	-	-	
Regular (130")	W2C	-	S	-	S	-	-	
Long (148")	W9C	S	O/I ^{1,2,3,4,5,6}	-	S	-	-	
Long (148")	W2C	-	S	-	S	-	-	
(4.40)))	R1X	S	0/l ³	S	O/I ³	-	S	
Long (148")	R2X	-	S	-	S	-	-	
	R3X	S	0	s	0	S	0	
Extended-Length (148")	R3U	-	S	-	S	-	-	
	W1X	S	O/I ^{1,2,3,5,6}	-	S	-	-	
Long (148")	W2X	-	S	-	S	-	-	
	W3X	S	0	S	0	S	0	
Extended-Length (148")	W3U	-	S	-	S	-	-	
	F4X	¹	S	S	-	S	-	
Extended-Length (148")	F4U	-	S	-	S	-	-	
	S4X	l ¹	S	S	-	S	-	
Extended-Length (148")								

¹ Included in Dual Sliding Side Doors (59B) ² Included in Power Sliding Door (65C) ³ Included in Seat Pack 26 and 30 (213/217)

⁴ Included in Bulkhead - Lockable Door with Window (47T)

⁵ Included in Bulkhead - Window Only (47U) ⁶ Included in Seat Pack 17 (21T)

2020 TRANSIT AXLE AVAILABILITY

PROPRIETARY

FRONT AXLE AVAILABILITY (CREW VAN)

		3.5L PFD	i V6 (998)	3.5L EcoBoo	st® V6 (99G)	2.0L EcoBlue® Bi-T	urbo l4 Diesel (99A)
CREW VAN		Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)
Regular (130")	E1Z	S	0	S	0	-	-
Regular (150)	E9Z	-	S	-	S	-	-
Long (148")	E1Z	S	0	-	S	-	-
	E9Z	-	S	-	S	-	-
	R1Z	S	0	s	0	-	-
Regular (130")	R2Z	-	s	-	s	-	
	R1Z	S	0	-	s	-	S
Long (148")	R2Z	-	S	-	S	-	-
	W1Z	S	0	S	0	-	-
Regular (130")	W2Z	-	S	-	s	-	-
	W1Z	S	0	-	S	-	-
Long (148")	W2Z	-	S	-	S	-	-
	E1D	S	0	S	0	-	-
Regular (130")	E2D	-	S	-	S	-	-
	E1D	S	0	-	S	-	-
Long (148")	E2D	-	S	-	S	-	-
	R1D	S	0	s	0	-	-
Regular (130")	R2D	-	S	-	S	-	-
L	R1D	S	0	-	S	-	S
Long (148")	R2D	-	S	-	S	-	-
	W1D	S	0	S	0	-	-
Regular (130")	W2D	-	S	-	s	-	-
L	W1D	S	0	-	S	-	-
Long (148")	W2D	-	S	-	S	-	-
	R1V	S	0	-	S	-	S
Long (148")	R2V	-	S	-	S	-	-
	W1V	S	0	-	S	-	-
Long (148")	W2V	-	S	-	S	-	-
F . (F4V	S	0	-	S	-	_
Extended-Length (148")	F4W	-	S	-	S	-	-
	S4V	S	0	-	S	-	-
Extended-Length (148")	S4W	-	-	-	S	-	-

FRONT AXLE AVAILABILITY (PASSENGER VAN)

		3.5L PFDi	i V6 (998)	3.5L EcoBoo	st® V6 (99G)	2.0L EcoBlue® Bi-T	urbo l4 Diesel (99A)
PASSENGER VAN		Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)
Regular (130")	K1Y	S	-	-	-	-	-
Regular (150)	K2Y	-	S	-	-	-	-
Long (148")	X2Y	S	-	S	-	-	S
Long (146)	X9Y	-	S	-	S	-	-
Regular (130")	K1C	S	-	-	-	-	-
	K2C	-	S	-	-	-	-
L	X2C	S	-	S	-	-	S
Long (148")	X9C	-	S	-	S	-	-

FRONT AXLE AVAILABILITY (PASSENGER VAN)

		3.5L PFDi	V6 (998)	3.5L EcoBoo	st® V6 (99G)	2.0L EcoBlue® Bi-Turbo I4 Diesel (99A)			
PASSENGER VAN		Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)		
Long (148")	W4Z	-	-	-	-	-	S		
Long (149")	X2X	S	-	S	-	-	S		
Long (148")	X9X	-	S	-	S	-	-		
Long (148")	W4X	-	-	-	-	-	S		
Extended-Length (148")	U4X	S	-	S	-	S	-		
Extended-Length (140)	U5X	-	-	-	S	-	-		

FRONT AXLE AVAILABILITY (CUTAWAY)

		3.5L PFD	i V6 (998)	3.5L EcoBoo	ost® V6 (99G)		urbo I4 Diesel (99A)	
CUTAWAY		Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	
Regular (138")	R5P	S	0	S	0	S	0	
Regular (150)	R7P	-	S	-	S	-	-	
Long (156")	R5P	S	0	S	0	S	0	
Long (156)	R7P	-	S	-	S	-	-	
Regular (138")	W5P	S	0	S	0	S	0	
Regular (150)	W7P	-	S	-	S	-	-	
Long (156")	W5P	S	0	S	0	S	0	
Long (156")	W7P	-	S	-	S	-	-	
Regular (138")	F6P	S	0	S	0		S	
Regular (150)	F8P	-	S	-	S	-	-	
Long (156")	F6P	S	0	S	0	-	S	
Long (150)	F8P	-	S	-	S	-	-	
Extended-Length (178")	F6P	S	0	S	0	-	S	
Extended-Length (170)	F8P	-	S	-	S	-	-	
Regular (138")	S6P	-	-	S	0	-	S	
Regular (150)	S8P	-	-	-	S	-	-	
Long (156")	S6P	-	-	S	O/l ¹	-	S	
Long (150)	S8P	-	-	-	S	-	-	
Extended-Length (178")	S6P	-	-	S	0/l ¹	-	S	
Extended-Length (110)	S8P	-	-	-	S	-	-	
Da mulaa (4202)	U6P		-		S		-	
Regular (138")	U8P	-	-	-	S	-	-	
Long (156")	U6P	-	-	-	S	-	-	
Long (150)	U8P	-	-	-	S	-	-	
Extended-Length (178")	U6P	-	-	-	S	-	-	
Extended-Lengui (170)	U8P	-	-	-	S	-	-	

¹ Included in Seat Pack 25, 26, 29 and 30 (212/213/216/217)

2020 TRANSIT AXLE AVAILABILITY

PROPRIETARY

FRONT AXLE AVAILABILITY (CHASSIS CAB)

		3.5L PFD	i V6 (998)	3.5L EcoBoo	ost® V6 (99G)	2.0L EcoBlue® Bi-	Furbo I4 Diesel (99A)
CHASSIS CAI	в	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)
Regular (138")	R5Z	S	0	S	0	S	0
Regular (150)	R7Z	-	S	-	S	-	-
Long (156")	R5Z	S	0	S	0	S	0
Long (150)	R7Z	-	S	-	S	-	-
	W5Z	S	0	S	0	S	0
Regular (138")	W7Z	-	s		s	-	-
	W5Z	S	0	S	0	S	0
Long (156")	W7Z	-	S		s	-	-
					<u> </u>		
Regular (138")	F6Z	S	0	S	0	-	S
	F8Z	-	S	-	S	-	-
Long (156")	F6Z	S	0	S	0	-	S
2011g (100 7	F8Z	-	S	-	S	-	-
Extended-Length (178")	F6Z	S	0	S	0	-	S
	F8Z	•	S	-	S	-	-
Regular (138")	S6Z	-	-	S	0	-	S
Regular (150)	S8Z	-	-	-	S	-	-
Long (156")	S6Z	-	-	S	O/l ¹	-	S
Long (150)	S8Z	-	-	-	S	-	-
Extended-Length (178")	S6Z	-	-	S	O/l ¹	-	S
Extended-Length (170)	S8Z	-	-	-	S	-	-
De sules (420")	U6Z	-	-	-	S	-	-
Regular (138")	U8Z	-	-	-	S	-	-
Long (156")	U6Z	-	-	-	S	-	-
Long (156 ')	U8Z	-	-	-	S	-	-
Extended Longth (170%)	U6Z	-	-	-	S	-	-
Extended-Length (178")	U8Z	-	-	-	S	-	-

¹ Included in Seat Pack 25, 26, 29 and 30 (212/213/216/217)

REAR AXLE AVAILABILITY (CARGO VAN)

			3.	5L PFD	i V6 (99	8)			3.5L EcoBoost® V6 (99G)					2.0L EcoBlue® Bi-Turbo I4 Diesel (99A)					
		Non-Limited		Li	mited-S	lip	No	on-Limit	ed	Li	mited-S	lip	No	on-Limit	ed	Limited-Slip			
CARGO VAN		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (130")	E1Y	-	S	-	-	0/l ¹	O/A ²	0	S	-	0	0/I ¹	-	-	-	-	-	-	-
Regular (150)	E2Y	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Long (149")	E1Y	-	S	-	-	O/I ¹	O/A ²	0	S	-	-	0/I ¹	-	-	-	-	-	-	-
Long (148")	E2Y	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
	DAY					e "1	a 11 2	_				e u1			-			a 11	
Regular (130")	R1Y	-	S	-	-	0/I ¹	O/A ²	0	S	-	0	O/I ¹	-	S	0	-	0	0/I ¹	-
itegulai (iee)	R2Y	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
R1)	R1Y	-	S	-	-	0/l ¹	O/A ²	0	S	-	0	0/I ¹	-	-	-	-	-	S	-
Long (148")	R2Y	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-

¹ Included with Heavy-Duty Front Axle (41E)

² Av allable with Heavy -Duty Front Axle (41E)

³ Included with Ambulance Prep Package – Cargo Van (47B)

PROPRIETARY

REAR AXLE AVAILABILITY (CARGOVAN)

			3.	5L PFD	i V6 (99	8)			3.5L B	EcoBoo	st® V6	(99G)		2.0L	EcoBlu	e® Bi-T	urbo l4	Diesel	(99A)
CARGO VAN		No	n-Limit	ed	Li	mited-S	lip	No	on-Limit	ed	Li	mited-S	lip	No	on-Limit	ed	Li	mited-S	lip
CARGO VAN		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
	_	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (130")	W1Y	-	S	-	-	0/I ¹	O/A ²	0	S	-	0	O/I ¹	-	-	-	-	-	-	-
	W2Y	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	W1Y	-	S	-	-	0/I ¹	O/A ²	-	-	-	-	S	-	-	-	-	-	-	-
	W2Y	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Barrylan (420%)	E1C	-	S	-	-	0/l ¹	O/A ²	0	S	-	0	O/I ^{1,3}	-	-	-	-	-	-	-
Regular (130")	E2C	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Long (149")	E1C	-	S	-	-	0/I ¹	O/A ²	0	S	-	-	O/I ^{1,3}	-	-	-	-	-	-	-
Long (148")	E2C	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
	R1C	-	S	-	-	0/I ¹	O/A ²	0	S	-	0	0/I ^{1,3}	-	S	0	-	0	0/I ¹	-
Regular (130")	R2C	_	-	-	-	S	0	-	-	-	-	S	_	-	-	_	-	-	-
	R1C	-	S	-	-	0/1	O/A ²	0	S	-	0	0/I ^{1,3}	-	-	-	-	-	S	-
Long (148")	R2C	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
	14/20		•			0/I ¹	O/A ²		•			0/I ^{1,3}							
Regular (130")	W9C	-	S	-	-			0	S	-	0		-	-	-	-	-	-	-
	W2C	-	-	-	-	S O/I ¹	0 0/A ²	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	W9C W2C	-	S	-	-	S S	0/A	-	-	-	-	S S	-	-	-	-	-	-	-
	WZC	-	-	-	-	3	0	-	-	-	-	-	-	-	-	-	-	-	-
Long (148")	R1X	-	-	-	-	-	S	0	S	-	0	O/I ^{1,3}	-	-	-	-	-	S	-
g(R2X	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	R3X	-	-	-	-	-	S	0	S	-	0	O/I ^{1,3}	-	S	0	-	0	0/I ¹	-
Extended-Length (148")	R3U	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	MAY																		
Long (148")	W1X W2X	-	-	-	-	-	S S	-	-	-	-	S S	-	-	-	-	-	-	-
	VVZX	-	-	-	-	-	3	-	-	-	-		-	-	-	-	-		
Extended-Length (148")	W3X	-	-	-	-	-	S	0	S	-	0	O/I ^{1,3}	-	S	0	-	0	0/I ¹	-
	W3U	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	F4X	-	-	-	-	-	S	-	S	-	-	O/I ³	-	-	S	-	-	0	-
Extended-Length (148")	F4U	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	S4X						S		S			0/I ³			S			0	
Extended-Length (148")	54X S4U	-	-	-	-	-	3	-	3	-	-	S	-	-	3	-	-	0	-
	340	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-

¹ Included with Heavy-Duty Front Axle (41E)

² Av ailable with Heavy -Duty Front Axle (41E) ³ Included with Ambulance Prep Package – Cargo Van (47B)

REAR AXLE AVAILABILITY (CREWVAN)

			3.	5L PFD	i V6 (99	8)			3.5L	EcoBoo	st® V6	(99G)		2.0L	EcoBlue	® Bi-T	urbo I4	Diesel	(99A)
CREW VAN		No	n-Limit	ed	Lir	nited-S	lip	No	n-Limit	ed	Lir	nited-S	lip	No	n-Limit	ed	Lir	nited-S	lip
CREW VAN	•	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Deguler (1202)	E1Z	-	S	-	-	O/I ¹	A ²	0	S	-	0	O/I ¹	-	-	-	-	-	-	-
Regular (130")	E9Z	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Long (149")	E1Z	-	S	-	-	O/I ¹	O/A ²	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	E9Z	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-

¹ Included with Heavy-Duty Front Axle (41E)

² Available with Heavy-Duty Front Axle (41É)

PROPRIETARY

REAR AXLE AVAILABILITY (CREWVAN)

			3.	5L PFD	i V6 (99	8)			3.5L	EcoBoo	st® V6	(99G)		2.0L	EcoBlue	e® Bi-T	urbo I4	Diesel	(99A)
CREW VAN		No	n-Limit	ted	Lir	nited-S	lip	No	n-Limit	ed	Liı	nited-S	lip	No	n-Limit	ted	Lir	nited-S	ilip
		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (130")	R1Z	-	S	-	-	O/I ¹	A ²	0	S	-	0	O/I ¹	-	-	-	-	-	-	-
Regular (150)	R2Z	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	R1Z	-	s	-	-	O/I ¹	O/A ²	-	1	•	-	S	-	•	-	-	•	S	-
Long (148)	R2Z	-	-	-	-	S	0	-	1	•	-	S	-	-	-	-	-	-	-
	14/47		0			O/I ¹	O/A ²	0	0	1		0/I ¹							
Regular (130")	W1Z W2Z	-	S	-	-	S	0/A-	0	S	-	0	S	-	-	-	-	-	-	-
		-	-	-	-	0/l ¹	0/A ²		-	-			-	-	-	-	-	-	-
Long (148")	W1Z W2Z	-	S -	-	-	S	0/A-	-	-	-	-	S S	-	-	-	-	-	-	-
						-	-												
Regular (130")	E1D	-	S	-	-	O/I ¹	A ²	0	S	-	0	O/I ¹	-	-	-	-	-	-	-
Regular (100)	E2D	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	E1D	-	S	-	-	O/I ¹	O/A ²	-	-	-	-	S	-	-	-	-	-	-	-
Long (140)	E2D	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
	R1D	-	S	-	-	0/l ¹	A ²	0	S		0	0/I ¹	-	-	-	-	-	-	-
Regular (130")	R2D	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
	R1D	-	S	-	-	O/I ¹	O/A ²	-	-	-	-	S	-	-	-	-	-	S	-
Long (148")	R2D	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
	W1D		S			O/I ¹	O/A ²	0	S		0	O/I ¹			-				· -
Regular (130")	W2D	-	-	-	-	S	0/A	-	-	-	-	S	-	-	-	-	-	-	-
	W1D	-	S	_	-	0/I ¹	O/A ²	-	-	-	-	s	-	-	_	_	_	_	-
Long (148")	W2D		-	-		S	0/7	-	-			s	-		-	-		-	_
	1	I	l	I I	I			I	l	l	I	1	1	I	I I	I I	I		
Long (148")	R1V	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	S	-
,	R2V	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	W1V	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	W2V	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
		-			-			-			- 			-			-		Ì
Extended-Length (148")	F4V	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	F4W	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Extended Length (149")	S4V	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (148")	S4W	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-

 1 Included with Heavy-Duty Front Axle (41E) 2 Av ailable with Heavy-Duty Front Axle (41E)

REAR AXLE AVAILABILITY (PASSENGER VAN)

			3.	5L PFD	i V6 (99	8)			3.5L	EcoBoo	st® V6	(99G)		2.0L I	EcoBlue	e® Bi-T	urbo I4	Diesel	(99A)
		No	n-Limit	ed	Lir	nited-S	lip	No	n-Limit	ed	Lir	nited-S	lip	No	n-Limit	ted	Liı	nited-S	Slip
PASSENGER	VAN	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
	K1Y	-	S	-	-	0	-	-	-	-	-	-	-	-	-	-		-	-
Regular (130")	K2Y	-	-	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	- -																		1
Long (148")	X2Y	-	S	-	-	0	0	0	S	-	0	0	-	-	-	-	-	S	-
	X9Y	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
	K1C	-	S	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-
Regular (130")	K2C	-	-	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	X2C		S			0	0	0	s		0	0						s	
Long (148")	X9C	-	-	-	-	s	0	-	-	-	-	s	-	-	-	-	-	-	-

PROPRIETARY

REAR AXLE AVAILABILITY (PASSENGER VAN)

			3.	5L PFD	i V6 (99	8)			3.5L I	coBoo	st® V6	(99G)		2.0L	EcoBlu	e® Bi-T	urbo l4	Diesel	(99A)
PASSENGER V		No	on-Limit	ed	Lii	nited-S	lip	No	n-Limit	ed	Li	mited-S	lip	No	n-Limit	ed	Li	mited-S	lip
PASSENGER V		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Long (148")	W4Z	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-
1	X2X	-	-	-	-	-	S	0	S	-	0	0	-	-	-	-	-	S	-
Long (148")	X9X	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	W4X	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-
Extended Length (149")	U4X	-	-	-	-	-	S	-	S	-	-	0	-	-	S	-	-	0	-
Extended-Length (148")	U5X	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-

REAR AXLE AVAILABILITY (CUTAWAY)

			3.	5L PFD	i V6 (99	8)			3.5L	EcoBoo	st® V6	(99G)		2.0L	EcoBlue	e® Bi-T	urbo I4	Diesel	(99A)
CUTAWAY		No	n-Limit	ed	Lir	nited-S	lip	No	n-Limit	ed	Liı	nited-S	lip	No	n-Limit	ted	Lir	nited-S	lip
CUTAWAT		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (138")	R5P	-	-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	-	O/I ¹	-
	R7P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	R5P	-	-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	-	O/I ¹	-
y ()	R7P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
D I (1001))	W5P	-	-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	-	O/I ¹	-
Regular (138")	W7P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	W5P	-	-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	-	O/I ¹	-
Long (156")	W7P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	F6P	-	-	-	-	-	S	-	S	-	-	O/I ¹	-	-	-	-	-	S	-
Regular (138")	F8P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	F6P	-	-	-	-	-	S	-	S	-	-	O/I ¹	-	-	-	-	-	S	-
Long (156")	F8P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (178")	F6P	-	-	-	•	-	S	-	S	-	-	O/I ¹	-	•	•	•	•	S	-
Extended-Lengar (170)	F8P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
D I (10011)	S6P	-	-	-	-	-	-	-	S	-	-	O/I ^{1,2}	-	-	-	-	-	S	-
Regular (138")	S8P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Long (1E6")	S6P	-	-	-	•	-	-	-	S	-	-	0/l ^{1,2}	-	•	-	-	•	S	-
Long (156")	S8P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (178")	S6P	-	-	-	-	-	-	-	S	-	-	O/I ^{1,2}	-	-	-	-	-	S	-
	S8P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
De surles (4001")	U6P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Regular (138")	U8P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	U6P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
	U8P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (178")	U6P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (170)	U8P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-

¹ Included with Heavy-Duty Front Axle (41E)

² Included with Ambulance Prep Package – Cutaway (47F)

PROPRIETARY

REAR AXLE AVAILABILITY (CHASSIS CAB)

			3.	5L PFD	i V6 (99	8)			3.5L	EcoBoo	st® V6	(99G)		2.0L	EcoBlue	e® Bi-T	urbo I4	Diesel	(99A)
	D	No	n-Limit	ed	Lii	nited-S	lip	No	n-Limit	ed	Lir	nited-S	lip	No	n-Limit	ted	Lir	nited-S	lip
CHASSIS CA	D	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (138")	R5Z	-	-	-	•	-	S	0	S	-	0	O/I ¹	-	•	S	-	-	O/I ¹	-
Regular (100)	R7Z	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	R5Z	-	-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	-	O/I ¹	-
Long (roo)	R7Z	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	W5Z	-	-	-		_	S	0	S	-	0	0/I ¹	-	-	S	١.	- I	0/I ¹	-
Regular (138")	W7Z	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
(150)	W5Z	-	-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	-	O/I ¹	-
Long (156")	W7Z	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	F6Z						S		S		1	O/I ¹					1	S	
Regular (138")	F8Z	-	-	-	-	-	S	-	3	-	-	S S	-	-	-	-	-	-	-
	F6Z	-	-	-	-	-	S	-	S	-	-	0/I ¹	-	-	-	-	-	S	-
Long (156")	F8Z	-	-		-	-	s	-	-			S	-		-	-		-	-
	F6Z	-	-	-	-	-	S	-	S	-		0/I ¹	-		-	-		S	-
Extended-Length (178")	F8Z	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
											<u>.</u>					1	<u>.</u>		
Regular (138")	S6Z	-	-	-	-	-	-	-	S	-	-	0/I ¹	-	-	-	-	-	S	-
	S8Z	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	S6Z	-	-	-	-	-	-	-	S	-	-	0/I ¹	-	-	-	-	-	S	-
	S8Z	-	-	-	-	-	-	-	-	-	-	S O//1	-	-	-	-	-	-	-
Extended-Length (178")	S6Z S8Z	-	-	-	-	-	-	-	S	-	-	O/I ¹ S	-	-	-	-	-	S	-
	302	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Regular (138")	U6Z	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
	U8Z	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	U6Z	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
,	U8Z	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (178")	U6Z	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
5 (-)	U8Z	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-

¹ Included with Heavy-Duty Front Axle (41E)

2020 TRANSIT

WHEEL AVAILABILITY (SRW)



10/21/19

16" Silver Steel Wheel with Black Hubcap

(Standard on Standard Front Axle configurations)



16" Steel Wheel with Full Silver Wheel Cover

(64H)



16" Silv er Steel Wheel with Exposed Lug Nuts

(Standard on Heavy-Duty Front Axle configurations)



16" Styled Aluminum Wheel

(64S)



16" Forged Aluminum Wheel

(64G)

2020 TRANSIT

WHEEL AVAILABILITY (DRW)





16" Heavy-Duty Silver Steel Wheel with Exposed Lug Nuts

(Standard on Standard Front Axle configurations)

(Standard on Heavy-Duty Front Axle configurations)



16" Heavy-Duty Forged Aluminum Wheel

(76E – Standard Front Axle configurations) & (76G – Heav y -Duty Front Axle configurations)



16" Heavy-Duty White Steel Wheel with Exposed Lug Nuts

(76D - Fleet Only)

2020 TRANSIT

PROPRIETARY

INTERIOR MATERIAL	CODE	Cargo Van	Crew Van	Passenger Van XL	Passenger Van XLT	Cutaway	Chassis Cab
★Ebony Cloth	СВ	0	0	S	0	0	0
★ Ebony Leather	LB	0	-	-	0	0	-
★ Dark Palazzo Grey Cloth	СК	0	0	-	S	0	0
★Dark Palazzo Grey Vinyl	VK	S	S	0	-	S	S







★Ebony Cloth

★Ebony Leather

★ Dark Palazzo Grey Cloth



★Dark Palazzo Grey Vinyl

EXTERIOR COLOR	CODE	Cargo Van	Crew Van	Passenger Van XL	Passenger Van XLT	Cutaway	Chassis Cab
			SOLID				
Oxford White	ΥZ	•	•	•	•	•	•
Race Red	PQ	•	•	•	•	•	•
School Bus Yellow (Fleet only)	BY	•	•	•	•	•	•
			METALLIC				
★Agate Black	UM	•	•	•	•	•	•
Ingot Silver	UX	•	•	•	•	•	•
Magnetic	J7	•	•	•	•	•	•
Blue Jeans	N1	•	•	•	•	•	•
Green Gem	W6	•	•	•	•	•	•
★Diffused Silver	FK	•	•	•	•	•	•
★Kapoor Red	AW	•	•	•	•	•	•

AGTE BLACK INGOT SILVER INGO

• = Available, O = Optional, S = Standard Ford Division

2020 TRANSIT PACKAGED OPTIONS

EXTERIOR UPGRADE PACKAGE - SRW (18D)

Availability:

Cargo Van, Crew Van, Passenger Van XLT (Standard), Cutaway and Chassis Cab

Not available with:

• Passenger Van XL

Includes:

- Chrome-trimmed Halogen Headlamps with Autolamp on Cargo Van, Crew Van, Passenger Van XLT and Cutaway. Chrome-trimmed Halogen Headlamps on Chassis Cab
- Three Bar Grille with Chrome Surround
- 16" Steel Wheel with Full Silv er Wheel Cov er (Standard Front Axle configurations only) (64H) or 16" Silv er Steel Wheel with Exposed Lug Nuts (Heav y-Duty Front Axle configurations only)

Upgradeable Features/Options (for additional charge):

- HID Headlamps (91A)
- 16" Styled Aluminum Wheel (Standard Front Axle configurations only) (64S)
- 16" Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only) (64G)

EXTERIOR UPGRADE PACKAGE - DRW (18L) Availability:

- Cargo Van, Crew Van, Passenger Van XLT (Standard), Cutaway and Chassis Cab
- Not available with:
- Passenger Van XL

Includes:

- Chrome-trimmed Halogen Headlamps with Autolamp on Cargo Van, Crew Van, Passenger Van XLT and Cutaway. Chrome-trimmed Halogen Headlamps on Chassis Cab
- Three Bar Grille with Chrome Surround

• 16" Heavy-Duty Silver Steel Wheel with Exposed Lug Nuts

Upgradeable Features/Options (for additional charge):

- HID Headlamps (91A)
- 16" Heavy-Duty Forged Aluminum Wheel (Standard Front Axle configurations only) (76E)
- 16" Heavy-Duty Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only) (76G)
- 16" Heavy-Duty White Steel Wheel with Exposed Lug Nuts (Standard Front Axle configurations only) (76D Fleet Only)

LOAD AREA PROTECTION PACKAGE (96D)

Availability:

Cargo Vans

- Not available with:
- Windows-All-Around, Fixed (17F)
- Power Running Board (68L)
- Scuff Plate Kit (85A)
- Heav y -Duty Scuff Plate Kit (85B), unless ordered with Heav y -Duty Cargo Flooring (60B)

Includes:

- Full-Height Poly propy lene Cargo Area Panels
- Viny I, Front and Rear (16E)
- Upgradeable Features/Options (for additional charge):
- Heavy-Duty Cargo Flooring (60B)

INTERIOR UPGRADE PACKAGE – CUTAWAY/CHASSIS CAB (47A)

Availability:

- Cutaway and Chassis Cabs
- Not available with:
- Right Hand Door Delete (60X)
- Includes:
- Cruise Control (60C)
- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seat (21L)
- Audio Pack #19 (58V) when No Rear View Camera is selected
- Viny I Sunv isor with Illuminated Vanity Mirror (Driver and Passenger) (85C)

Upgradeable Features/Options (for additional charge):

- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seat (21C)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seat (21D)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seat (21M)
- Dark Palazzo Gray Cloth, 10-way power Driver and 10-way power Passenger seats (21Q)
- Ebony Cloth, 10-way power Driver and 10-way power Passenger seats (21R)
- Ebony Leather, 10-way power Driver and 10-way power Passenger seats (21S)
- Audio Pack #20 (58W) when No Rear View Camera is selected
- Audio Pack #21 (58X) when No Rear View Camera is selected
- Audio Pack #22 (58Y) when No Rear View Camera is selected
- Audio Pack #28 (584) when No Rear View Camera is selected
- Adaptive Cruise Control (60D) when My Key (62B) is not selected

INTERIOR UPGRADE PACKAGE – CARGO VAN (96C) Availability:

Cargo Vans

- Not available with:
- Power Running Board (68L)
- Scuff Plate Kit (85A)
- Heavy-Duty Scuff Plate Kit (85B), unless ordered with Heavy-Duty Cargo Flooring (60B)

Includes:

- Full-Height Poly propy lene Cargo Area Panels
- Viny I, Front and Rear (16E)
- Short-Arm Power, Manual-Folding Mirrors (541) when BLIS with Crosstraffic Alert and Trailer Coverage (65A) is not selected
- Viny I Sunvisor with Illuminated Vanity Mirror (Driver and Passenger) (85C)
- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger (21L)
- Cruise Control (60C)

Upgradeable Features/Options (for additional charge):

- Heavy-Duty Cargo Flooring (60B)
- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger (21C)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger (21D)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger (21M)
- Dark Palazzo Gray Cloth, 10-way power Driver and 10-way power Passenger seats (21Q)
- Ebony Cloth, 10-way power Driver and 10-way power Passenger seats (21R)
- Ebony Leather, 10-way power Driver and 10-way power Passenger seats (21S)
- Short-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Adaptive Cruise Control (60D) when Ambulance Prep Package Cargo Van (47B) and 3.5L PFDi V6 (998) engine combination is not selected

2020 TRANSIT PACKAGED OPTIONS

BUILDERS PREP PACKAGE (47E)

Deletes:

- Rear Floor Covering
- Rear-Seats and Restraints
- Rear-Seat Rails and Fasteners

Availability:

Passenger Van XL and Passenger Van XLT

Not available with:

HID Headlamps (91A) (applies to Passenger Van XL only)

Requires:

- Dual AGM Batteries (63E)
- Front/Rear Aux A/C and Heater (Driver controlled) (57G) when Auxiliary Heater Prep Package without Rear Controls (62A) or Auxiliary Heater / AC Prep Package without Rear Controls (62C) are not ordered

Includes:

- Front License Plate Bracket (153)
- Modified Vehicle Wiring System (53K)
- Viny I, Front only (16C) with Passenger Van XL and Carpet, Front only (16G) with Passenger Van XLT
- Less Rear Seat (96K)
- Upgradeable Features/Options (for additional charge):
- Auxiliary Heater Prep Package without Rear Controls (62A) (Medium and High Roof only)
- Auxiliary Heater / AC Prep Package without Rear Controls (62C) (Medium and High Roof only)

MODIFIED VEHICLE WIRING SYSTEM (53K)

- Availability:
- Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway (Standard) and Chassis Cab (Standard)
- Required (Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT Only):
- Dual AGM Batteries (63E)

Includes:

• Modified vehicle connections for customized wiring harness provisions

RIGHT HAND DOOR DELETE (60X)

Availability:

• Cutaway Not available with:

- Ambulance Prep Package Cutaway (47F) and Motorhome Prep Package (47M)
- Short-Arm, Power Adjusting, Manual-Folding Mirrors (541)
- Short-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm, Power Adjusting, Manual-Folding Mirrors (543)
- Long-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Front and Rear Split-View Camera (61D)
- Requires:
- Passenger Seat Delete (21J)
 Exterior Mirror Delete (54X)
- Exterior N Includes:
- inciuaes:
- Manual Locks
- NOTE 1: Intended for upfitters who modify the factory roof
- NOTE 2: When adding an audio package, besides Radio Prep Package (58T), audio quality may slightly be diminished due to the deletion of the right hand door speaker.

HEAVY-DUTY TRAILER TOW PACKAGE (53B)

Availability:

- Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT
- Not available with:
- Rear Tow Hook
- Includes:
- Tow/Haul Mode with Trailer Wiring Provisions
- 4/7 Pin Connector Assembly and Rear Jumper (Included in Cargo Van and Passenger Van only)
- Relay system for backup/B+/running lights
- Frame mounted hitch receiver
- NOTE: This package does not include a Trailer Brake Controller (67D). Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness.

TOW/HAUL MODE WITH TRAILER WIRING PROVISIONS (53D)

Availability:

 Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab

Includes:

- Trailer Wiring Harness to rear of vehicle for upfit
- Trailer Sway Control (TSC)
- 4/7 Pin Connector Assembly and Rear Jumper (Included in Cargo Van and Passenger Van only)
- Tow/Haul Mode
- Included with:
- Motorhome Prep Package (47M)
- NOTE: This package does not include a Trailer Brake Controller (67D). Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness.

2020 TRANSIT PACKAGED OPTIONS

MOTORHOME PREP PACKAGE (47M)

Availability:

Cutaway

- Not available with:
- Right Hand Door Delete (60X)

Includes:

- Cruise Control (60C) if a 3.5L PFDi V6 (998) engine or a 3.5L
- EcoBoost® V6 (99G) engine is selected • Adaptive Cruise Control (60D) if a 2.0L EcoBlue® Bi-Turbo 14 Diesel
- Adaptive Cruise Control (00D) II a 2.0L ECOBILIE® BI-TURDO 14 Diesel
 (09A) engine is selected
- Audio Pack #19 (58V) when No Rear View Camera is selected
- Tow/Haul Mode with Trailer Wiring Provisions (53D)
- Front License Plate Bracket (153)
- Dual AGM Batteries (63E)
- Modified Vehicle Wiring System (53K)
- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger (21T)
- Exterior Upgrade Package (18D) on SRW configurations
- Exterior Upgrade Package (18L) on DRW configurations
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Upgradeable Features/Options (for additional charge):
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seat (21D)
- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats (218) (S6P, S8P, U6P and U8P only)
- Audio Pack #20 (58W) when No Rear View Camera is selected
- Audio Pack #21 (58X) when No Rear View Camera is selected
- Audio Pack #22 (58Y) when No Rear View Camera is selected
- Audio Pack #28 (584) when No Rear View Camera is selected
- HID Headlamps (91A)

SHUTTLE BUS PREP PACKAGE - (47S)

Availability:

Cutaway

- Includes:
- Exterior Upgrade Package (18D) on SRW configurations
- Exterior Upgrade Package (18L) on DRW configurations
- Front License Plate Bracket (153)
- Dual AGM Batteries (63E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Modified Vehicle Wiring System (53K)
- Audio Pack #19 (58V) when No Rear View Camera is selected

Applicable Options (not part of Prep Package):

- Right Hand Door Delete (60X) is only available when Rear View Camera and Prep Kit (61A) is selected
- Audio Pack #20 (58W) when No Rear View Camera is selected
- Audio Pack #21 (58X) when No Rear View Camera is selected
- Audio Pack #22 (58Y) when No Rear View Camera is selected
- Audio Pack #28 (584) when No Rear View Camera is selected

SCHOOL BUS PREP PACKAGE - (47C)

- Availability:
- Cutaway
- Fleet only
- Not available with:
- Extended Length configurations

Includes:

- Safety Glass (65B)
- Front License Plate Bracket (153)
- Right Hand Door Delete (60X)
- Dual AGM Batteries (63E)
- Separate Stop Turn Tail Lamp LED Enabled (43Q)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)
- NOTE: Requires Passenger Seat Delete (21J) and School Bus Yellow (BY) Paint

MULTI-FUNCTION SCHOOL ACTIVITY BUS (MFSAB) PREP PACKAGE (47Q)

Availability:

- Cutaway
- Fleet only

Not available with:

- Extended Length configurations
- Includes:
- Safety Glass (65B)
- Front License Plate Bracket (153)
- Right Hand Door Delete (60X)
- Dual AGM Batteries (63E)
- Separate Stop Turn Tail Lamp LED Enabled (43Q)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)
- NOTE: Requires Passenger Seat Delete (21J) and Oxford White (YZ) Paint

AMBULANCE PREP PACKAGE - CARGO VAN (47B)

Availability:

- Medium Roof or High Roof Cargo Van with Sliding Passenger-side Cargo Door
- 3.5L EcoBoost® V6 (99G)
- Includes:
- Dual AGM Batteries (63E)
- Dual Alternator (63C)
- Fixed Rear Cargo Door Glass and Fixed Passenger-side Cargo Door Glass (17B)
- 3.73 Limited-Slip Axle (X7L)
- Modified Vehicle Wiring System (53K)
- Front License Plate Bracket (153)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)

• Dual-note Horn (85D)

- Upgradeable Features/Options (for additional charge):
- Privacy Glass (92E) with Rear-Window Defroster (57N)
- NOTE 1: Check with Upfitter on charge margin acceptability
- NOTE 2: 3.5L EcoBoost® V6 (99G) engine does not include Auto Start-Stop technology on this particular application

2020 TRANSIT PACKAGED OPTIONS

AMBULANCE PREP PACKAGE - CUTAWAY (47F)

Availability:

Cutaway

Not available with:

- Passenger Seat Delete (21J and 21K)
- Right Hand Door Delete (60X)
- Requires:
- 3.5L EcoBoost® V6 (10,360lb or 11,000lb GVWR configurations only) (99G)

Includes:

- Short-Arm, Power Adjusting, Manual-Folding Mirrors (541)
- Dual AGM Batteries (63E)
- Dual Alternator (63C)
- 3.73 Limited-Slip Axle
- Spare Tire and Wheel (51D)
- Front License Plate Bracket (153)
- Separate Stop Turn Tail Lamp LED Enabled (43Q)
- Auxiliary Heater / AC Prep Package without Rear Controls (62C)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)

Upgradeable Features/Options (for additional charge):

- Short-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm, Power Adjusting, Manual-Folding Mirrors (543)
- Long-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Exterior Mirror Delete (54X)
- NOTE 1: Check with Upfitter on charge margin acceptability
- NOTE 2: 3.5L EcoBoost® V6 (99G) engine does not include Auto Start-Stop technology on this particular application

REAR VIEW CAMERA AND PREP KIT (61A)

Availability:

- Cutaway and Chassis Cab
- Pre-installed Content Includes:
- Cab Wiring
- Frame Wiring to the rear most cross member
- Will display in rearview mirror when ordered with Radio Prep Package (58T), otherwise will display in multi-function display
- **Upfitters Kit Includes:**
- Camera with mounting bracket
- 20' Jumper wire
- Camera mounting and aiming instructions
- NOTE: For incomplete vehicles, upfitter must add a rear view camera to vehicles that are 10,000lb GVWR or less to complete the vehicle and meet FMVSS 111 requirements. Rear View Camera and Prep Kit (61A) is available as a dunnage kit that requires upfitter installation.

UPFITTER PACKAGE (67C)

Availability:

- Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab
- Not Available with:
- 3-Passenger seating (212, 213, 216 and 217) *Includes:*
- High Capacity Upfitter Switches
- Large Center Console (67E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual AGM Batteries (63E)
- Modified Vehicle Wiring System (53K)

EMISSIONS REQUIREMENT LOCATIONS CALIFORNIA EMISSIONS STATES

- CA, CT, DE, MA, MD, ME, NJ, NY, OR, PA, RI, VT, WA
- FEDERAL EMISSIONS STATES.....
- Remaining States/Regions

EMISSIONS STANDARD/OPTIONAL EQUIPMENT

MISCELLANEOUS

COV Required	79V
Priced DORA	C09

VEHICLE SPECIAL ORDER (VSO)

FLEET ONLY. See <u>www.fmcdealer.com</u> for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email <u>v somail@ford.com</u> or call 1.800.34.FLEET, menu 4 w/any VSO questions you may have.

2020 TRANSIT

PROPRIETARY

FUEL ECONOMY

TRUCKS W/GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.

ENGINE HORSEPOWER AND TORQUE RATINGS

		NOMINAL	50-S	TATES
		COMPRESSION	HORSEPOWER	TORQUE
ENGINE	TRANSMISSION	RATIO	H.P. @ RPM	LBFT. @ RPM
3.5L PFDi V6	10-Speed Automatic Ov erdriv e	11.8:1	275 @ 6,000	262 @ 3,750
3.5L EcoBoost® V6	10-Speed Automatic Overdrive	10.0:1	306 @ TBD	400 @ 2,500
2.0L EcoBlue® Bi-Turbo 14 Diesel	10-Speed Automatic Overdrive	16.0:1	210 @ 3,750	369 @ 1,750-2,000