02/01/20 **2020 TRANSIT** PROPRIETARY

MAJOR PRODUCT FEATURES

Ford eSourceBook

To learn more about the features on this vehicle, go to www.fordesourcebook.com

Transit Body Decoder

To learn more about the Transit body codes, go to www.transitbodydecoder.com

MODEL/SERIES/AVAILABILITY CHANGES

- Added Crew Van (201A) to the Transit program
- Added All-Wheel Drive (AWD) to the Transit program

PACKAGES/OPTIONS ADDED

- New 3.5L PFDi V6 (998) engine and 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine and Biodiesel Engine Prep Package (98B)
- New 10-speed transmission (44U) replaces the 6-speed transmission
- New standard Ford Co-Pilot360™ Technologies, such as Post-Collison Braking, Pre-Collision Assist with Automatic Emergency Braking (AEB), Auto High-Beam Headlamps, Lane-Keeping System and Forward Collison Warning
- New optional Ford Co-Pilot360™ Technologies, such as Adaptive Cruise Control (60D), Enhanced Active Park Assist (94B), Blind Spot Information System (BLIS®) with Cross-traffic Alert and Trailer Coverage (65A), Side Sensing System (94A), Front and Rear Split-View Camera (61D) and Adjustable Speed Limiting Device (ASLD) are now available
- New Power Sliding Door (65C) has been added
- New standard FordPass™ Connect / Telematics Modem
- New Swivel seating packages (21T and 218)
- New wheel options, such as 16" Forged Aluminum Wheel (64G), 16" Heavy-Duty Forged Aluminum Wheels (76E/76G)
- New Diffused Silver (FK), Agate Black (UM) and Kapoor Red (AW) paint colors
- New Ebony Cloth (CB), Ebony Leather (LB), Dark Palazzo Grey Cloth (CK) and Dark Palazzo Grey Vinyl (VK) seat materials and colors
- New exterior lighting features, such as High-Intensity Discharge (HID) Headlamps (91A), Autolamp (91B) and Front Fog Lamps (55D)
- New Extended Range Fuel Tank (31 gallons) (655)
- New functional features, such as Power Outlet 110V/400W (90D) and Upfitter Interface Module (UIM) (55A) are now available
- New Instrument Panel and new Medium and Large Center Consoles (67E)
- New standard USB Ports 5 amps on Passenger Van XL and Passenger Van XLT
- New standard Electric Power Assisted Steering (EPAS)
- New Bulkhead Lockable Door with Window (47T) and Bulkhead – Window Only (47U) are now available on Cargo Van
- New Body Colored Front Bumper (53G), Body Colored Side Moldings (17N) are now available on Cutaway
- Added Nominal Tonnage chart
- New window/glass options, such as Egress Window (17L) and Safety Glass (65B)
- New Heavy-Duty Front Axle (41E) is now available
- New Smart Acceleration Truncation is now available for Fleet only (55B)
- New Vehicle Maintenance Monitor (61C) is now available
- New Enhanced Frontal Area Limitation (15E)
- New Dual-Note Horn (85D) option

PACKAGES/OPTIONS CHANGED

- Changed Body Configuration chart to include new body codes
- Changed Front Seat Matrix, Rear Seat Matrix and Seat Configuration Chart to include new seats and seat features
- Updated the Wheel Availability Chart to include new wheels
- Updated the Color & Trim Availability Chart to include seat material and paint swatches
- All Audio Packs have been updated (58T, 58U, 58V, 58W, 58X, 58Y and 584)
- Speakers have been updated (91L and 91M)
- Alternators have been updated (Standard and 63C)
- 10-Passenger Seating is now standard on Regular Length Passenger Van
- Grilles have been updated. Transit now offers Three Bar Grilles (Carbon Black & Chrome Surround) and a Honeycomb Mesh Grille (Carbon Black & Chrome Surround)
- Automatic Rain-Sensing Windshield Wipers are now standard

 Single-seat Allers in the standard of the seat Allers in the seat and seat
- Single-note Horn is now standard
- Updated Enhanced Frontal Area Limitation 2 (15E) maximum frontal area restriction up to 82 ft². For additional information please reference the Incomplete Vehicle Manual and SVE Bulletins.
- High Capacity Upfitter Switches are now included in a new package called the Upfitter Package (67C).
- Heavy-Duty Cargo Flooring (60B) is now an upgradeable option on the Interior Upgrade Package – Cargo Van (96C) and Load Area Protection Package (96D)
- Scuff Plate Kit (85A) is not available on the Interior Upgrade Package – Cargo Van (96C) and Load Area Protection Package (96D)

PACKAGES/OPTIONS DELETED

- Deleted Short-Arm Manual Mirrors (54A)
- Deleted 2nd and 4th row flip-row window packages (17G, 17H, 17J and 17K)
- Deleted CNG/Propane Gaseous Engine Prep Package (98C)
- Deleted 16" White Steel Wheel with Mini-Cap and Lug Nut Covers (64C)
- The combination of Dual Alternator (63C) and 3.5L PFDi V6 (998) engine
- Sunglass Holder
- RV Prep Package (47D)
- Premium 'Wood-like' Flooring (16J)
- 3-Passenger seating (212, 213, 216 and 217)
- Small Center Console

LATE AVAILABILITY ITEMS

- 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A)
- Egress Window (17L)
- Low Roof Crew Van (E1Z, E9Z, R1Z, R2Z, W1Z and W2Z)
- Programmable Battery Guard/Enhanced Cut-off Relay (59C)
- The combination of Radio Prep Package (58T) and FordPass™ Connect / Telematics Modem
- Bulkhead Lockable Door with Window (47T)
- Bulkhead Window Only (47U)
- Power Sliding Door (65C)
- 3.5L EcoBoost® V6 (99G) becomes standard on Cutaway (S6P) and Chassis Cab (S6Z)

LATEST ORDER GUIDE UPDATES

- Carpet Floor Mats (86B) and Heavy-Duty Tray Style Floor Mats (86N) are only available with carpet floor covering (16G/16H)
- Vinyl Floor, Front only (16C) and Vinyl Floor, Front and Rear (16E) require Floor Mat Delete (86X)

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information.

2020 TRANSIT **STANDARD EQUIPMENT**

EXTERIOR	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Body Side Moldings – Carbon Black	•	•	•	•	•	•
Front License Plate Bracket	•	•	•	•	•	•
Bumpers Front Bumper – Carbon Black,						
Body Colored with Lower Valence	•	•	•	<u> </u>	•	•
Front Bumper – Body Colored	_	_		•	_	_
Rear Bumper – Carbon Black, without Integral Step	•	•	•	•	_	_
<u>Doors – Rear</u>						
50/50 Hinged Rear Door, 180- degree Opening (Regular Length)	•	•	•	•	_	_
50/50 Hinged Rear Door, 253-						
degree Opening (Long and Extended Length configurations)	•	•	•	•	_	_
Doors – Side	_	_		_		
Sliding Passenger-side Door Exterior Lighting – Front	•	•	•	•	_	<u> </u>
★Front Fog Lamps	_	_	-	•	_	_
Halogen Headlamps	•	•	•	_	•	•
Chrome-trimmed Halogen Headlamps with Autolamp	_	_	-	•	_	_
Roof Marker Lamps (Included on						
DRW Cargo Van, Crew Van,	•	•	•	•	•	•
Passenger Van XL and Passenger Van XLT)						
Exterior Lighting – Rear			.	.		
Center High Mount Stop Lamp (CHMSL)	•	•	•	•	_	_
Taillamps	•	•	•	•	•	•
<u>Fuel</u>						
Auxiliary Fuel Port	•	•	•	•	•	•
Fuel Tank – Capless Fuel Fill, 25 U.S. gallons (midship)	•	•	•	•	•	•
Grille ★Three Bar Grille with Carbon Black Surround	•	•	•	<u> </u>	_	_
★Three Bar Grille with Chrome						
Surround ★Honeycomb Mesh Grille with	_	-			-	_
Carbon Black Surround	_	_	-	-	•	•
Mirrors Mirror Delete		_			•	•
Short-Arm, Power Adjusting, Manual-Folding	•	•	•	<u> </u>	_	_
Short-Arm, Power Adjusting, Power-Folding Heated with Turn	_	_	_	•	_	_
Signals						
Running Boards Running Board		•				
Tires – Single Rear Wheel (SRW)		•		——————————————————————————————————————	_	-
235/65R16C 121/119 R BSW all- season	•	•	•	•	•	•
Tires - Dual Rear Wheel (DRW)						
195/75R16C 107/105 R BSW all- season (RWD with Standard	•	•	•	•	•	•
Front Axle configurations only) 205/75R16C 113/111 BSW all-						
season (AWD, 11,000lb GVWR or RWD with Heavy-Duty Front	•	•	•	•	•	•
Axle configurations only)			.	.		

	T =		:	:		
EXTERIOR (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Towing						
Rear Tow Hook	•	•	•	•	_	_
Wheels - SRW						
16" Silver Steel Wheel with Black						
Hubcap (Standard Front Axle	•	•	•	<u> </u>	•	•
configurations only)						
16" Steel Wheel with Full Silver						
Wheel Cover (Standard Front	_	_	_	•	_	_
Axle configurations only)						
16" Silver Steel Wheel with						
Exposed Lug Nuts (Heavy-Duty	•	•	•	•	•	•
Front Axle configurations only) Wheels – DRW						
16" Heavy-Duty Silver Steel						
Wheel with Exposed Lug Nuts						
Note: The center ornament only					_	
comes on the front wheels, and	•	•	•	•	•	•
not on the rear wheels.						
Wheels - Spare Tire						
Full-size Spare Tire and Wheel	•	•	•	•	_	_
Windows/Glass		•				
Windows All-around	_	_	•	•	_	_
Rear-window	_	•	•	•	_	•
No Cargo Area Windows	•	_	_	_	_	_
High-Strength Laminated Glass						
(Sliding Doors only)	•	•	_	_	_	_
Tinted Glass	•	•	•	•	•	•
INTERIOR						
Cargo Tie-Down Hooks (Regular						
and Long Length configurations:		_				
8 tie-down hooks; Extended	•	•	_	_	_	_
Length: 10 tie-down hooks)						
Step Well Pads – Black	•	•	•	•	_	_
Center Console						
★Medium Center Console						
Note: Includes an integrated	•	•	•	<u> </u>	•	•
shifter and a dual cup holder						
*Large Center Console						
Note: Includes an integrated	_	_	_	•	_	_
shifter, a dual cup holder and an						
additional storage area						
Door-Locks and Windows	_	_	_		_	_
Glove Box – Locking Rear Cargo Door – Interior Exit	•	•	•	•	•	•
Handle	•	•	_	<u> </u>	_	_
Rear Cargo Door – Locking	•	•	•	•		
Power Equipment Group (Power						
Locks and Windows) with		•	•	•	•	
Remote Keyless-Entry	_	•	•	•	•	Ĭ
Floor Covering						
Vinyl, Front only	•	_		_	•	•
Vinyl, Front and Rear	_	•	•		_	_
Carpet, Front and Rear	_	_	_	•	_	_
Carpet Floor Mats, Front only	_	_	_	•	_	_
Rearview Mirror						
Rearview Mirror (When Equipped		•	•	•		•
with Rear Glass).	_		•		_	
Rearview Mirror Delete (When	•				•	
Equipped Without Rear Glass)		- -				_ _
Interior Lighting						
Front Dome Lamp with Map Lights	•	•	•	•	•	•
and Theater Dimming		•	<u> </u>	<u> </u>	•	<u> </u>
Rear Dome Lamp with Map Lights	_	_	_	•	_	_
and Theater Dimming				-		
Rear Compartment Lighting	•	•	•	•	_	—

INTERIOR (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Rear Compartment LED Lamp Switch	•	•	_	_	_	_
Accessory Delay – 30 minutes	•	•	•	•	•	•
Interior Trim					•	
Front Overhead Shelf. Not						
included on Low Roof Cargo	_	_	_			_
Van, Crew Van and Passenger	•	•	•	•	•	•
Vans						
A-Pillar Assist Handles (Driver	•	•	_	•	•	•
and Passenger-side)	The state of the s	· ·	<u> </u>	Ť	Ť	•
B-Pillar Assist Handle	•	•	•	•	_	_
(Passenger-side)						
D-Pillar Weld Nuts	•	•	_	_	_	_
Headliner – Cloth, Front only	•	•	<u>—</u>	_	•	•
Headliner – Cloth, Full length	_	_	•	•	_	_
Rear View Camera						
No Rear View Camera						
Note: For incomplete vehicles,						
upfitter must add a rear view camera to vehicles that are						
10.000lb GVWR or less to						
complete the vehicle and meet	—	—	<u> </u>	_	•	•
FMVSS 111 requirements. Rear						
View Camera and Prep Kit (61A)						
is available as a dunnage kit that						
requires upfitter installation.						
Seating – Front						
Driver and Front-passenger						
Manual Reclining Bucket Seats						
with Adjustable Headrest	•	•	•	•	•	•
(Includes driver-side and						
passenger-side inboard armrest)						
Rear-Seat(s) Recline and Inboard						
Armrest				_		
Note: Last row of seats do not	_	_		•	_	_
recline.						
Manual Driver-side Lumbar	_	_	•	•	_	_
Support						
Seating – Rear (Refer to the Rear	Seat Matrix on pa	age 24 for comple	ete seat details)			
5-Passenger Seating. 1st row: 2	_	•	_	_	_	_
seats, 2 nd row: 3 seats.						
★10-Passenger Seating. 1 st row: 2 seats, 2 nd row: 2 seats, 3 rd row: 3						
seats, 4 th row: 3 seats. Standard			_	_		
with Regular Length Passenger	_	_	•	•	_	_
Van.						
12-Passenger Seating. 1 st row: 2						
seats, 2 nd row: 3 seats, 3 rd row: 3						
seats, 4 th row: 4 seats. Standard	_	_	•	•	_	_
with Long Length Passenger						
Van.						
15-Passenger Seating. 1st row: 2						
seats, 2 nd row: 3 seats, 3 rd row: 3						
seats, 4 th row: 3 seats, 5 th row: 4	_	_	•	•	_	_
seats. Standard with Extended						
Length Passenger Van.						
Sun Visors						
Sun Visors	•	•	•	<u> </u>	•	•
Illuminated Sun Visors	—	_		•	_	_
FUNCTIONAL						
Alternator – 240 amp (2.0L						
EcoBlue® Bi-Turbo I4 Diesel						
engine only) and 250 amp (3.5L	•	•	•	•	•	•
PFDi V6 and 3.5L EcoBoost® V6						
engines only)						

FUNCTIONAL (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Frame Rail Extension Adapters	_	_	_	_	•	•
★Horn – Single-note	•	•	•	•	•	•
Air Conditioning						
Front only	•	•	_	_	•	•
Front and Rear	<u> </u>	_	•	•	_	_
Audio				•		
Antenna – Fender Mounted	•	•	•	•	•	•
AM/FM stereo, Bluetooth, Dual	-					-
USB ports and a 4.0" multi-	•	•		_	•	
function display (Audio Pack #18)	Ť	·	•		·	·
AM/FM stereo, Bluetooth, Dual						
USB ports, SYNC 3 and a 4.0"						
multi-function display (Audio	_	_	<u> </u>	•	_	_
Pack #19)						
Batteries			1	•		
Single Battery – 70 amp-hr (3.5L						
PFDi V6 engine only)	•	•	•	•	•	•
Single AGM Battery – 70 amp-hr	•	•	•	•	•	•
(3.5L EcoBoost® V6 engine only)						
Dual AGM Batteries – 70 amp-hr						
each (2.0L EcoBlue® Bi-Turbo I4	•	•	•	•	•	•
Diesel engine only)						
Brakes						
★Brakes – 4-wheel Anti-lock Disc						
Brakes						
Note: Depending on driving						
habits and configuration, the						
brake pad life is up to 50%	•	•	•	•	•	•
improved. In addition, brake pad						
wear indicators are now included						
and will send a warning message						
to the cluster if brake pads reach						
a certain wear threshold. Manual Parking Brake	_	_		_	_	_
	•	•	•	•	•	•
Push Down Manual Parking Brake						
(11,000 GWVR configuration	_	_	_	_	•	•
only) Embedded Modem						
★ FordPass™ Connect / Telematics						
Modem Connect / Telematics						
Note: Ford Telematics™and						
Data Services Prep included for Fleet ONLY: FordPass™						
Connect 4G Wi-Fi Modem						
provides data to support telematics and data services						
including but not limited to						
vehicle location, speed, idle time,	•	•	•	•		•
fuel, vehicle diagnostics and						
maintenance alerts. Device enables telematics services						
through Ford or authorized providers. Activate at						
www.fleet.ford.com or call 833-						
FCS-Ford (833-327-3673).						
Frontal Area Limitation			1			

			•			
FUNCTIONAL (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Base Frontal Area Limitation Note: Provides a Vehicle						
Emission Control Information						
label with a frontal area						
restriction up to 72 ft ² . Frontal						
area limitation requires second					_	_
unit body to meet profile	_	_	_	_	•	•
restrictions. For additional						
information please reference the						
Incomplete Vehicle Manual and						
SVE Bulletins.						
Instrumentation						
Tachometer, Fuel Level and						
Coolant Temperature	•	•	•	•	•	•
Interior Power						
★PowerPoint – 12V						
Note: One is located in the						
instrument panel and one in	•	•	•	•	•	•
center console.						
★USB Ports – 5 amps						
Note: Depending on seating						
configuration, one is located in	_	_	•	•	_	_
each of the 2 nd row, 3 rd row, 4 th						
row and 5 th row.						
Steering						
★Electric Power Assisted Steering						
(EPAS)	•	•	•	•	•	•
Steering Wheel - Power Rack and					_	
Pinion	•	•	•	•	•	•
Steering Wheel - Tilt and	_	_	_	_	_	_
Telescoping	•	•	•	•	•	•
<u>Suspension</u>						
Front – Independent MacPherson-		_			_	
strut, Stabilizer Bar	•		• • • • • • • • • • • • • • • • • • •	<u> </u>	.	•
Rear - Leaf Springs, Heavy-duty	•		•	•	•	•
Gas Shock Absorbers					·	
SAFETY/SECURITY						
Autolocking Drive Away with	•	•	•	•	•	•
Crash Unlocking						
AdvanceTrac® w/Roll Stability	•	•	•	•	•	•
Control™ (RSC®)						
Safety Belts – 3-point, All Positions						
Note: Belt minder is included on	_	_	_	_	_	_
the driver and front passenger	•	•	•	•	•	•
seat(s).						
SecuriLock® Passive Anti-Theft						
System (PATS) with engine						
immobilizer				•		
SOS Post-Crash Alert System™.						
Not available with Radio Prep						
Package (58T) and Audio Pack						
#18 (58U).						
Note: Automatically flashes the	•	•	•	•	•	•
hazard lights and intermittently						
sounds the horn when the airbag						
deploys.						
Tire Pressure Monitoring System						
(TPMS).						
Standard on SRW and DRW	•	•	•	•	•	•
configurations.						
<u>Airbags</u>						
Driver and Passenger Airbags	•	•	•	•	•	•

	-	-				
SAFETY/SECURITY (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Passenger-side Airbag Cut-off Switch. Not available with Passenger Seat Delete (21J and 21K) or Right Hand Door Delete (60X) configurations	•	•	—	_	•	•
Safety Canopy® Side-curtain Airbags	•	•	•	•	•	•
FORD CO-PILOT360™						
TECHNOLOGY						
★Forward Collison Warning	•	•	•	•	•	•
Hill Start Assist	•	•	•	•	•	•
★Post-Collison Braking Note: Can potentially lessen the severity of a secondary collision						
by automatically applying moderate brake pressure when an initial collision event is detected.	•	•	•	•	•	•
Side Wind Stabilization	•	•	•	•	•	•
Ford Co-Pilot360 [™]						
 ★Pre-Collision Assist with Automatic Emergency Braking (AEB) Note: If a potential collision is detected, a warning flashes and an alert sounds, and if the driver's response is not sufficient, the system can automatically apply the brakes to help minimize a frontal collision. 	•	•	•	•	•	•
★Blind Spot Information System (BLIS®) with Cross-traffic Alert and Trailer Coverage Note: BLIS can alert the driver when a vehicle enters their blind spot. And when a trailer is connected, BLIS sensors extend the area of detection to include the length of the trailer.	_	_		•	_	_
*Lane-Keeping System Note: Includes Lane-Keeping Alert and Driver Alert. This feature can alert the driver, during day or night, if their vehicle is unintentionally leaving its intended lane.	•	•	•	•	•	•
★Auto High-Beam Headlamps	•	•	•	•	•	•
★Rear View Camera with Trailer Hitch Assist. Note: Camera will be high-mount for Medium Roof and High Roof.	•	•	•	•	_	_
Exterior Sensors						
Reverse Sensing System	_	-	-	•	-	_
★Side Sensing System	<u> </u>	_	<u> </u>	•	_	
Windshield Wipers						
Automatic Rain-Sensing Windshield Wipers	•	•	•	•	•	•

BODY CODES	Body	CARGO	CREW		PASSENGER	CUTAWAY	CHASSIS
	Type	VAN	VAN	VAN XL	VAN XLT	OUTAWAT	CAB
	Order Code	101A	201A	301A	302A	501A	701A
NOTE: Body Codes have changed, double-chec		putting orders.	Also, vou must	input Wheelbas	e into CONCE	PS now	
NOTE: 1 Low Roof Crew Van is Late Availability	(E1Z, E9Z	Z, R1Z, R2Z, W1Z	and W2Z)				
LOW ROOF (83.6")	<u> </u>		<u> </u>				
Transit-150 (GVWR: Cargo Van 8,670# Crew Va				17.07	17.07	1	ı
Regular (130")	RWD	E1Y E2Y	E1Z ¹ E9Z ¹	K1Y K2Y	K1Y	_	_
Regular (130") Long (148")	RWD	E1Y	E1Z ¹	N21 —	K2Y —	_	_
Long (148")	AWD	E2Y	E9Z1	_	_	_	_
Transit-250 (GVWR: Cargo Van 9,070# Crew Va				9,070# <u>)</u>			
Regular (130")	RWD	R1Y	R1Z ¹	_	_	_	_
Regular (130") Regular (138")	AWD	R2Y	R2Z ¹	_	_	R5P	R5Z
Regular (138")	AWD		_	_		R7P	R7Z
Long (148")	RWD	R1Y	R1Z ¹	_	_	<u> </u>	_
_ong (148")	AWD	R2Y	R2Z ¹	_	_		
ong (156")	RWD	_	_	_	_	R5P	R5Z
_ong (156") <mark>Fransit-350 (GVWR: Cargo Van 9,500# ∣ Crew V</mark> a	AWD]# ∣ Passenger '	Van 9 250# evo	R7P	R7Z
Seating and RWD is 9,400# Passenger Van wi							
Regular (130")	RWD	W1Y	W1Z ¹	_		_	_
Regular (130")	AWD	W2Y	W2Z ¹	_	_	_	
Regular (138")	RWD	_	_	_	_ _	W5P W7P	W5Z W7Z
Regular (138") .ong (148")	RWD	W1Y	W1Z ¹	X2Y	X2Y	W/P	VV / Z
ong (148")	AWD	W2Y	W2Z ¹	X9Y	X9Y	_	_
_ong (156")	RWD	_	_	_	_	W5P	W5Z
Long (156")	AWD		_	_	_	W7P	W7Z
Fransit-350 HD DRW (GVWR: Cutaway 9,950# C Regular (138")	RWD	ab 9,950#)				F6P	F6Z
Regular (138")	AWD	_	_	_	_	F8P	F8Z
Long (156")	RWD	_	_	_	_	F6P	F6Z
_ong (156")	AWD	_	_	_	_	F8P	F8Z
Extended (178")	RWD	_	_	_	_	F6P	F6Z
Extended (178") Fransit-350 HD DRW (GVWR: Cutaway 10,360#	AWD	ah 10 360#)	_	_	_	F8P	F8Z
Regular (138")	RWD	——————————————————————————————————————	_	_	_	S6P	S6Z
Regular (138")	AWD	_	_	_	_	S8P	S8Z
_ong (156")	RWD	_				S6P	S6Z
Long (156") Extended (178")	AWD RWD	_	_	_	_	S8P S6P	S8Z S6Z
Extended (178")	AWD	_	_	_	_	S8P	S8Z
Fransit-350 HD DRW (GVWR: Cutaway 11,000#		ab 11,000#)					002
Regular (138")	RWD	_	_	_	_	U6P	U6Z
Regular (138")	AWD	_	_	_	_	U8P U6P	U8Z
_ong (156") _ong (156")	AWD	_	_	_	_	U8P	U6Z U8Z
Extended (178")	RWD	_	_	_	_	U6P	U6Z
Extended (178")	AWD	_	_	_	_	U8P	U8Z
MEDIUM ROOF (100.8")			0 m				
<u> Transit-150 (GVWR: Cargo Van 8,670# Crew Va</u>				K1C	K1C	I	ı
Regular (130") Regular (130")	AWD	E1C E2C	E1D E2D	K1C K2C	K1C K2C		
₋ong (148")	RWD	E1C	E1D	_	_	_	_
_ong (148")	AWD	E2C	E2D	_	_	_	_
<u> Fransit-250 (GVWR: Cargo Van 9,070# Crew Va</u>		D10	D1D				
Regular (130") Regular (130")	RWD AWD	R1C R2C	R1D R2D	_	<u> </u>	_	_
ong (148")	RWD	R1C	R1D	_	_	_	_
_ong (148")	AWD	R2C	R2D	_	_	_	_
Fransit-350 (GVWR: Cargo Van 9,500# Crew Va					/an 9,250#, exc	ept with 14 or 1	5-Passenger
Seating and RWD is 9,400# Passenger Van wit	th 14 or 15 RWD		ting and AWD is W1D	s 9,550#	ı	1	1
Regular (130") Regular (130")	AWD	W9C W2C	W1D W2D	_	_	_	_
Long (148")	RWD	W9C	W1D	X2C	X2C	_	_
.ong (148")	AWD	W2C	W2D	X9C	X9C	_	_
Fransit-350 (GVWR: Passenger Van 9,500#)	50445			14/47	14/4=		
_ong (148") _ong (148")	RWD AWD	_	_	W4Z —	W4Z	_	_
Long (148) HIGH ROOF (110.1")	AWD	_			_		
Γransit-250 (GVWR: Cargo Van 9,070# ∣ Crew Va	n 9,070#)						
ong (148")	RWD	R1X	R1V	_	_	_	_
Long (148")	AWD	R2X	R2V	_	_	_	_
Extended (148")	RWD	R3X	_	_	_	_	_
Extended (148") Fransit-350 (GVWR: Cargo Van 9,500# Crew Va	AWD	R3U Passenger Van		with 14 or 15-Da	Ssenger Seatin	g and RWD is 0	400#
Passenger Van with 14 or 15-Passenger Seatin			υ,≥υυπ, σκυσμί \	**************************************	SSCHIGET SCALIII	y and 11WD 15 5	, , 100π
Long (148")	RWD	W1X	W1V	X2X	X2X	_	_
Long (148")	AWD	W2X	W2V	X9X	X9X	_	_
Extended (148")	RWD	W3X	_	_	_	_	_
Extended (148")	AWD	W3U	_	_	_	_	_

^{★ =} New for this model year

S = Standard / O = Optional / P = Packaged Option F = Fleet Option with valid FIN code / I = Included Ford Division

BODY CODES	Body	CARGO	CREW	PASSENGER		CUTAWAY	CHASSIS
	Type	VAN	VAN	VAN XL	VAN XLT		CAB
	Order Code	101A	201A	301A	302A	501A	701A
HIGH ROOF (110.1") (continued)	0000						
Transit-350 (GVWR: Passenger Van 9,500#)							
Long (148")	RWD	_	_	W4X	W4X	_	_
Long (148") Tropoit 250 HD DDW (GVWB: Corgo Von 9 050# L	AWD Crow Van	0.050#\	_	_	_	_	_
Transit-350 HD DRW (GVWR: Cargo Van 9,950# Extended (148")	RWD	9,950#) F4X	F4V	L			
Extended (148")	AWD	F4U	F4W	_	_	_	_
Transit-350 HD DRW (GVWR: Cargo Van 10,360#							
Extended (148")	RWD	S4X	S4V	U4X	U4X	_	_
Extended (148") POWERTRAIN	AWD	S4U	S4W	U5X	U5X	_	_
Engine							
★3.5L PFDi V6. Not available on Cargo Van (S4U),							
Crew Van (S4W), Passenger Van XL/XLT (W4X,							
W4Z and U5X), Cutaway (S6P, S8P, U6P and U8P) or Chassis Cab (S6Z, S8Z, U6Z and U8Z).	998	S	S	S	S	S	S
Note: Includes port injection and E-85 Flex-Fuel							
Capable capability.							
3.5L EcoBoost® V6. Standard on Cargo Van (S4U),							
Crew Van (S4W), Passenger Van XL/XLT (U5X), Cutaway (S8P, U6P and U8P) and Chassis Cab							
(S8Z, U6Z and U8Z). Not available on Passenger							
Van XL/XLT (K1C, K1Y, K2C, K2Y, W4X and	99G	S/O	S/O	S/O	S/O	S/O	S/O
W4Z). The 3.5L EcoBoost® V6 engine becomes	000	G/ C	0,0	0,0	3 , 3	0,0	3 , 3
standard on Cutaway (S6P) and Chassis Cab							
(S6Z) at Late Availability timing.							
Note: Includes Auto Start-Stop technology. ★2.0L EcoBlue® Bi-Turbo I4 Diesel. Standard on							
Passenger Van XL/XLT (W4X and W4Z), Cutaway							
(S6P) and Chassis Cab (S6Z). Not available on							
Cargo Van (E1Y, E2C, E2Y, E1C, F4U, R2C, R2X,							
R2Y, R3U, S4U, W2C, W3U, W2X, W2Y, W1Y,							
W9C and W1X), Crew Van (E1Z, E9Z, R2D, R2Z, R2V, W1Z, W2Z, E1D, E2D, W1D, W2D, W1V,							
W2V, F4V, F4W, S4V and S4W), Passenger Van	99A	0	0	S/O	S/O	S/O	S/O
XL/XLT (U5X, X9C, X9X, X9Y, K1C, K1Y, K2C	0071			0,0	3 , 3	3 , 3	3 , 3
and K2Y), Cutaway (S8P, F8P, R7P, W7P, U6P							
and U8P) or Chassis Cab (S8Z, F8Z, R7Z, W7Z,							
U6Z and U8Z). Late Availability. Note: Includes Auto Start-Stop technology, PTC							
Heater, Dual AGM Batteries (63E), Engine Hour							
Meter and SEIC capability.							
<u>Transmission</u>							
★10-Speed Automatic Overdrive with SelectShift®.	44U	S	s	S	S	S	S
Auxiliary Transmission Oil Cooler is standard. EXTERIOR							
Roof Marker Lamp Delete. Standard on SRW							
Cargo Van, Crew Van and Passenger Vans.							
Note: Vehicle shipped with temporary tape over	18A	S	S	S	S	0	_
five (5) holes. Upfitter is responsible to seal holes							
on Cutaway only. Body Side Moldings							
★Body Side Moldings – Body Colored. Requires							
Front Bumper – Body Colored (53G).							
Note: Body colored body side moldings are	4-11						
offered in Oxford White (YZ), Agate Black (UM), Ingot Silver (UX), Magnetic (J7). The body side	17N	_	_	_	_	0	_
moldings will match the exterior color of the							
Cutaway.							
Bumpers							
★Front Bumper – Body Colored. Includes Front							
Fog Lamps (55D).							
Note: Body colored front bumpers are offered in every exterior color. The front bumper will match	53G	_	_	_	S	0	_
the exterior color of the Passenger Van							
XLT/Cutaway.							
Rear Bumper – Carbon Black, with integral step.	43E	0	0	0	0	_	_
Optional on Low Roof.							
<u>Doors</u> 60/40 Hinged Passenger-side Door (Low Roof)	59A	0	_	0	0	_	_
Dual Sliding Side Doors. Only available on Medium	30A						
and High Roof configurations. Not available with	59B	0	_				
the combination of AWD and DRW configurations	390		_	_	_	_	
(F4U and S4U).							

·							
BODY CODES	Body Type Order	CARGO VAN	CREW VAN	PASSENGER VAN XL	VAN XLT	CUTAWAY	CHASSIS CAB
	Code	101A	201A	301A	302A	501A	701A
■ XTERIOR (continued) *Power Sliding Door. Only available on Medium and High Roof configurations. Not available with Dual Sliding Side Doors (59B), Fixed Rear-Door Glass and Fixed Driver and Passenger-side Glass (17D) or Regular Length configurations. Late Availability. Note: Power Sliding Door contains anti-pinch feature to help prevent injury.	65C	0	-	0	0	_	_
Right Hand Door Delete. Included with School Bus Prep Package (47C), MFSAB Prep Package (47Q) and available with Shuttle Bus Prep Package (47S). Note: Intended for upfitters that intend to modify the factory roof. Includes only front driver airbag. See Package/Option page for details.	60X	_	-	-	_	I/P/O	_
Exterior Lighting – Front ★ High-Intensity Discharge (HID) Headlamps. Chassis Cab and Cutaway are not available with 3.5L PFDi V6 (998) engine. Note: HID headlamps emit a brighter, more natural light than halogen headlamps, which can help improve visibility. HID headlamps also include LED signature surround.	91A	_	0	O	O	O	O
*Autolamp. Includes Wiper Activated Headlamps. Note: When the headlamp control is in the Autolamp position, the headlamps will turn on automatically in low lighting conditions. The headlamps will also stay on for a set period of time after the owner turns off the ignition.	91B	0	0	0	S	0	_
★Front Fog Lamps. Included in Reverse Sensing System (43R) and Front and Rear Split-View Camera (61D). Note: Auxiliary lamps that are generally integrated into the front fascia and designed to help illuminate the roadway during poor visibility. Exterior Lighting – Rear	55D	O/I	O/I	O/I	S	O/I	O/I
Light-emitting Diode (LED) Tailamps. For Upfitter use. Included in Ambulance Prep Package – Cutaway (47F), School Bus Prep Package (47C) and Multi-Function School Activity Bus Prep Package (47Q).	43Q	_	_	_	_	O/I	0
Fuel Tank ★Extended Range Fuel Tank – Capless Fuel Fill, 31 U.S. gallons (midship). Not available on Regular Length configurations and Passenger Van XL/XLT (X9X) with the combination of the 15- Passenger Seating (96P) and the 3.5L EcoBoost® V6 (99G) engine. Mirrors – Short-Arm	655	0	0	0	0	0	0
Power Adjusting, Manual-Folding. Not available with BLIS with Cross-traffic Alert and Trailer Coverage (65A).	541	S	S	S	_	0	_
Power Adjusting, Manual-Folding Heated with Turn Signals. Not available with BLIS with Cross-traffic Alert and Trailer Coverage (65A).	545	0	0	0	_	0	0
Mirrors – Long-Arm Power Adjusting, Manual-Folding. Not available with BLIS with Cross-traffic Alert and Trailer Coverage (65A).	543	0	0	0	_	0	_
Power Adjusting, Manual-Folding Heated with Turn Signals. Available with BLIS with Cross-traffic Alert and Trailer Coverage (65A).	544	O/P	O/P	O/P	O/P	0	0
Running Boards Running Board. Not available with Dual Sliding Side Doors (59B). Note: Running board covers the B-C Pillar Passenger-side.	68H	0	s	0	0	_	_
Power Running Board. Not available with Dual Sliding Side Doors (59B). And not available on Cargo Van with Vinyl, Front and Rear (16E), Interior Upgrade Package – Cargo Van (96C), Load Area Protection Package (96D). Note: Running board covers the B-C Pillar Passenger-side.	68L	0	-	0	0	_	_
Extended Length Running Boards. Not available with 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine or Dual Sliding Side Doors (59B). Note: Running board covers the A-B Pillar Driverside and A-C Pillar Passenger-side.	68J	0	0	0	0	_	_

^{★ =} New for this model year

S = Standard / O = Optional / P = Packaged Option F = Fleet Option with valid FIN code / I = Included Ford Division

BODY CODES	Body	CARGO	CREW	PASSENGER	PASSENGER		CHASSIS
2021 00220	Type	VAN	VAN	VAN XL	VAN XLT	CUTAWAY	CAB
	Order Code	101A	201A	301A	302A	501A	701A
EXTERIOR (continued)	Out						
Chassis Cab/Cutaway Running Boards. Covers A-B Pillar on both Driver and Passenger-side. Trailering	68C	_	_	_	_	0	0
Tow/Haul Mode with Trailer Wiring Provisions. Included in Motorhome Prep Package (47M). See Package/Options page for details.	53D	0	0	0	0	O/I	0
Trailer Brake Controller (TBC). Requires Cruise Control (60C) or Adaptive Cruise Control (60D) and requires Heavy-Duty Trailer Tow Package (53B) or Tow/Haul Mode with Trailer Wiring Provisions (53D).	67D	0	0	0	0	0	0
Heavy-Duty Trailer Tow Package Note: Deletes Rear Tow Hook. See Package/Option page for details. Wheels – SRW	53B	0	0	0	0	_	_
16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only). Included with Exterior Upgrade Package – SRW (Standard Front Axle configurations only) (18D).	64H	I/O	I/O	0	S	I/O	I/O
16" Styled Aluminum Wheel (Standard Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Standard Front Axle configurations only) (18D). Note: Includes locking lug nuts	64S	P/O	P/O	0	0	P/O	P/O
★16" Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Heavy-Duty Front Axle configurations only) (18D). Wheels – DRW	64G	P/O	P/O	0	0	P/O	P/O
★16" Heavy-Duty Forged Aluminum Wheel (Standard Front Axle configurations only). Available with Exterior Upgrade Package – DRW (Standard Front Axle configurations only) (18L).	76E	P/O	P/O	0	0	P/O	P/O
★16" Heavy-Duty Forged Aluminum Wheel (Heavy- Duty Front Axle configurations only). Available with Exterior Upgrade Package – DRW (Heavy-Duty Front Axle configurations only) (18L).	76G	P/O	P/O	0	0	P/O	P/O
Wheels – Spare Tire Spare Tire and Wheel. Included in the Ambulance Prep Package – Cutaway (47F). Note: Includes 4 ton jack, tool kit and full-size matching tire	51D	S	S	S	S	O/I	0
Spare Tire and Wheel Delete. Optional on	51A	0	0	0	0	S	S
Extended Length only. Windows (Refer to the Windows Offering Chart of	n page 21	for complete w	indow details)				
Fixed Rear Cargo Door Glass	17A	Ö	_	_	_	_	S
Fixed Rear Cargo Door Glass and Fixed Passenger-side Glass.	17B	0	_	_	_	_	_
Fixed Rear Cargo Door Glass and Fixed Driver and Passenger-side Glass. Requires Dual Sliding Side Doors (59B) on Cargo Van.	17D	0	S	_	_	_	_
Windows-All-Around, Fixed. Not available with Dual Sliding Side Doors (59B).	17F	0	_	S	S	_	_
★Egress Window. Only available with Windows-All- Around, Fixed (17F). Requires Privacy Glass (92E). Not available on Low Roof Passenger Vans. Late Availability.	17L	_	_	0	0	_	_
Note: Replaces 2 nd row Driver-side window. Glass *Safety Glass. Included with Multi-Function School Activity Bus (MFSAB) Prep (47Q) and School Bus Prep (47C) packages. Note: Applies to the front and side windows. Provides additional safety that makes the glass less likely to break, or less likely to pose a threat when broken.	65B	-	_	-	_	O/I	_
High Strength Laminated Glass. Available with Windows-All-Around, Fixed (17F) only. Optional on Medium/High Roof Long Length Cargo Van. Not available with Dual Sliding Side Doors (59B). Note: High strength laminated glass applies to 2 nd -4 th row windows	92A	0	_	_	_	_	_
Privacy Glass. Includes Rear-window Defroster (57N). Note: Provides protection of vehicle occupant(s) and occupant personal belongings. The glass also provides occupant comfort by helping to reduce vehicle cool-down time.	92E	0	0	0	0	-	_

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option F = Fleet Option with valid FIN code / I = Included Ford Division

BODY CODES	Body	CARGO	CREW	PASSENGER	PASSENGER	OUT AWAY	CHASSIS
	Type Order	VAN	VAN	VAN XL	VAN XLT	CUTAWAY	CAB
	Code	101A	201A	301A	302A	501A	701A
EXTERIOR (continued) Rear-Window Defroster. Requires any window	57N	0	0	0	0		
package that includes fixed rear cargo door glass (17A-K)	5/14	O	U	O	O	_	_
INTERIOR Cruise Control. Includes Adjustable Speed Limiting							
Device (ASLD). Note: The ASLD feature is great for city driving; it							
allows the driver to set an upper speed limit for the vehicle. If the vehicle begins to approach the upper speed limit then audible and visual warning	60C	0	0	0	S	0	0
are given. D-Pillar Assist Handles							
Note: Located on the Driver and Passenger-side. Due to space requirements, the Driver-side handle is deleted if Front/Rear Aux A/C and Heater (Driver controlled) (57G) is also ordered.	66C	0	0	_	_	_	_
Illuminated Sun Visors. Included with Interior Upgrade Package – Cargo Van (96C) and Interior Upgrade Package – Cutaway/Chassis Cab (47A).	85C	O/I	0	0	S	O/I	O/I
Rearview Mirror. Included with rear glass window configurations (17A, 17B, 17D and 17F). Not							
available with Radio Prep Package (58T) or Rear View Display in Rearview Mirror (61B).	90B	ı	S	S	S	0	S
★Bulkhead - Lockable Door with Window. Optional							
only on Medium Roof and High Roof. Late Availability. Note: The bulkhead is located behind the driver	47T	0	_	_	_	_	_
and passenger seats in the Cargo Van, and separates them from the cargo area.							
★Bulkhead – Window Only. Optional only on Low Roof and Medium Roof. Late Availability.	47U	0	_	_	_	_	_
Center Console ★Large Center Console. Included with Upfitter							
Package (67C) and Trailer Brake Controller (67D). Note: Includes an integrated shifter, a dual cup holder and an additional storage area	67E	O/I	O/I	O/I	S	O/I	O/I
Floor Covering Vinyl, Front only. Included with the Builders Prep							
Package (47E) for Passenger Van XL. Requires Floor Mat delete (86X). Note: Wheel Well Liners and Scuff Plates Kit are not included.	16C	S	_	ı	_	S	S
Vinyl, Front and Rear. Included in Interior Upgrade Package – Cargo Van (96C) and Load Area Protection Package (96D). Not available with							
Front/Rear Aux A/C and Heater (Driver controlled) (57G) on Cargo Van, Heavy-Duty Cargo Flooring (60B) or Heavy-Duty Scuff Plate Kit (85B). Requires Floor Mat delete (86X). Note: Wheel Well Liners are included as part of the rear vinyl floor covering. On the Crew Van, the	16E	O/I	S	S	0	_	_
vinyl flooring is only in the 1 st and 2 nd rows. Carpet, Front only. Included with Builders Prep							
Package (47E). Note: Deletes all rear floor covering.	16G	0	_	_	I	0	0
Carpet, Front and Rear Carpet Floor Mats, Front. Only available with carpet	16H 86B	_ o	_	0	S S	_ 0	<u> </u>
floor covering (16G/16H). Floor Mat delete. Requires Vinyl Floor Front and	86X	s	S	S	0	S	S
Rear (16E) on Passenger Van XLT. Heavy-Duty Cargo Flooring. Includes Heavy-Duty	700	3	5	3	U	3	3
Scuff Plate Kit (85B) only on Cargo Van. Not available with Dual Sliding Side Doors (59B) Vinyl, Front and Rear (16E), Front/Rear Aux A/C and Heater (Driver controlled) (57G) or DRW configurations (F4X, F4U, S4X and S4U).	60B	0	_	-	_	_	-

BODY CODES	Body	CARGO	CREW		PASSENGER	CUTAWAY	CHASSIS
	Type Order	VAN 101A	VAN 201A	VAN XL 301A	VAN XLT 302A	501A	CAB 701A
INTERIOR (continued)	Code			00111			
Seating – Front (Refer to the Front Seat Matrix or Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seats. Cargo Van is only available with 10,360lb GVWR configuration, and Chassis Cab is only available with 10,360 / 11,000lb GVWR configurations.	page 23 f	or complete se	at details)				
Note: Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	21C	0	_	-	-	0	0
Seating – Front (Refer to the Front Seat Matrix or Ebony Cloth, 2-way manual Driver and 2-way	page 23 f	or complete se	at details)				
manual Passenger seats. Cargo Van is only available with 10,360lb GVWR configuration, and Chassis Cab is only available with 10,360 / 11,000 GVWR configurations. Note: Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	21D	0	_	_	-	0	0
Dark Palazzo Gray Vinyl, 2-way manual Driver and 2-way manual Passenger seats.	21G	S	S	0	_	S	S
Dark Palazzo Gray Vinyl, 2-way manual Driver seat. Includes the Auxiliary Fuse Panel with High Spec Interface Connector (87E) when the 2.0L EcoBlue® Bi-Turbo 14 Diesel (99A) engine is ordered. Cargo Van is only available with 10,360lb GVWR configurations. Note: Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	21J	0	_	_	_	0	
Dark Palazzo Gray Cloth, 2-way manual Driver seat.	21K	0	_	_	_	0	_
Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seats.	21L	0	0	_	S	0	0
Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seats.	21M	0	0	S	0	0	0
Dark Palazzo Gray Vinyl, 2-way manual Driver and 2-way manual Passenger seats.	21P	0	0	0	_	0	0
Dark Palazzo Gray Cloth, 10-way power Driver and 10-way power Passenger seats. Cargo Van and Crew Van are not available with the 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine, or the combination of 9,250/9,500lb GVWR and the 3.5L EcoBoost® V6 (99G) or 3.5L PFDi V6 (998) engines.	21Q	0	0	_	0	0	0
Ebony Cloth, 10-way power Driver and 10-way power Passenger seats. Cargo Van and Crew Van are not available with the 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine, or the combination of 9,250/9,500lb GVWR and the 3.5L EcoBoost® V6 (99G) or 3.5L PFDi V6 (998) engines.	21R	0	0	0	0	0	0
Ebony Leather, 10-way power Driver and 10-way power Passenger seats.	21S	0	_	_	0	0	_
*Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats. Requires Push Down Manual Parking Brake (90G) and Dual AGM Batteries (63E). Not available on Low Roof Cargo Van.	21T	0	_	_	_	0	-

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
INTERIOR (continued)	Code						
*Dark Palazzo Gray Cioth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats. Requires Push Down Manual Parking Brake (90G) and Dual AGM Batteries (63E). Cargo Van is only available with 10,360lb GVWR configurations. Note: Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof". Seating – Rear (Refer to the Rear Seat Matrix on	218	O	—	-	-	О	-
1-Passenger or 2-Passenger Seating. 2-Passenger	Jaye 24 10	Complete Seal	details)				
Seating is standard on Cargo Van, Cutaway and Chassis Cab, except when Passenger Seat Delete (21J and 21K) is ordered, then its 1-Passenger Seating. 2-Passenger Seating is standard on Passenger Van with Builders Prep Package (47E). 2-Passenger Seating (with additional rear seat attachment points) is optional on Passenger Van without Builders Prep Package (47E). Optional with Long and Extended Length Passenger Van. Passenger Van XL/XLT (X2C, X2X and X2Y) is not available with the combination of Long Length configurations and the 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine. Note: 13 rear seats are removed, but seat attachment points are still present. This note only applies to 2-Passenger Seating on Passenger Van without Builders Prep Package (47E).	96K	S	_	0	Ο	S	S
2-Passenger Seating. Optional with Long Length							
Passenger Van without Builders Prep Package (47E) only. Note: 10 rear seats are removed, but seat attachment points are still present.	96X	_	_	0	0	_	_
5-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats. Optional with Medium Roof, Regular Length Passenger Van only. Note: 3 rear seats are removed, but seat attachment points are still present.	96U	_	_	0	0	_	_
8-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats, 3rd row: 3 seats. Optional with Low Roof Regular Length Passenger Van.	96L	_	_	0	0	_	_
8-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats, 3nd row: 3 seats. Optional with Medium Roof Regular Length Passenger Van.	96M	_	_	О	0	_	_
8-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats, 3rd row: 3 seats. Optional with Long Length Passenger Van. Not availabe with Low Roof Passenger Van. Note: 4 rear seats are removed, but seat attachment points are still present.	96V	_	_	0	0	_	_
10-Passenger Seating. 1st row: 2 seats, 2nd row: 2 seats, 3rd row: 3 seats, 4th row: 3 seats. Optional with Extended Length Passenger Van. Note: 4 rear seats are removed, but seat attachment points are still present.	96W	_	-	0	0	_	_
14-Passenger Seating. 1st row: 2 seats, 2nd row: 2 seats, 3rd row: 3 seats, 4th row: 3 seats, 5th row: 4 seats. Optional with Long Length Passenger Van. Passenger Van XL/XLT (W4X, W4Z, X2C, X2X and X2Y) is not available with the combination of Long Length configurations and the 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine.	96S	-	-	0	0	_	_
14-Passenger Seating. 1st row: 2 seats, 2nd row: 2 seats, 3rd row: 3 seats, 4th row: 3 seats, 5th row: 4 seats. Optional with Extended Length Passenger Van.	96T	_	_	0	0	_	_
15-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats, 3rd row: 3 seats, 4th row: 3 seats, 5th row: 4 seats. Optional with Long Length Passenger Van. Passenger Van XL/XLT (W4X, W4Z, X2C, X2X and X2Y) is not available with the combination of Long Length configurations and the 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine.	96P	I	_	0	0	-	_

BODY CODES	Body	CARGO	CREW		PASSENGER	CUTAWAY	CHASSIS CAB
	Type Order	VAN 101A	VAN 201A	VAN XL 301A	VAN XLT 302A	501A	701A
FUNCTIONAL	Code						
Auxiliary Fuse Panel with High Spec Interface Connector. Includes Dual AGM Batteries (63E) and Modified Vehicle Wiring System (53K).	87E	0	0	0	0	0	0
★Dual Alternator (250 amps each). Includes Auxiliary Fuse Panel with High Spec Interface Connector (87E). Included with Ambulance Prep Packages (47B and 47F). Not available with 3.5L PFDI V6 (998) or 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engines.	63C	O/I	0	0	0	O/I	0
★Horn – Dual-note. Included on School Bus Prep Package (47C), MFSAB Prep Package (47Q), Ambulance Prep Package – Cargo Van (47B) and Ambulance Prep Pacakge – Cutaway (47F).	85D	0	О	O	О	O	0
Keyless Entry Keypad	52C	0	0	0	0	0	0
Modified Vehicle Wiring System. Included with Builders Package (47E), Ambulance Prep Package – Cargo Van (47B), and Auxiliary Fuse Panel with High Spec Interface Connector (87E).	53K	O/I	O/I	O/I	O/I	S	S
Programmable Battery Guard/Enhanced Cut-off Relay. Not available with Push Down Manual Parking Brake (90G), Power Outlet – 110V/150W (90C) or Power Outlet – 110V/400W (90D). Late Availability. Note: Controls a production/service fit isolation relay to allow PTO at engine run/off while protecting certain systems/functions.	59C	0	0	0	0	0	0
Push Down Manual Parking Brake. Standard on Chassis Cab and Cutaway 11,000 GWVR configuration only. Passenger Van XL/XLT requires Builders Prep Package (47E). Not available with Programmable Battery Guard/Enhanced Cut-off Relay (59C), Power Outlet – 110V/150W (90C) or Power Outlet – 110V/400W (90D). Note: The push down manual parking brake feature allows the driver to push the hand lever to the fully down position, while the parking brake remains engaged. This is particularly useful in situations where additional clearance to pass over the parking brake lever is necessary, such as a swivel seat.	90G	Ο	_	Ο	Ο	S/O	S/O
Air Conditioning Front/Rear Aux A/C and Heater (Driver controlled). Not available with Passenger Seat Delete (21J and 21K), Cargo Van with Vinyl, Front and Rear (16E), Interior Upgrade Package – Cargo Van (96C), Builders Prep Package (47E) or Load Area Protection Package (96D). Note: Heat is distributed from rear of front-passenger seat. A/C is distributed from the rear of van.	57G	0	0	S	S	-	-
Audio – Audio Packs Audio Pack #18 – AM/FM stereo, Bluetooth, Dual USB ports and a 4.0" multi-function display. Audio Pack #18 is standard on Cargo Van, Crew Van and Passenger Van XL when Rear View Camera with Trailer Hitch Assist is selected. And is standard on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. — 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab — 8 speakers (4 front/4 rear) – Passenger Van XL	58U	S	S	S	-	S	S
Audio Pack #19 – AM/FM stereo, Bluetooth, Dual USB ports, SYNC 3 and a 4.0" multi-function display. Audio Pack #19 is optional on Cargo Van, Crew Van and Passenger Van XL when Rear View Camera with Trailer Hitch Assist is selected. And is optional on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT	58V	0	0	0	S	0	0

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
FUNCTIONAL (continued)	Oode						
Audio Pack #20 – AM/FM stereo with HD/SiriusXM® capability, Bluetooth, Dual USB ports, SYNC 3 and a 4.0" multi-function display. Audio Pack #20 is optional on Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT when Rear View Camera with Trailer Hitch Assist is selected. And is optional on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab — 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT	58W	0	0	0	0	0	0
Audio Pack #21 – AM/FM stereo, Bluetooth, audio input jack, Dual USB ports, SYNC 3 and a 8.0" colored multi-function touch screen. Audio Pack #21 is optional on Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT when Rear View Camera with Trailer Hitch Assist is selected. And is optional on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. Audio Pack #21 is included with Front and Rear Split-View Camera (61D). – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT	58X	I/O	I/O	I/O	I/O	I/O	I/O
Audio Pack #22 – AM/FM stereo with HD/SiriusXM® capability, Bluetooth, audio input jack, Dual USB ports, SYNC 3 and a 8.0" colored multi-function touch screen. Audio Pack #22 is optional on Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT when Rear View Camera with Trailer Hitch Assist is selected. And is optional on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. Audio Pack #22 is available with Front and Rear Split-View Camera (61D). — 4 speakers (4 front) — Cargo Van, Crew Van, Cutaway and Chassis Cab — 8 speakers (4 front/4 rear) — Passenger Van XL and Passenger Van XLT	58Y	P/O	P/O	P/O	P/O	P/O	P/O
Audio Pack #28 – AM/FM stereo with HD/SiriusXM® capability, Bluetooth, audio input jack, Dual USB ports, SYNC 3 and a 8.0" colored multi-function touch screen with Navigation. Audio Pack #28 is optional on Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT when Rear View Camera with Trailer Hitch Assist is selected. And is optional on Cutaway and Chassis Cab when No Rear View Camera or Rear View Camera and Prep Kit (61A) is selected. Audio Pack #28 is available with Front and Rear Split-View Camera (61D). – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT	584	P/O	P/O	P/O	P/O	P/O	P/O
Audio – Speakers 6 speakers (4 front/2 rear). Optional with Audio Pack #18, 19, 20, 21, 22 and 28 (58U, 58V, 58W, 58X, 58Y and 584) on Cargo Van, Crew Van and Cutaway. Note: Rear speakers shipped in dunnage box for Cutaway only.	91L	0	0	-	_	0	-
8 speakers (4 front/4 rear). Included with Audio Pack #18, 19, 20, 21, 22 and 28 (58U, 58V, 58W, 58X, 58Y and 584) on Passenger Van XL and included with Audio Pack #19, 20, 21, 22 and 28 on Passenger Van XLT. Optional with Audio Pack #18, 19, 20, 21, 22 and 28 on Cutaway. Note: Rear speakers shipped in dunnage box for Cutaway only.	91M	_	_	ı	I	0	_

BODY CODES	Body	CARGO	CREW	PASSENGER		CUTAWAY	CHASSIS			
	Type	VAN	VAN	VAN XL	VAN XLT		CAB			
	Order Code	101A	201A	301A	302A	501A	701A			
FUNCTIONAL (continued)	0000									
Axle										
*Heavy-Duty Front Axle										
Note: Up to 4, 630 lb FGAWR. Refer to the Axle	41E	S/O/I	S/O	S/-	S/-	S/O/I	S/O/I			
Availability charts beginning on page 28 for complete option details.										
Batteries										
Single AGM Battery (70 amp-hr). Optional on 3.5L	63X	0	0	0	0	0	0			
PFDi V6 (998) engine only.	00^	U	U	U	<u> </u>	<u> </u>	U			
Dual AGM Batteries. (70 amp-hr each). Optional on										
and 3.5L EcoBoost® V6 (99G) and 3.5L PFDi V6 (998) engines. Included with Power Outlet –										
110V/400W (90D), Auxiliary Fuse Panel with High	63E	O/I	O/I	O/I	O/I	O/I	O/I			
Spec Interface Connector (87E), and the	002	J.,	<u> </u>	,	<u> </u>	<u> </u>	Ο,.			
combination of X9C, X9X or X9Y and 15-										
Passenger Seating.										
Frontal Area Limitation Enhanced Frontal Area Limitation 1										
Note: Provides a Vehicle Emission Control										
Information label with a frontal area restriction up										
to 82 ft ² . Frontal area limitation requires second	15D	_	_	_	_	0	0			
unit body to meet profile restrictions. For additional										
information please reference the Incomplete										
Vehicle Manual and SVE Bulletins. ★Enhanced Frontal Area Limitation 2. Available on										
10,360 or 11,000lb GVWR configurations only.										
Note: Provides a Vehicle Emission Control										
Information label with a frontal area restriction up	15E	_	_	_	_	0	0			
to 82 ft ² . Frontal area limitation requires second										
unit body to meet profile restrctions. For additional information please reference the Incomplete										
Vehicle Manual and SVE Bulletins.										
<u>Heating</u>										
Engine Block Heater (400W Rating) – Standard on										
2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine.										
Optional on 3.5L PFDi V6 (998) and 3.5L EcoBoost® V6 (99G) engines. Note:	41H	S/O	S/O	S/O	S/O	S/O	S/O			
Recommended when minimum temperature is										
10°F or below.										
Instrumentation										
★ Vehicle Maintenance Monitor. Includes Engine										
Hour Meter. Note: Depending on the engine, this feature will	_									
display engine hour meter, oil life, oil level, tire	61C	0	0	0	0	0	0			
pressure, water in fuel, DEF information and										
exhaust filter status.										
Interior Power Power Oulet – 110V/150W. Not available with				1	I	I	I			
Passenger Seat Delete (21J and 21K) and 2.0L										
EcoBlue® Bi-Turbo I4 Diesel (99A) engine										
combination, Push Down Manual Parking Brake		_	_	_ '	_	_	_			
(90G), or Programmable Battery Guard/Enhanced	90C	0	0	0	0	0	0			
Cut-off Relay (59C). Note: The AC power outlet is designed to power										
low-draw electrical devices with a household-style										
outlet for added convenience.										
★Power Outlet – 110V/400W. Includes Dual AGM										
Batteries (63E). Not available with Passenger Seat										
Delete (21J and 21K), Push Down Manual Parking										
Brake (90G), Programmable Battery Guard/Enhanced Cut-off Relay (59C), Front/Rear										
Aux A/C and Heater (Driver controlled) (57G),										
Dual Alternator (63C), Ambulance Prep Package –	90D	0	0	_	_	0	0			
Cargo Van (47B) or Ambulance Prep Package –										
Cutaway (47F).										
Note: High-power outlets deliver up to 400 watts										
of power, allowing drivers to easily charge smaller corded tools, battery chargers or mobile devices										
on-site.										
Powerpoint – 12V. One located in the rear of	87A	0	0							
vehicle	0/A	U	U			_	_			

BODY CODES	Body	CARGO	CREW	PASSENGER	PASSENGER	CUTAWAY	CHASSIS								
	Type	VAN	VAN	VAN XL	VAN XLT	CUTAWAY	CAB								
	Order	101A	201A	301A	302A	501A	701A								
FUNCTIONAL (continued)	Code	-	-				_								
FUNCTIONAL (continued) Regeneration Initiation															
Manual Regen Initiation. Requires the 2.0L															
EcoBlue® Bi-Turbo I4 Diesel (99A) engine															
Note: The diesel particulate filter requires periodic															
regeneration to maintain correct operation. If the															
driver is not operating the vehicle in a manner to	98D	0	0	0	0	0	0								
allow effective automatic regeneration, then	000			, o	Ü										
activating the manual regeneration initiation is recommended. Please see your Owner Manual for															
the manual regeneration procedure and															
recommended vehicle operating conditions.															
Manual Regen Initiation with Active Regen Inhibitor.		_	_	_		_	_								
Requires the 2.0L EcoBlue® Bi-Turbo I4 Diesel	98E	0	0	0	0	0	0								
(99A) engine. Upfitter Accessories															
★Upfitter Package. Includes High Capacity Upfitter															
Switches, Large Center Console (67E) and	070				0	_	_								
Auxiliary Fuse Panel with High Spec Interface	67C	0	0	0	O	0	0								
Connector (87E).															
★Upfitter Interface Module (UIM). Not available with Front and Rear Split-View Camera (61D).															
Note: This technology makes it easy for upfitters															
to operate aftermarket equipment, such as lift															
buckets or cranes. Upfitters can connect/program	55A	0	0	0	0	0	0								
the optional upfitter switches to operate	337		O	O	0										
aftermarket-installed equipment with up to 9 digitally configurable inputs. Please see															
fleet.ford.com/partsandservice/upfitter-interface for															
additional information.															
SAFETY/SECURITY															
Perimeter Alarm.	59D	0	0	0	0	_	_								
Keys: 2 additional (4 total) with key fobs. Not															
available with Right Hand Door Delete (60X).	86F	0	0	0	0	0	0								
MyKey®. Crew Van, Passenger Van XL, Passenger															
Van XLT, Cutaway and Chassis Cab require	62B	0	0	0	0	0	0								
Cruise Control (60C). Cargo Van requires Cruise	OLD			, o	Ü										
Control (60C) or Adaptive Cruise Control (60D). Camera – Rear View															
Rear View Camera and Prep Kit. Will display in															
rearview mirror when ordered with Radio Prep															
Package (58T), otherwise will display in multi-															
function display															
Note: For incomplete vehicles, upfitter must add a rear view camera to vehicles that are 10,000lb	61A	_	_	_	_	0	0								
GVWR or less to complete the vehicle and meet															
FMVSS 111 requirements. Rear View Camera and															
Prep Kit (61A) is available as a dunnage kit that															
requires upfitter installation.															
Rear View Display in Rearview Mirror. Includes Radio Prep Package (58T). Not available with Low															
Roof configurations, Cruise Control (60C),															
Adaptive Cruise Control (60D) or Interior Upgrade															
Package – Cargo Van (96C).	61B	0	0	_	_	_	_								
Note: When vehicle is in Reverse, this feature displays an image of what's directly behind the															
vehicle. This image will appear in the rear view															
mirror.															
FORD CO-PILOT360™ TECHNOLOGY															
*Adaptive Cruise Control. Includes Adjustable															
Speed Limiting Device (ASLD). Note: Adaptive cruise control keeps a constant															
speed without having to work the brake or	60D	0	0	0	0	0	0								
accelerator pedals. Plus it automatically maintains															
a driver-inputted preset distance (or gap) from															
vehicles ahead.															
★Blind Spot Information System (BLIS®) with Cross-traffic Alert and Trailer Coverage. Includes															
Short-Arm, Power Adjusting, Power-Folding															
Heated with Turn Signals.	65A	0	0	0	S	_	_								
Note: BLIS deletes the standard Short-Arm,															
Power Adjusting, Manual-Folding Mirrors (541) on															
Cargo Van, Crew Van and Passenger Van XL.															

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB		
	Order Code	101A	201A	301A	302A	501A	701A		
FORD CO-PILOT360™ TECHNOLOGY (continued									
*Enhanced Active Park Assist. Includes Front Sensing System, Side Sensing System (94A) and Reverse Sensing System (43R). Not available with Extended Length configurations. Note: Enhanced active park assist helps make parking less stressful. It helps steer the vehicle, in Reverse, into a perpendicular parking space or steer the vehicle into or out of a parallel parking space.	94B	О	О	0	0	-	-		
Camera – Front & Rear View ★Front and Rear Split-View Camera. Includes Front Fog Lamps (55D). Also includes Side Sensing System (94A) and Reverse Sensing System (43R) on Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT. Only available with Audio Pack #21 (58X), Audio Pack #22 (58Y) and Audio Pack #28 (584). Not available with Rear View Camera and Prep Kit (61A) or Rear View Display in Rearview Mirror (61B). Note: Front and rear facing cameras allow the driver to toggle through different camera views via a button located on the instrument panel. For incomplete vehicles, upfitter must add a rear view camera to vehicles that are 10, 000lb GVWR or less to complete the vehicle and meet FMVSS 111 requirements. Rear View Camera and Prep Kit (61A) is available as a dunnage kit that requires upfitter installation.	61D	Ο	Ο	Ο	Ο	Ο	Ο		
Exterior Sensors Reverse Sensing System. Included with Front and Rear Split-View Camera (61D), Side Sensing System (94A) and Enhanced Active Park Assist (94B).	43R	O/I	O/I	O/I	S	_	_		
*Side Sensing System. Included with Front and Rear Split-View Camera (61D). Also includes Reverse Sensing System (43R). Note: Works similar to the Reverse Sensing System, as it sounds a tone when the vehicle gets close to surrounding vehicles and other objects.	94A	O/I	O/I	O/I	S	_	-		
PACKAGES/KITS Audio Prep Packages Radio Prep Packages. Includes antenna, cover plate in place of radio, wiring that is normally provided with single-CD audio packages and speakers. A radio chassis is not provided. Not available with Low Roof Cargo Van, Low Roof Crew Van, Cruise Control (60C), Rearview Mirror (90B), Adaptive Cruise Control (60D), MyKey® (62B), Interior Upgrade Package − Cargo Van (96C), Interior Upgrade Package − Cutaway/Chassis Cab (47A) or Motorhome Prep Package (47M). The combination of Radio Prep Package (58T) and FordPass™ Connect / Telematics Modem is Late Availability. Note: Radio Prep Package is included on Cargo Van and Crew Van when the Rear View Display in Rearview Mirror (61B) is selected. Radio Prep Package requires Rear View Camera and Prep Kit (61A) on Cutaway and Chassis Cabs. Not available with Side Sensing System (94A), Reverse Sensing System (43R) and Enhanced Active Park Assist (94B). — 4 speakers (4 front) − Cargo Van, Crew Van, Cutaway and Chassis Cab	58T		I			Ο	Ο		
★Biodiesel Engine Prep Package. Requires the 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine. Exterior Prep Packages	98B	0	0	0	0	0	0		
Exterior Upgrade Package – SRW. Note: Requires Front Fog Lamps (55D).	18D	0	0	_	S	O/I	0		
Exterior Upgrade Package – DRW. Note: Requires Front Fog Lamps (55D).	18L	0	0	_	S	O/I	0		
Heating Prep Packages Auxiliary Heater Prep Package without Rear Controls. Available with Builders Prep Package (47E). Not available with Front/Rear Aux A/C and Heater (Driver controlled) (57G).	62A	0	О	Р	Р	0	0		

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option F = Fleet Option with valid FIN code / I = Included Ford Division

BODY CODES	Body	CARGO	CREW	PASSENGER	PASSENGER	CUTAWAY	CHASSIS
	Type Order	VAN 101A	VAN 201A	VAN XL 301A	VAN XLT 302A	501A	CAB 701A
	Code	IUIA	201A	301A	302A	501A	701A
PACKAGES/KITS (continued) Auxiliary Heater / AC Prep Package without Rear							
Controls. Available with Builders Prep Package (47E). Included in Ambulance Prep Package – Cutaway (47F). Not available with Front/Rear Aux A/C and Heater (Driver controlled) (57G). Note: Package includes stub lines for delivery of colant/refrigerant for easy addition of an aftermarket rear heater and A/C system. Requires	62C	0	0	Р	Р	O/I	0
aftermarket upfit of a climate control system. Interior Prep Packages							
Interior Upgrade Package – Cargo Van	96C	0	_	_	_	_	_
Interior Upgrade Package – Cutaway/Chassis Cab Smoker's Package	47A	_	_	_	_	0	0
Note: Comes with a cigarette lighter and ash cup. The cigarette lighter replaces the 12V Powerpoint.	66B	0	0	0	0	0	0
Trim Packages							
Load Area Protection Package. Not Available with Windows-All-Around, Fixed (17F) or Push Down Manual Parking Brake (90G). Note: Includes complete rear polypropylene panels on side walls and doors.	96D	0	_	_	_	_	_
Scuff Plate Kit. Not available with Dual Sliding Side Doors (59B), Load Area Protection Package (96D) or the Interior Upgrade Package – Cargo Van (96C). Note: Scuff plate kit includes plastic scuffs for rear cargo doors and side cargo door (60/40 Hinged Passenger-side Door or Sliding Passenger-side Door). Scuff plate kit is not installed on vehicle, needs to be installed by upfitter/dealership.	85A	0	_	_	_	_	_
Heavy-Duty Scuff Plate Kit. Not available with Dual Sliding Side Doors (59B) or the Vinyl, Front and Rear (16E). Not available with Load Area Protection Package (96D) or the Interior Upgrade Package — Cargo Van (96C) unless ordered with Heavy-Duty Cargo Flooring (60B). Note: Heavy-duty scuff plate kit includes heavy-duty scuffs for rear cargo doors and side cargo door (60/40 Hinged Passenger-side Door or Sliding Passenger-side Door). Heavy-duty scuff plate kit is not installed on vehicle, needs to be installed by upfitter/dealership.	85B	0	_	-	_	_	-
Miscellaneous Prep Packages Ambulance Prep Package – Cargo Van. Not							
available with 3.5L PFDi V6 (998) or 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engines.	47B	0	_	_	_	_	_
Ambulance Prep Package – Cutaway. Only available with 10,360/11,000 GWVR and 3.5L EcoBoost® V6 (99G) engine combinations.	47F	_	_	_	_	О	_
Builder's Prep Package	47E	_	_	0	0	_	_
Motorhome Prep Package. Shuttle Bus Prep Package.	47M 47S	_	_	_		0	_
FORD ACCESSORIES, PRE-INSTALLED							
Back Up Alarm. Note: The back up alarm has 102 dB(A) warning capability.	43B	0	0	0	0	0	0
Heavy Duty Tray Style Floor Mats (Front). Only	86N	0	_	0	0	0	0
available with carpet floor covering (16G/16H). Remote Start. Not available on 2.0L EcoBlue® Bi-							
Turbo I4 Diesel (99A) engine.	68B	0	0	0	0	0	0
Wheel Well Liners – Black (Front only) FACTORY-INVOICED, DEALER-INSTALLED ACC	15C	0	0	0	0	0	0
Stainless Steel Wheel Liners. Factory-Invoiced,	_SSUMI_S						
Dealer-Installed Accessory. Only available on DRW configurations and the standard 16" Heavy-Duty Silver Steel Wheel with Exposed Lug Nuts. Not available with AWD, Heavy-Duty Front Axle (41E) or 11,000lb GVWR configurations.	87B	0	0	0	0	0	0
FLEET OPTIONS (Requires Valid FIN Code) Daytime Running Lamps							
Note: Provide enhanced vehicle visibility during daylight conditions.	942	F	F	F	F	F	F
Exterior Mirror Delete. Available on Ambulance Prep Package – Cutaway (47F). Multi-Function School Activity Bus (MFSAB) Prep	54X	F	F	_	_	S	S
Package. Not available with Extended Length configurations. See Package/Option page for details.	47Q	_	_	_	_	F	_

^{★ =} New for this model year

S = Standard / O = Optional / P = Packaged Option F = Fleet Option with valid FIN code / I = Included Ford Division

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order					5044	
	Code	101A	201A	301A	302A	501A	701A
FLEET OPTIONS (Requires Valid FIN Code) (cont	inued)						
Orange Safety Belts Not available with 10-way							
power seat (21Q, 21R and 21S), swivel seat (21T							
and 218).	76C	F	F	_	_	F	F
Note: Belt minder is included on the front driver							
and passenger seat(s).							
School Bus Prep Package. Not available with	470					_	
Extended Length configurations. See	47C	_	_	_	_	F	_
Package/Option page for details. ★Smart Acceleration Truncation							
Note: Smart Acceleration Truncation provides							
improved fuel economy by limiting power on	55B	F	F	F	F	F	F
unladen vehicles.							
Decal Options (Refer to the Decal Options on page	e 22 for c	omplete details)				
Decal #1 – Up to 15 ft ² .	51E	F	F	F	F	_	_
Decal #2 – Up to 25 ft ² .	51F	F	F	F	F	_	_
Decal #3 – Up to 45 ft ² .	51G	F	F	F	F	_	_
Decal #4 – Up to 70 ft ² .	51H	F	F	F	F	_	_
Decal #5 – Up to 95 ft ² .	51J	F	F	F	F	_	_
Speed Limiting Device		_	_		_	_	_
65-mph Governed Top Speed	52M	F	F	F	F	F	F
70-mph Governed Top Speed	52H	F	F	F	F	F	F
75-mph Governed Top Speed Wheels – DRW	52N	F	F	F	F	F	F
16" Heavy-Duty White Steel Wheel with Exposed			l				
Lug Nuts (Standard Front Axle configurations							
only). Available with Exterior Upgrade Package –	76D	P/F	P/F	F	P/F	P/F	P/F
DRW (18L).							
· · · · · · · · · · · · · · · · · ·							

WINDOW OFFERINGS

= Standard Glass			<u>202</u>	0 Transit - W	indow Offeri	ings			
= Door without Glass		SI	NGLE REAR WHEEL	-		DUAL REAR WHEEL			
= Fixed Glass Option	LOW F	00F	N	MEDIUM & HIGH ROO)F		HIGH ROOF		
= Egress Window	Sliding Passenger-side Door	60/40 Hinged Passenger-side Door	Sliding Passenger-side Door	Power Sliding Door	Dual Sliding Side Doors	Sliding Passenger-side Door	Power Sliding Door	Dual Sliding Side Doors	
No Rear Glass. Standard on Cargo Vans Side Door Glass: No Rear Door Glass: No Bodyside Glass: No	₹	Û	Ŷ	Û	Û		Û		
Fixed Rear Cargo Door Glass Optional on Cargo Van. Side Door Glass: No Rear Door Glass: Yes Bodyside Glass: No	17A	17A	17A	17A	17A	17A	17A	17A	
Fixed Rear Cargo Door Glass and Fixed Passenger-side Cargo Door Glass Optional on Cargo Van. Side Door Glass: Yes Rear Door Glass: Yes 8odyside Glass: No	178	178	178	178	178	178	178	178	
Fixed Rear Cargo Door Glass and Fixed Driver and Passenger-side Cargo Door Glass Quitonal on Cargo Van. Standard on Crew Van. Side Door Glass: Yes Rear Door Glass: Yes Bodyside Glass: Yes Vote: Requires Dual Sliding Side Doors (59B)	NA	NA	NA	NA	170	NA .	NA	170	
Windows-All-Around, Fixed Optional on Grago Van. Standard/Optional on Passenger Van. Side Door Glass: Yes Rear Door Glass: Yes Bodyside Glass: Yes	177	175	175	175	NA	17F	175	NA	
Egress Window Optional on Passenger Van. Side Door Glass: Yes Rear Door Glass: Yes Sodvyside Glass: Yes Note: Only available with Windows-All -Around, Fixed (17F). Requires Privacy Glass (92E). Not available on Low Roof Passenger Vans.	171.	171	171.	171	NA	171	1n	NA	

DECAL OPTIONS



Decal #1 (51E):

– Up to 15 sq-ft¹



Decal #2 (51F):

– Up to 25 sq-ft¹



Decal #3 (51G):

- Up to 45 sq-ft¹



Decal #4 (51H):

- Up to 70 sq-ft¹



Decal #5 (51J):

- Up to 95 sq-ft¹

- 23 -

¹ Fleet only option. Pricing is for non-reflective material, 25 vehicle order minimum, and graphic design must be completed and approved by Ford prior to ordering vehicle in CONCEPS. To get started visit the Ford Commercial Graphics website and click on Factory Orderable Option Form link. Complete and submit the request form and attach your graphic design (if available). A Ford Commercial Graphics representative will follow-up to finalize the graphic design and provide a design proof for customer review and approval, and to determine which graphic option code and price applies. Lastly, customer can then proceed to place vehicle order and graphic option code in CONCEPS.

FRONT SEAT MATRIX

Order Code	Seat Pack #	Color	Material	Driver Seat Control	Passenger Seat Control	Single Passenger Seat	Dual Passenger Seat	Driver Heated Seat	Passenger Heated Seat	Driver Lumbar Support	Passenger Lumbar Support	Driver Armrest	Passenger Armrest	2-Way Adjustable Headrest
21C	2	Dark Palazzo Gray	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21D	3	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21G	6	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	No	No	No	No	No	Yes	No	Yes
21J	8	Dark Palazzo Gray	Vinyl	2-Way Manual	No	No	No	No	No	No	No	Yes	No	Yes
21K	9	Dark Palazzo Gray	Cloth	2-Way Manual	No	No	No	No	No	Yes	No	Yes	No	Yes
21L	10	Dark Palazzo Gray	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21M	11	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21P	13	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	No	No	No	No	No	Yes	Yes	Yes
21Q	14	Dark Palazzo Gray	Cloth	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
21R	15	Ebony	Cloth	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
21S	16	Ebony	Leather	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
21T	17	Dark Palazzo Gray	Cloth	4-Way Manual Swivel Seat	4-Way Manual Swivel Seat	Yes	No	No	No	Yes	No	Yes	Yes	Yes
212	25	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	Yes	No	No	No	No	Yes	No	Yes
213	26	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	Yes	No	No	No	No	Yes	No	Yes
216	29	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	Yes	No	No	Yes	No	Yes	No	Yes
217	30	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	Yes	No	No	Yes	No	Yes	No	Yes
218	31	Dark Palazzo Gray	Cloth	4-Way Manual Swivel Seat	4-Way Manual Swivel Seat	Yes	No	No	No	Yes	No	Yes	Yes	Yes

FRONT SEAT MATRIX CONTINUED

Order Code	Seat Pack #	Color	Material	Driver Beltminder System	Passenger CRS Top Tether Anchorage	Driver Front Airbag	Passenger Front Airbag	Driver Thorax Airbags	Passenger Thorax Airbags	Driver Curtain Airbags (Front Only)	Passenger Curtain Airbags (Front Only)	Driver Curtain Airbags (Front and Rear)	Passenger Curtain Airbags (Front and Rear)
21C	2	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
21D	3	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
21G	6	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21J	8	Dark Palazzo Gray	Vinyl	Yes	No	Yes	No	Yes	No	Yes	Yes	No	No
21K	9	Dark Palazzo Gray	Cloth	Yes	No	Yes	No	Yes	No	Yes	Yes	No	No
21L	10	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21M	11	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21P	13	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21Q	14	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21R	15	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21S	16	Ebony	Leather	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
21T	17	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ¹
212	25	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
213	26	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
216	29	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
217	30	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
218	31	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	No	No	No	No	No	No

¹ Contains Driver and Passenger Curtain Airbags (Front and Rear) when a Passenger Van XL or Passenger Van XLT is selected.

REAR SEAT MATRIX

Seat Pack #	Order Code	Passenger Seating	Second Row Seating	Third Row Seating	Fourth Row Seating	Fifth Row Seating	Rear Seat Center Armrest	Second Row Double Seat (D)	Second Row Triple Narrow Seat (K)
Less	96K	1 or 2 ^{1,2}	No	No	No	No	No	No	No
Less-2	96X	2 ²	No	No	No	No	No	No	No
1	-	5	Yes	No	No	No	No	No	No
11	96U	5 ²	Yes	No	No	No	No ³	No	No
2	96L	8	Yes	Yes	No	No	No ³	No	Yes
3	96M	8	Yes	Yes	No	No	No ³	No	No
12	96V	8 ²	Yes	Yes	No	No	No ³	No	Yes
4	-	10	Yes	Yes	Yes	No	No ³	Yes	No
13	96W	10 ²	Yes	Yes	Yes	No	No ³	Yes	No
5	-	12	Yes	Yes	Yes	No	No ³	No	Yes
9	96S	14	Yes	Yes	Yes	Yes	No ³	Yes	No
10	96T	14	Yes	Yes	Yes	Yes	No ³	Yes	No
7	-	15	Yes	Yes	Yes	Yes	No ³	No	Yes
6	96P	15	Yes	Yes	Yes	Yes	No ³	No	Yes

REAR SEAT MATRIX CONTINUED

Seat Pack #	Order Code	Passenger Seating	Second Row Triple Wide Seat (C)	Third Row Single/Double Seat (D+F)	Third Row Triple Wide Seat (C)	Fourth Row Single/Double Seat (D+Q)	Fourth Row Triple Wide Seat (C)	Fourth Row Double/Double Seat (J+J)	Fifth Row Single/Double/S ingle Seat (Y+X+Y)	Fifth Row Double/Double Seat (J+J)
Less	96K	1 or 2 ^{1,2}	No	No	No	No	No	No	No	No
Less-2	96X	2 ²	No	No	No	No	No	No	No	No
1	-	5	Yes	No	No	No	No	No	No	No
11	96U	5 ²	Yes	No	No	No	No	No	No	No
2	96L	8	No	No	Yes	No	No No		No	No
3	96M	8	Yes	No	Yes	Yes No No		No	No	No
12	96V	8 ²	No	Yes	No	No	No	No	No	No
4	-	10	No	Yes	No	No	Yes	No	No	No
13	96W	10 ²	No	Yes	No	Yes	No	No	No	No
5	-	12	No	Yes	No	No	No	Yes	No	No
9	96S	14	No	Yes	No	Yes	No	No	Yes	No
10	96T	14	No	Yes	No	Yes	No	No	No	Yes
7	-	15	No	Yes	No	Yes	No	No	No	Yes
6	96P	15	No	Yes	No	Yes	No	No	Yes	No


^{1 2-}Passenger Seats are standard on Cargo Van, Cutaway and Chassis Cab, except when Passenger Seat Delete (21J and 21K) is ordered, then its 1-Passenger Seat. 2-Passenger Seats are standard on Passenger Van with Builders Prep Package (61A)

² Incomplete Vehicle; some rear seats are removed, but seat attachment points still exist

³ Included on Passenger Van XLT

SEATING CONFIGURATIONS

PASSENGER VAN SEAT CONFIGURATIONS (LOW ROOF) **2020MY SEAT CONFIGURATIONS** CREW VAN SEAT CONFIGURATIONS 2 SEATS All Lengths 96K



2020 TRANSIT NOMINAL TONNAGE

NOMINAL TONNAGE (CARGO VAN)

CARGO VAI	٧	Series (T-xxx)	Drive Type	Nominal Tonnage ¹
	E1Y	T-150	RWD	3/4
	E2Y	T-150	AWD	3/4
Low Roof	R1Y	T-250	RWD	3/4
LOW HOO!	R2Y	T-250	AWD	3/4
	W1Y	T-350	RWD	1
	W2Y	T-350	AWD	1
	E1C		RWD	3/4
	E2C	T-150	AWD	3/4
Medium Roof	R1C	T-250	RWD	3/4
Medium Roof	R2C	T-250	AWD	3/4
	W2C	T-350	AWD	1
	W9C	T-350	RWD	1
	R1X	T-250	RWD	3/4
	R2X	T-250	AWD	3/4
	R3U	T-250	AWD	3/4
	R3X	T-250	RWD	3/4
	W1X	T-350	RWD	1
Llink Doof	W2X	T-350	AWD	1
High Roof	W3U	T-350	AWD	1
	W3X	T-350	RWD	1
	F4U	T-350HD	AWD	1
	F4X	T-350HD	RWD	1
	S4U	T-350HD	AWD	1
	S4X	T-350HD	RWD	1

NOMINAL TONNAGE (CREW VAN)

CREW VAN		Series (T-xxx)	Drive Type	Nominal Tonnage ¹
	E1Z	T-150	RWD	3/4
	E9Z	T-150	AWD	3/4
Low Roof	R1Z	T-250	RWD	3/4
LOW ROOT	R2Z	T-250	AWD	3/4
	W1Z	T-350	RWD	1
	W2Z	T-350	AWD	1
	E1D	T-150	RWD	3/4
	E2D	T-150	AWD	3/4
Medium Roof	R1D	T-250	RWD	3/4
Wediaiii Rooi	R2D	T-250	AWD	3/4
	W1D	T-350	RWD	1
	W2D	T-350	AWD	1
	R1V	T-250	RWD	3/4
	R2V	T-250	AWD	3/4
	W1V	T-350	RWD	1
High Roof	W2V	T-350	AWD	1
Iligii Rooi	F4V	T-350HD	RWD	1
	F4W	T-350HD	AWD	1
	S4W	T-350HD	AWD	1
	S4V	T-350HD	RWD	1

¹ Nominal tonnage is a general classification of the van's payload capacities. Reference the van's published maximum payload rating and/or GVWR rating to know how much weight a specific configuration can carry.

2020 TRANSIT NOMINAL TONNAGE

NOMINAL TONNAGE (PASSENGER VAN)

PASSENGER \	/AN	Series (T-xxx)	Drive Type	Nominal Tonnage ¹
	K1Y	T-150	RWD	1/2
Low Roof	K2Y	T-150	AWD	1/2
LOW HOO!	X2Y	T-350	RWD	1/2
	X9Y	T-350	AWD	1/2
	K1C	T-150	RWD	1/2
	K2C	T-150	AWD	1/2
Medium Roof	X2C	T-350	RWD	1/2
	X9C	T-350	AWD	1/2
	W4Z	T-350	RWD	1/2
	X2X	T-350	RWD	1/2
	X9X	T-350	AWD	1/2
High Roof	W4X	T-350	RWD	1/2
	U4X	T-350HD	RWD	1/2
	U5X	T-350HD	AWD	1/2

NOMINAL TONNAGE (CUTAWAY)

CUTAWAY		Series (T-xxx)	Drive Type	Nominal Tonnage ¹
	R5P	T-250	RWD	3/4
	R7P	T-250	AWD	3/4
	W7P	T-350	AWD	1
	W5P	T-350	RWD	1
Low Roof	F6P	T-350HD	RWD	1
LOW HOO!	F8P	T-350HD	AWD	1
	S6P	T-350HD	RWD	1
	S8P	T-350HD	AWD	1
	U6P	T-350HD	RWD	1
	U8P	T-350HD	AWD	1

NOMINAL TONNAGE (CHASSIS CAB)

CHASSIS CA	lΒ	Series (T-xxx)	Drive Type	Nominal Tonnage ¹
	R5Z	T-250	RWD	3/4
	R7Z	T-250	AWD	3/4
	W7Z	T-350	AWD	1
	W5Z	T-350	RWD	1
Low Roof	F6Z	T-350HD	RWD	1
LOW HOO!	F8Z	T-350HD	AWD	1
	S6Z	T-350HD	RWD	1
	S8Z	T-350HD	AWD	1
	U6Z	T-350HD	RWD	1
	U8Z	T-350HD	AWD	1

¹ Nominal tonnage is a general classification of the van's payload capacities. Reference the van's published maximum payload rating and/or GVWR rating to know how much weight a specific configuration can carry.

- 28 -

FRONT AXLE AVAILABILITY (CARGO VAN)

		3.5L PFD		3.5L EcoBoo	st® V6 (99G)	2.0L EcoBlue® Bi-T	urbo 14 Diesel (99A)	
CARGO VAN	1	Standard Front	Heavy-Duty Front	Standard Front	Heavy-Duty Front	Standard Front	Heavy-Duty Front	
		Axle	Axle (41E)	Axle	Axle (41E)	Axle	Axle (41E)	
Regular (130")	E1Y	S	0	S	0	-	-	
	E2Y	-	S	-	S	-	-	
Long (148")	E1Y	S	0	S	0	-	-	
- 3(-)	E2Y		S		S		-	
Regular (130")	R1Y	S	0	S	0	S	0	
Regular (130)	R2Y	-	S	-	S	-	-	
Long (148")	R1Y	S	0	S	0	-	S	
Long (140)	R2Y	-	S	-	S	-	-	
	W1Y	S	0	S	0	-	-	
Regular (130")	W2Y	-	S	-	S	-	-	
l ang (4402)	W1Y	S	O/I ⁴	=	S	-	-	
Long (148")	W2Y	-	S	-	S	-	-	
	E1C	S	0	S	0	-	-	
Regular (130")	E2C	-	S	-	S	-	-	
	E1C	S	0	S	0	-	-	
Long (148")	E2C	-	S	-	S	-	-	
	R1C	S	0	S	О	S	0	
Regular (130")	R2C	-	S	-	S	-	-	
	R1C	S	0	S	0	-	S	
Long (148")	R2C	-	S	-	S	-	-	
	W9C	S	0	S	0	<u>.</u>	_	
Regular (130")	W2C	-	S	-	S	-	_	
	W9C	S	O/I ^{1,2,3,4,5}	_	S	-	_	
Long (148")	W2C	-	S	-	S	-	-	
	R1X	S	0	S	0		s	
Long (148")	R2X	<u> </u>	S	-	S	-	-	
						C		
Extended-Length (148")	R3X R3U	<u>S</u>	0 S	S -	0 S	S 	0 -	
				·		·	· ·	
Long (148")	W1X	S	O/I ^{1,2,3,5}	-	S	-	-	
- · · ·	W2X		S	-	S	-	-	
Extended-Length (148")	W3X	S	0	S	0	S	0	
LA GIUGU-Lengtii (140)	W3U	-	S	-	S	-	-	
F 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	F4X	l ¹	S	S	-	S	-	
Extended-Length (148")	F4U	-	S	-	S	-	-	
	S4X	l ¹	S	S	_	S		
Extended-Length (148")	S4U	-	-	-	S	-	-	
					<u> </u>			

- 29 -

¹ Included in Dual Sliding Side Cargo Doors (59B)

² Included in Power Sliding Door (65C)
³ Included in Bulkhead - Lockable Door with Window (47T)

⁴ Included in Bulkhead - Window Only (47U)

⁵ Included in Seat Pack 17 (21T)

FRONT AXLE AVAILABILITY (CREW VAN)

CREW VAN		3.5L PFDi		3.5L EcoBoo	st® V6 (99G)	2.0L EcoBlue® Bi-Turbo I4 Diesel (99A)				
CREW VAN		Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)			
Regular (130")	E1Z	S	0	S	0	-	-			
riogulai (100 /	E9Z	-	S	-	S	-	-			
Long (148")	E1Z	S	0	-	S	-	-			
	E9Z	-	S	-	S	-	-			
	R1Z	S	0	S	0	_				
Regular (130")	R2Z	-	S	-	S	-	-			
. (4.40))	R1Z	S	0	-	S	-	S			
Long (148")	R2Z	-	S	-	S	-	-			
Regular (130")	W1Z	S	0	S	0	-	-			
Regular (130)	W2Z	-	S	-	S	-	-			
Long (148")	W1Z	S	0	-	S	-	-			
Long (146)	W2Z	-	S	-	S	-	-			
B I (400)	E1D	S	0	S	0	-	-			
Regular (130")	E2D	-	S	-	S	-	-			
1 (4 40!!)	E1D	S	0	-	S	-	-			
Long (148")	E2D	-	S	-	S	-	-			
Damilan (420")	R1D	S	0	S	0	-	-			
Regular (130")	R2D	-	S	-	S	-	-			
Lamm (4.40")	R1D	S	0	=	S	-	S			
Long (148")	R2D	-	S	-	S	-	-			
	W1D	S	0	s	0	_	-			
Regular (130")	W2D	-	s	-	S	-	-			
	W1D	S	0	-	S	_	-			
Long (148")	W2D	-	S	-	S	-				
	R1V	S	0	-	S	_	S			
Long (148")	R2V	-	S	-	S	-	-			
	W1V	S	0	_	S	_				
Long (148")	W2V	-	S	-	S	-	-			
F 4 - 1 - 1 4 - / 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	F4V	S	0	_	s	_	-			
Extended-Length (148")	F4W	-	S	-	S	-	-			
Forten de del en ette (4.40%)	S4V	S	0	-	S	-	-			
Extended-Length (148")	S4W	-	-	-	S	-	-			

- 30 -

FRONT AXLE AVAILABILITY (PASSENGER VAN)

		3.5L PFD	i V6 (998)	3.5L EcoBoo	st® V6 (99G)	2.0L EcoBlue® Bi-Turbo I4 Diesel (99A)			
PASSENGER V	AN	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)		
Regular (130")	K1Y	S	-	-	-	-	-		
Regular (130)	K2Y	-	S	-	-	-	-		
1 (4 40 V) X		S	-	s	-	-	S		
Long (148")	X9Y	-	S	-	S	-	-		
Regular (130")	K1C	S	-	-	-	-	-		
Regular (130)	K2C	-	S	-	-	-	-		
Long (440")	X2C	S	-	S	-	-	S		
Long (148")	X9C	-	S	-	S	-	-		
Long (148")	W4Z	-	-	-	-	-	S		
Long (148")	X2X	S	-	s	-	-	S		
Long (146)	X9X	-	S	-	S	-	-		
Long (148")	W4X	-	-	-	-	-	S		
Extended-Length (148")	U4X	S	-	S	-	S	-		
Extended Length (140)	U5X	-	-	-	S	-	-		

FRONT AXLE AVAILABILITY (CUTAWAY)

CUTAMAY		3.5L PFDi	V6 (998)	3.5L EcoBoo	st® V6 (99G)	2.0L EcoBlue® Bi-Turbo I4 Diesel (99A)			
CUTAWAY		Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)		
Regular (138")	R5P	S	0	S	0	S	0		
Regular (130)	R7P	-	S	-	S	-	-		
Long (156")	R5P	S	0	S	0	S	0		
Long (130)	R7P	-	S	-	S	-	-		
Regular (138")	W5P	S	0	s	0	S	0		
Regular (130)	W7P	-	S	-	S	-	-		
Long (156")	W5P	S	0	S	0	S	0		
Long (150)	W7P	-	S	-	S	-	-		
D (400!!)	F6P	S	0	s	0	_	S		
Regular (138")	F8P	-	S	-	S	-	-		
Long (156")	F6P	S	0	S	0	-	S		
Long (156)	F8P	-	S	-	S	-	-		
Extended-Length (178")	F6P	S	0	S	0	-	S		
Extended-Length (170)	F8P	-	S	-	S	-	-		
Regular (138")	S6P	-		s	0	-	S		
Regular (130)	S8P	-	-	-	S	-	-		
Long (156")	S6P	-	-	S	0	-	S		
Long (130)	S8P	-	-	-	S	-	-		
Extended-Length (178")	S6P	-	-	S	0	-	S		
Extended Length (170)	S8P	-	-	-	S	-	-		
Dalan (420")	U6P	-	-	-	S	-	-		
Regular (138")	U8P	-	-	-	S	-	-		
Long (156")	U6P	-	-	-	S	-	-		
Long (130)	U8P	-	-	-	S	-	-		
Extended-Length (178")	U6P	-	-	-	S	-	-		
Extended-Eength (170)	U8P	-	-	-	S	-	-		

FRONT AXLE AVAILABILITY (CHASSIS CAB)

		3.5L PFDi	i V6 (998)	3.5L EcoBoo	st® V6 (99G)	2.0L EcoBlue® Bi-T	2.0L EcoBlue® Bi-Turbo I4 Diesel (99A)			
CHASSIS CAI	В	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)			
Regular (138")	R5Z	S	0	S	0	S	0			
Regular (130)	R7Z	•	S	-	S	-	-			
Long (156")	R5Z	S	0	S	0	S	0			
Long (130)	R7Z	-	S	-	S	-	-			
B 1 (400II)	W5Z	S	0	s	0	S	0			
Regular (138")	W7Z	-	S	-	S	-	=			
L ann (4EG")	W5Z	S	0	S	0	S	0			
Long (156")	W7Z	-	S	-	S	-	-			
D (420!!)	F6Z	S	0	S	0	-	S			
Regular (138")	F8Z	-	S	-	S	-	-			
Long (156")	F6Z	S	0	S	0	-	S			
Long (150)	F8Z	-	S	-	S	-	-			
Extended-Length (178")	F6Z	S	0	S	0	-	S			
Extended-Eengin (170)	F8Z	-	S	-	S	-	-			
Regular (138")	S6Z	-	-	S	0	-	S			
regular (130)	S8Z	-	-	-	S	-	-			
Long (156")	S6Z	-	-	S	0	-	S			
Long (150)	S8Z	-	-	-	S	-	-			
Extended-Length (178")	S6Z	-	-	S	0	-	S			
Extended Bongth (110)	S8Z	-	-	-	S	-	-			
Regular (138")	U6Z	-	-	-	S	-	-			
Regular (130)	U8Z	-	-	-	S	-	-			
Long (156")	U6Z	-	-	-	S	-	-			
Long (150)	U8Z	-	=	-	S	-	=			
Extended-Length (178")	U6Z	-	-	-	S	-	-			
Extended Length (170)	U8Z	-	-	-	S	-	-			

- 32 -

REAR AXLE AVAILABILITY (CARGO VAN)

			3.	5L PFD	i V6 (99	8)			3.5L E	соВоо	st® V6	(99G)		2.0L EcoBlue® Bi-Turbo I4 Diesel (99A)					
CARGO VAN			n-Limit			mited-S			n-Limit			mited-S	•		n-Limit			mited-S	•
CAILGO VAIL		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (130")	E1Y E2Y	-	S	-	-	0/1	O/A ²	0	S	-	0	O/I ¹	-	-	-	-	-	-	-
	E1Y	-	- S	-	-	S O/I ¹	O/A ²	- 0	- S	-	-	S O/I ¹	-	-	-	-	-	-	-
Long (148")	E2Y	-	-	-	-	S	O/A O		-	-	-	S		-	-	-	-	-	-
		_	_	-	_			_	_	_	_		_	_	_	-			_
Regular (130")	R1Y	-	S	-	-	O/I ¹	O/A ²	0	S	-	0	O/I ¹	-	S	0	-	0	O/I ¹	-
	R2Y	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	R1Y	-	S	-	-	0/l ¹	O/A ²	0	S	-	0	O/I ¹	-	-	-	-	-	S	-
	R2Y	-	-	-	-	5	0	-	-	-	-	5	-	-	-	-	-	-	-
Regular (130")	W1Y	-	S	-	-	O/I ¹	O/A ²	0	S	-	0	O/I ¹	-	-	-	-	-	-	-
Acgular (100)	W2Y	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	W1Y	-	S	-	-	O/I ¹	O/A ²	-	-	-	-	S	-	-	-	-	-	-	-
3()	W2Y	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Pogular (420")	E1C	-	S	-	-	O/I ¹	O/A ²	0	S	-	0	O/I ^{1,3}	-	-	-	-	-	-	-
Regular (130")	E2C		•	-	-	S	0	•	-	-	-	S	-	-	-	-		-	-
Long (148")	E1C	-	S	-	-	O/I ¹	O/A ²	0	S	-	-	O/I ^{1,3}	-	-	-	-	-	-	
Long (146)	E2C	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
	R1C	-	S	-	-	O/I ¹	O/A ²	0	S	-	0	O/I ^{1,3}	-	S	0	_	0	O/I ¹	-
Regular (130")	R2C	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
L (4.40%)	R1C	-	S	-	-	O/I ¹	O/A ²	0	S	-	0	O/I ^{1,3}	-	-	-	-	-	S	-
Long (148")	R2C	-	-	-	-	S	0	•	-	-	-	S	-	-	-	-	-	-	-
	W9C	_	S	_	_	O/I ¹	O/A ²	0	S	_	0	O/I ^{1,3}		_	_	_	_	_	_
Regular (130")	W2C		-	-	-	S	0	-	-	-	-	S	-	-		-	-		-
	W9C	_	S	_	-	O/I ¹	O/A ²			_	_	S		_	-	_		_	
Long (148")	W2C	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	R1X	-	-	-	-	-	S	0	S	-	0	O/I ^{1,3}	-	-	-	-	-	S	-
	R2X	-	-	-	-	-	٥	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (148")	R3X	-	-	-	-	-	S	0	S	-	0	O/I ^{1,3}	-	S	0	-	0	O/I ¹	-
	R3U	-	-	-		-	S	-	-	-	-	S	-	-			-	-	-
	W1X	-	-	-	-	_	S	-	_	_	_	S	-	_	-	-	-	-	-
Long (148")	W2X	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	MOV				I		S					O/I ^{1,3}					0	O/I ¹	
Extended-Length (148")	W3X W3U	-	-	-	-	-	S	0	S	-	0	S	-	S	0	-	0	- 0/1	-
	7730	-	-	_		-	٥	-	_	-			-		_	_	_	-	-
Extended-Length (148")	F4X	-	-	-	-	-	S	-	S	-	-	O/I ³	-	-	S	-	-	0	-
3(,	F4U	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Extended Length /440"	S4X	-	-	-	-	-	S	-	S	-	-	O/I ³	-	-	S	-	-	0	-
Extended-Length (148")	S4U	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-

- 33 -

 ¹ Included with Heavy Duty Front Axle (41E)
 ² Available with Heavy Duty Front Axle (41E)
 ³ Included with Ambulance Prep Package (47B)

REAR AXLE AVAILABILITY (CREW VAN)

			3.	5L PFD	i V6 (99	8)			3.5L I	ЕсоВоо	st® V6	(99G)		2.0L	EcoBlu	e® Bi-T	urbo l4	Diesel	(99A)
CREW VAN			n-Limit			mited-S	lip		n-Limit			mited-S			n-Limit		Limited-Sli		lip
		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
	I	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (130")	E1Z	-	S	-	-	O/I ¹	A ²	0	S	-	0	0/1	-	-	-	-	-	-	-
	E9Z	-	-	-	-	S O/I ¹	O/A ²	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	E1Z E9Z	-	S	-	-	S	0/A	-	-	-	-	S	-	-	-	-	-	-	-
	E9Z	-	-	-	-			-	-	-	-		-	-	-	-	-	-	-
Regular (130")	R1Z	-	S	-	-	O/I ¹	A ²	0	S	-	0	O/I ¹	-	-	-	-	-	-	-
	R2Z	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	R1Z	-	S	-	-	O/I ¹	O/A ²	-	-	-	-	S	-	-	-	-	-	S	-
- · · ·	R2Z	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Regular (130")	W1Z	-	S	-	-	O/I ¹	O/A ²	0	S	-	0	O/I ¹	-	-	-	-	-	-	-
Regular (150)	W2Z	-	-	•	•	S	0	•	-	-	•	S	•	-	•	•	-	•	-
Long (148")	W1Z	-	S	-	-	O/I ¹	O/A ²	-	-	-	-	S	-	-	-	-	-	-	-
Long (140)	W2Z	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	
	E1D	-	S	-	_	O/I ¹	A ²	0	S	-	0	O/I ¹	-	_	_	-	-	-	-
Regular (130")	E2D	-			-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
1 (4 40!)	E1D	-	S	-	_	O/I ¹	O/A ²	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	E2D	-	-	ı	ı	S	0	ı	-	-	•	S	ı	-	ı	ı	-	ı	-
	R1D	_	S	_	_	O/I ¹	A ²	0	S	-	0	O/I ¹	_	_	_	_	_	_	_
Regular (130")	R2D		-	-	-	S	0	-	-		-	S	-	_		-		-	-
	R1D	_	S	-	_	O/I ¹	O/A ²	_	_	_	_	S	_	_		_	_	S	_
Long (148")	R2D	-	-	-	-	S	0	-	-	-	-	S	-	_	-	-	-	-	-
						0.11	0/42					0.11							
Regular (130")	W1D W2D	-	S	-	-	0/I ¹	O/A ²	0	S	-	0	O/I ¹	-	-	-	-	-	-	-
	W1D	-	-	-	-	O/I ¹	O/A ²	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	W1D W2D	-	S	-	-	S	O/A	-	-	-	-	S	-	-	-	-	-	-	-
	1420	-	_	-	_	<u> </u>		-	_	_	_		-	_	-	-	-	-	Ė
Long (148")	R1V	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	S	-
3 (* /	R2V	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
L ann (440")	W1V	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	W2V	-	-	1	•	-	S	•	-	-	-	S	1	-	•	1	-	•	-
	F4V	-	_	_	_	_	s	_	_	_	_	S	_	_	_		-	_	_
Extended-Length (148")	F4W	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
		-	_	_									_			-	-	_	Ė
Extended-Length (148")	S4V	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
	S4W	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	

- 34 -

 ¹ Included with Heavy Duty Front Axle (41E)
 ² Available with Heavy Duty Front Axle (41E)

REAR AXLE AVAILABILITY (PASSENGER VAN)

	3.5L PFDi V6 (998)						3.5L	EcoBoo	st® V6	(99G)		2.0L EcoBlue® Bi-Turbo I4 Diesel (99A)							
PASSENGER VAN		Non-Limited		Li	mited-S	lip	No	n-Limit	ed	Li	mited-S	lip	No	n-Limit	ed	Lii	mited-S	lip	
		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (130")	K1Y	-	S	-	-	0	_	-	-	_	-	-	-	-	-	-	-	-	-
Regular (130)	K2Y	-	-	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
			_			_			_		_	_						_	
Long (148")	X2Y	-	S	-	-	0	0	0	S	-	0	0	-	-	-	-	-	S	-
3 ()	X9Y	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
	K1C	_	S	_	_	0	_	_	_	_		_	_	_	_	_	-	_	
Regular (130")	K2C	_	-	_	_	S	_	_	_	_	-	-	-	_	_	_	_	_	-
Long (148")	X2C	-	S	-	-	0	0	0	S	-	0	0	-	-	-	-	-	S	-
2 ong (1.10 /	X9C	-	-	-	-	S	0	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	W4Z	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	_
L (4.40!!)	X2X	-	-	-	-	-	S	0	S	-	0	0	-	-	-	-	-	S	-
Long (148")	X9X	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Long (148")	W4X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-
Extended-Length (148")	U4X	-	-	-	-	-	S	-	S	-	-	0	-	-	S	-	-	0	-
Extended-Length (146)	U5X	-	-	-	-	-	-	-	-	-	-	S	-	-	-	_	-	-	-

REAR AXLE AVAILABILITY (CUTAWAY)

		3.	5L PFD	i V6 (99	8)			3.5L E	соВоо	st® V6	(99G)		2.0L EcoBlue® Bi-Turbo l4 Diesel (99A)						
CUTAWAY		No	n-Limit	ed	Lir	nited-S	lip	No	n-Limit	ed	Lii	mited-S	lip	No	n-Limit	ed	Lir	nited-S	lip
		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (138")	R5P	-	-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	-	O/I ¹	-
, ,	R7P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	R5P	-	-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	-	O/I ¹	-
3 ()	R7P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Dogular (420")	W5P	-	-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	-	O/I ¹	-
Regular (138")	W7P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	W5P	-	-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	-	O/I ¹	-
zong (roc /	W7P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Domilar (420)	F6P	-	-	-	-	-	S	-	S	-	-	O/I ¹	-	-	-	-	-	S	_
Regular (138")	F8P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	F6P	-	-	-	-	-	S	-	S	-	-	O/I ¹	-	-	-	-	-	S	-
Long (130)	F8P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (178")	F6P	-	-	-	-	-	S	-	S	-	-	O/I ¹	-	-	-	-	-	S	-
	F8P	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Domilar (420")	S6P	-	-	-	-	-	-	-	S	-	-	O/I ^{1,2}	-	-	-	-	-	S	-
Regular (138")	S8P	-	-	-	-	-	•		-		-	S	-	•	-	-	•	•	-
Long (156")	S6P	-	-	-	-	-	-	-	S	-	-	O/I ^{1,2}	-	-	-	-	-	S	-
Long (130)	S8P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (178")	S6P	-	-	-	-	-	-	-	S	-	-	O/I ^{1,2}	-	-	-	-	-	S	-
	S8P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Damilar (420!)	U6P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	_
Regular (138")	U8P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	U6P	-	-	-	-	-	1		-		-	S	-	-	-	-	•	-	-
Long (150)	U8P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (178")	U6P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
	U8P	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-

¹ Included with Heavy Duty Front Axle (41E)

² Included with Ambulance Prep Package (47F)

REAR AXLE AVAILABILITY (CHASSIS CAB)

		3.	5L PFD	i V6 (99	8)			3.5L I	ЕсоВоо	st® V6	(99G)		2.0L	EcoBlu	e® Bi-T	urbo l4	Diesel	(99A)	
CHASSIS CAB		No	n-Limit	ed	Lir	nited-S	lip	No	n-Limit	ed	Li	mited-S	lip	No	n-Limit	ed	Liı	mited-S	lip
		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (138")	R5Z	-	-		•	-	S	0	S	-	0	O/I ¹	-	-	S	-	•	O/I ¹	-
J ()	R7Z	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	R5Z	-	-	-	-	-	S	0	S	-	0	0/I ¹	-	-	S	-	-	O/I ¹	-
	R7Z	-	-	-	-	-	S	-	-	-	-	S	-	-	_	-	-	-	-
Regular (138")	W5Z	-	-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	-	O/I ¹	-
Regular (136)	W7Z	-	-	-	-	-	S	-	_	_	-	S	-	-	-	-	-	_	-
Long (156")	W5Z		-	-	-	-	S	0	S	-	0	O/I ¹	-	-	S	-	•	O/I ¹	-
Long (130)	W7Z	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
B (400)))	F6Z	-	_	-	-	-	S	-	S	_	-	O/I ¹	-	-	-	-	-	S	_
Regular (138")	F8Z	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	F6Z	-	-		-	-	S	-	S	-	-	O/I ¹	-	-	-	-	-	S	-
Long (130)	F8Z	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (178")	F6Z	-	-	-	-	-	S	-	S	-	-	O/I ¹	-	-	-	-	-	S	-
	F8Z	-	-	-	-	-	S	-	-	-	-	S	-	-	-	-	-	-	-
Regular (138")	S6Z	-	-	-	-	-	-	-	S	-	-	O/I ¹	-	-	-	-	-	S	-
Regular (130)	S8Z	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Long (156")	S6Z	-	-	-	-	-	-	-	S	-	-	O/I ¹	-	-	-	-	-	S	-
Long (130)	S8Z	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (178")	S6Z	•	-			-	-	•	S	-	-	O/I ¹	-	•	-		•	S	-
Extended Longin (110)	S8Z	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
	U6Z	-	_	_	_	-	_	_	_	_	_	s	-	_	_		_	_	_
Regular (138")	U8Z	-	-				_	-	-	_	_	S		-	-	_	-	_	-
L (450")	U6Z	-	-	-	-	-	-	-	-	_	-	S	-	-	-	-	-	-	-
Long (156")	U8Z	-	-	-	-	-	-	-	-	-		S	-	-	-	-	-	-	-
Extended-Length (178")	U6Z	-	-		-	-	-	-	-	-	-	S	-	-	-	-	-	-	-
Extended-Length (170)	U8Z	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-

- 37 -

¹ Included with Heavy Duty Front Axle (41E)

WHEELS

WHEEL AVAILABILITY (SRW)



16" Silver Steel Wheel with Black Hubcap

(Standard on Standard Front Axle configurations)



16" Silver Steel Wheel with Exposed Lug Nuts

(Standard on Heavy-**Duty Front Axle** configurations)



16" Steel Wheel with Full Silver Wheel Cover (64H)



16" Styled Aluminum Wheel (64S)



16" Forged Aluminum Wheel (64G)

WHEEL AVAILABILITY (DRW)





16" Heavy-Duty Silver Steel Wheel with **Exposed Lug Nuts**

(Standard on Standard Front Axle configurations) (Standard on Heavy-Duty Front Axle configurations)





16" Heavy-Duty Forged Aluminum Wheel

(76E - Standard Front Axle configurations) & (76G – Heavy-Duty Front Axle configurations)

WHEELS



16" Heavy-Duty White Steel Wheel with Exposed Lug Nuts (76D – Fleet Only)

2020 TRANSIT

COLOR & TRIM AVAILABILITY

INTERIOR MATERIAL	CODE	Cargo Van	Crew Van	Passenger Van XL	Passenger Van XLT	Cutaway	Chassis Cab
★ Ebony Cloth	CB	0	0	S	0	0	0
★Ebony Leather	LB	0	_	-	0	0	_
★Dark Palazzo Grey Cloth	CK	0	0	_	S	0	0
★Dark Palazzo Grey Vinyl	VK	S	S	0	-	S	S







★Ebony Leather



*Dark Palazzo Grey Cloth



*Dark Palazzo Grey Vinyl

EXTERIOR COLOR	CODE	Cargo Van	Crew Van	Passenger Van XL	Passenger Van XLT	Cutaway	Chassis Cab
SOLID							
Oxford White	YZ	•					•
Race Red	PQ						
School Bus Yellow (Fleet only)	BY					•	-
METALLIC							
★Agate Black	UM	-	-			-	-
Ingot Silver	UX						
Magnetic	J7	-	-			-	-
Blue Jeans	N1						
Green Gem	W6					•	-
★Diffused Silver	FK						
★Kapoor Red	AW	•					





















PACKAGED OPTIONS

EXTERIOR UPGRADE PACKAGE – SRW (18D)

Availability:

 Cargo Van, Crew Van, Passenger Van XLT (Standard), Cutaway and Chassis Cab

Not available with:

Passenger Van XL

Includes:

- Chrome-trimmed Halogen Headlamps with Autolamp (91B) on Cargo Van, Crew Van, Passenger Van XLT and Cutaway. Chrometrimmed Halogen Headlamps on Chassis Cab
- Three Bar Grille with Chrome Surround on Cargo Van, Crew Van, Passenger Van XLT. Honeycomb Mesh Grille with Chrome Surround on Cutaway and Chassis Cab
- 16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only) (64H) or 16" Silver Steel Wheel with Exposed Lug Nuts (Heavy-Duty Front Axle configurations only)

Upgradeable Features/Options (for additional charge):

- HID Headlamps (91A)
- 16" Styled Aluminum Wheel (Standard Front Axle configurations only) (64S)
- 16" Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only) (64G)

NOTE: Requires Front Fog Lamps (55D)

EXTERIOR UPGRADE PACKAGE – DRW (18L) Availability:

 Cargo Van, Crew Van, Passenger Van XLT (Standard), Cutaway and Chassis Cab

Not available with:

Passenger Van XL

Includes:

- Chrome-trimmed Halogen Headlamps with Autolamp (91B) on Cargo Van, Crew Van, Passenger Van XLT and Cutaway. Chrometrimmed Halogen Headlamps on Chassis Cab
- Three Bar Grille with Chrome Surround on Cargo Van, Crew Van, Passenger Van XLT. Honeycomb Mesh Grille with Chrome Surround on Cutaway and Chassis Cab
- 16" Heavy-Duty Silver Steel Wheel with Exposed Lug Nuts

Upgradeable Features/Options (for additional charge):

- HID Headlamps (91A)
- 16" Heavy-Duty Forged Aluminum Wheel (Standard Front Axle configurations only) (76E)
- 16" Heavy-Duty Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only) (76G)
- 16" Heavy-Duty White Steel Wheel with Exposed Lug Nuts (Standard Front Axle configurations only) (76D – Fleet Only)

NOTE: Requires Front Fog Lamps (55D)

LOAD AREA PROTECTION PACKAGE (96D)

Availability:

Cargo Vans

Not available with:

- Windows-All-Around, Fixed (17F)
- Power Running Board (68L)
- Scuff Plate Kit (85A)
- Heavy-Duty Scuff Plate Kit (85B), unless ordered with Heavy-Duty Cargo Flooring (60B)

Includes:

- Full-Height Polypropylene Cargo Area Panels
- Vinyl, Front and Rear (16E)

Upgradeable Features/Options (for additional charge):

Heavy-Duty Cargo Flooring (60B)

INTERIOR UPGRADE PACKAGE – CUTAWAY/CHASSIS CAB (47A)

Availability:

· Cutaway and Chassis Cabs

Not available with:

• Right Hand Door Delete (60X)

Includes:

- Cruise Control (60C)
- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seat (21L)
- Audio Pack #19 (58V) when No Rear View Camera is selected
- Vinyl Sunvisor with Illuminated Vanity Mirror (Driver and Passenger) (85C)

Upgradeable Features/Options (for additional charge):

- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seat (21C)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seat (21D)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seat (21M)
- Dark Palazzo Gray Cloth, 10-way power Driver and 10-way power Passenger seats (21Q)
- Ebony Cloth, 10-way power Driver and 10-way power Passenger seats (21R)
- Ebony Leather, 10-way power Driver and 10-way power Passenger seats (21S)
- Audio Pack #20 (58W) when No Rear View Camera is selected
- Audio Pack #21 (58X) when No Rear View Camera is selected
- Audio Pack #22 (58Y) when No Rear View Camera is selected
- Audio Pack #28 (584) when No Rear View Camera is selected
- Adaptive Cruise Control (60D) when MyKey® (62B) is not selected

INTERIOR UPGRADE PACKAGE – CARGO VAN (96C) Availability:

Cargo Vans

Not available with:

- Power Running Board (68L)
- Scuff Plate Kit (85A)
- Heavy-Duty Scuff Plate Kit (85B), unless ordered with Heavy-Duty Cargo Flooring (60B)

Includes:

- Full-Height Polypropylene Cargo Area Panels
- Vinyl, Front and Rear (16E)
- Short-Arm Power, Manual-Folding Mirrors (541) when BLIS with Cross-traffic Alert and Trailer Coverage (65A) is not selected
- Vinyl Sunvisor with Illuminated Vanity Mirror (Driver and Passenger) (85C)
- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger (21L)
- Cruise Control (60C)

Upgradeable Features/Options (for additional charge):

- Heavy-Duty Cargo Flooring (60B)
- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger (21C)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger (21D)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger (21M)
- Dark Palazzo Gray Cloth, 10-way power Driver and 10-way power Passenger seats (21Q)
- Ebony Cloth, 10-way power Driver and 10-way power Passenger seats (21R)
- Ebony Leather, 10-way power Driver and 10-way power Passenger seats (21S)
- Short-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Adaptive Cruise Control (60D) with Ambulance Prep Package

2020 TRANSIT PACKAGED OPTIONS

BUILDERS PREP PACKAGE (47E)

Deletes:

- Rear Floor Covering
- Rear-Seats and Restraints
- Rear-Seat Rails and Fasteners

Availability:

Passenger Van XL and Passenger Van XLT

Not available with:

• HID Headlamps (91A) (applies to Passenger Van XL only)

Requires:

- Dual AGM Batteries (63E)
- Front/Rear Aux A/C and Heater (Driver controlled) (57G) when Auxiliary Heater Prep Package without Rear Controls (62A) or Auxiliary Heater / AC Prep Package without Rear Controls (62C) are not ordered

Includes:

- Front License Plate Bracket (153)
- Modified Vehicle Wiring System (53K)
- Vinyl, Front only (16C) with Passenger Van XL and Carpet, Front only (16G) with Passenger Van XLT
- Less Rear Seat (96K)

Upgradeable Features/Options (for additional charge):

- Auxiliary Heater Prep Package without Rear Controls (62A) (Medium and High Roof only)
- Auxiliary Heater / AC Prep Package without Rear Controls (62C) (Medium and High Roof only)

MODIFIED VEHICLE WIRING SYSTEM (53K)

Availability:

 Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway (Standard) and Chassis Cab (Standard)

Required (Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT Only):

Dual AGM Batteries (63E)

Includes:

- Modified vehicle connections for customized wiring harness provisions
- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger (21C)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger (21D)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger (21M)
- Dark Palazzo Gray Cloth, 10-way power Driver and 10-way power Passenger seats (21Q)
- Ebony Cloth, 10-way power Driver and 10-way power Passenger seats (21R)
- Ebony Leather, 10-way power Driver and 10-way power Passenger seats (21S)
- Short-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Adaptive Cruise Control (60D) with Ambulance Prep Package

RIGHT HAND DOOR DELETE (60X)

Availability:

Cutaway

Not available with:

- Ambulance Prep Package Cutaway (47F) and Motorhome Prep Package (47M)
- Short-Arm, Power Adjusting, Manual-Folding Mirrors (541)
- Short-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm, Power Adjusting, Manual-Folding Mirrors (543)
- Long-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Front and Rear Split-View Camera (61D)

Requires:

- Passenger Seat Delete (21J)
- Exterior Mirror Delete (54X)

NOTE 1: Intended for upfitters who modify the factory roof
NOTE 2: When adding an audio package, besides Radio Prep
Package (58T), audio quality may slightly be diminished
due to the deletion of the right hand door speaker.

NOTE: Intended for upfitters who modify the factory roof

HEAVY-DUTY TRAILER TOW PACKAGE (53B)

Availability

- Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT
 Not available with:
- Rear Tow Hook

Includes:

- Tow/Haul Mode with Trailer Wiring Provisions
- 4/7 Pin Connector Assembly and Rear Jumper (Included in Cargo Van and Passenger Van only)
- Relay system for backup/B+/running lights
- Frame mounted hitch receiver

TOW/HAUL MODE WITH TRAILER WIRING PROVISIONS (53D)

NOTE: This package does not include a Trailer Brake Controller (67D). Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness.

2020 TRANSIT PACKAGED OPTIONS

Availability:

 Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab

Includes:

- Trailer Wiring Harness to rear of vehicle for upfit
- Trailer Sway Control (TSC)
- 4/7 Pin Connector Assembly and Rear Jumper (Included in Cargo Van and Passenger Van only)
- Tow/Haul Mode

Included with:

Motorhome Prep Package (47M)

MOTORHOME PREP PACKAGE (47M)

Availability:

Cutaway

Not available with:

• Right Hand Door Delete (60X)

Includes:

- Cruise Control (60C) engine is selected
- Adaptive Cruise Control (60D) if a 2.0L EcoBlue® Bi-Turbo I4 Diesel (99A) engine is selected
- Audio Pack #19 (58V) when No Rear View Camera is selected
- Tow/Haul Mode with Trailer Wiring Provisions (53D)
- Front License Plate Bracket (153)
- Dual AGM Batteries (63E)
- Modified Vehicle Wiring System (53K)
- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger (21T)
- Exterior Upgrade Package (18D) on SRW configurations
- Exterior Upgrade Package (18L) on DRW configurations
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)

Upgradeable Features/Options (for additional charge):

- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seat (21D)
- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats (218) (S6P, S8P, U6P and U8P only)
- Audio Pack #20 (58W) when No Rear View Camera is selected
- Audio Pack #21 (58X) when No Rear View Camera is selected
- Audio Pack #22 (58Y) when No Rear View Camera is selected
- Audio Pack #28 (584) when No Rear View Camera is selected
- HID Headlamps (91A)

SHUTTLE BUS PREP PACKAGE - (47S)

Availability:

Cutaway

Includes:

- Exterior Upgrade Package (18D) on SRW configurations
- Exterior Upgrade Package (18L) on DRW configurations
- Front License Plate Bracket (153)
- Dual AGM Batteries (63E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Modified Vehicle Wiring System (53K)
- Audio Pack #19 (58V) when No Rear View Camera is selected

Applicable Options (not part of Prep Package):

- Right Hand Door Delete (60X) is only available when Rear View Camera and Prep Kit (61A) is selected
- Audio Pack #20 (58W) when No Rear View Camera is selected
- Audio Pack #21 (58X) when No Rear View Camera is selected
- Audio Pack #22 (58Y) when No Rear View Camera is selected
- Audio Pack #28 (584) when No Rear View Camera is selected

SCHOOL BUS PREP PACKAGE - (47C)

NOTE: Requires Passenger Seat Delete (21J) and School Bus Yellow (BY) Paint

Availability:

- Cutaway
- Fleet only

Not available with:

• Extended Length configurations

Includes:

- Safety Glass (65B)
- Front License Plate Bracket (153)
- Right Hand Door Delete (60X)
- Dual AGM Batteries (63E)
- Separate Stop Turn Tail Lamp LED Enabled (43Q)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)

MULTI-FUNCTION SCHOOL ACTIVITY BUS (MFSAB) PREP PACKAGE (47Q)

NOTE: Requires Passenger Seat Delete (21J) and Oxford White (YZ) Paint

Availability:

- Cutaway
- Fleet only

Not available with:

· Extended Length configurations

Includes:

- Safety Glass (65B)
- Front License Plate Bracket (153)
- Right Hand Door Delete (60X)
- Dual AGM Batteries (63E)
- Separate Stop Turn Tail Lamp LED Enabled (43Q)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)

2020 TRANSIT PACKAGED OPTIONS

AMBULANCE PREP PACKAGE – CARGO VAN (47B) NOTE: CHECK WITH UPFITTER ON CHARGE MARGIN ACCEPTABILITY

Availability:

- Medium Roof or High Roof Cargo Van with Sliding Passenger-side Cargo Door
- 3.5L EcoBoost® V6 (99G)

Includes:

- Dual AGM Batteries (63E)
- Dual Alternator (63C)
- Fixed Rear Cargo Door Glass and Fixed Passenger-side Glass (17B)
- 3.73 Limited-Slip Axle (X7L) is included with a Medium Roof Cargo Van and 3.5L PFDi V6 (998) engine combination or 3.5L EcoBoost® V6 (99G) engine
- 4.10 Limited-Slip Axle (X4L) is included with a High Roof Cargo Van and 3.5L PFDi V6 (998) engine combination
- Modified Vehicle Wiring System (53K)
- Front License Plate Bracket (153)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)

Upgradeable Features/Options (for additional charge):

- Privacy Glass (92E) with Rear-Window Defroster (57N)
- 4.10 Limited-Slip Axle (X4L) is available with a Medium Roof Cargo Van and 3.5L PFDi V6 (998) engine combination

AMBULANCE PREP PACKAGE - CUTAWAY (47F)

NOTE: CHECK WITH UPFITTER ON CHARGE MARGIN ACCEPTABILITY

Availability:

Cutaway

Not available with:

- Passenger Seat Delete (21J and 21K)
- Right Hand Door Delete (60X)

Requires:

3.5L EcoBoost® V6 (10,360 GVWR or 11,000 GVWR configurations only) (99G)

Includes:

- •Short-Arm, Power Adjusting, Manual-Folding Mirrors (541)
- Dual AGM Batteries (63E)
- Dual Alternator (63C)
- 3.73 Limited-Slip Axle
- Spare Tire and Wheel (51D)
- Front License Plate Bracket (153)
- Separate Stop Turn Tail Lamp LED Enabled (43Q)
- Auxiliary Heater / AC Prep Package without Rear Controls (62C)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)

Upgradeable Features/Options (for additional charge):

- Short-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm, Power Adjusting, Manual-Folding Mirrors (543)
- Long-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Exterior Mirror Delete (54X)

REAR VIEW CAMERA AND PREP KIT (61A)

Availability:

Cutaway and Chassis Cab

Pre-installed Content Includes:

- Cab Wiring
- Frame Wiring to the rear most cross member
- Will display in rearview mirror when ordered with Radio Prep Package (58T), otherwise will display in multi-function display

Upfitters Kit Includes:

- · Camera with mounting bracket
- 20' Jumper wire
- · Camera mounting and aiming instructions

NOTE: Upfitter must add a rear view camera to complete the vehicle and meet FMVSS 111 requirements. It is recommended that the customer order the Rear View Camera and Prep Kit (61A) or check with upfitter for more information.

UPFITTER PACKAGE (67C)

Availability:

 Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab

Includes:

- High Capacity Upfitter Switches
- Large Center Console (67E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual AGM Batteries (63E)
- Modified Vehicle Wiring System (53K)

01/02/20

2020 TRANSIT PACKAGED OPTIONS

PROPRIETARY

EMISSSIONS REQUIREMENT LOCATIONS

CALIFORNIA EMISSIONS STATES

CA, CT, DE, MA, MD, ME, NJ, NY, OR, PA, RI, VT, WA

CROSS BORDER STATES.....

AZ, DC, ID, NH, NV, OH, VA, WV

FEDERAL EMISSIONS STATES

Remaining States/Regions

EMISSIONS STANDARD/OPTIONAL EQUIPMENT

50-STATE EMISSIONS SYSTEM 425

Standard equipment on all Transit engines and all Transit configurations.

LICENSE PLATE

FRONT LICENSE PLATE BRACKETS 153

Standard in States requiring two license plates and optional to all others

MISCELLANEOUS

 COV Required
 79V

 Priced DORA
 C09

VEHICLE SPECIAL ORDER (VSO)

FLEET ONLY. See www.fmcdealer.com for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email wsw.vsomail@ford.com or call 1.800.34.FLEET, menu 4 w/any VSO questions you may have.

★ = New for this model year

POWERTRAIN

FUEL ECONOMY

TRUCKS W/GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.

ENGINE HORSEPOWER AND TORQUE RATINGS

		NOMINAL	50-ST	ATES
		COMPRESSION	HORSEPOWER	TORQUE
ENGINE	TRANSMISSION	RATIO	H.P. @ RPM	LBFT. @ RPM
3.5L PFDi V6	10-Speed Automatic Overdrive	11.8:1	275 @ 6,500	262 @ 3,750
3.5L EcoBoost® V6	10-Speed Automatic Overdrive	10.0:1	310 @ 5,000	400 @ 2,500
2.0L EcoBlue® Bi-Turbo I4 Diesel	10-Speed Automatic Overdrive	16.0:1	210 @ 3,750	369 @ 1,750-2,000