2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) MAJOR PRODUCT CHANGES

OVERVIEW

The 2020 Super Duty® Chassis Cab reinforces the long tradition of F-Series toughness and continues to meet the needs of a multitude of commercial vocations, as well as personal use towing customers. Trademark "Built Ford Tough®" attributes such as capability to get the job done, quality, reliability, power, breadth and depth of product choices are solidly behind Chassis Cab users.

To learn more about the features on this vehicle, go to www.fordesourcebook.com

MODEL/SERIES/AVAILABILITY

- XL, XLT, Lariat
- F-600 (XL and XLT only)

MECHANICAL

- * New/Changed
 - 7.3L 2V DEVCT NA PFI V8 Gas Engine (99N)
 TorqShift® Ten-Speed Automatic Transmission with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery (44G) (includes Transmission Power Take-Off Provision w/6.7L Power Stroke® Diesel engine)
- Deleted
 - 6.8L 3 Valve Gas Engine (99Y)

EXTERIOR

New/Changed

- 225/70Rx19.5G BSW A/P (THB) standard on F-450/F-550 Regular Cab 4x2 XLT only
- 225/70Rx19.5G BSW Traction (THC) optional on F-450/F-550 Regular Cab 4x2 XLT only
- 19.5" Argent Painted Steel Wheel 19.5"x6.75" (64B) standard on F-600 Regular Cab XL and XLT only
- 19.5" Forged Polished Aluminum Wheel 19.5"x6.75" (64M) optional on F-600 Regular Cab XL only
- 245/70Rx19.5G BSW A/P tire (TD5) standard on F-600 Regular Cab XL and XLT only
- 245/70Rx19.5 BSW Traction tire (TGT) optional on F-600 Regular Cab XL and XLT only
- 245/70Rx19.5 BSW Traction tire (TGU) optional on F-600 Regular Cab XL and XLT only
- Manual Telescoping Mirror w/102" width (54L) optional on XL and XLT Regular Cab only
- Deleted
 - 225/70Rx19.5G BSW A/S (TFB)
 - 225/70Rx19.5G BSW A/S (TGB)
- New Colors
- Iconic Silver (JS)
- Rapid Red Metallic Tinted Clearcoat (D4)
- Star White Metallic Tri-Coat (AZ)
- Velocity Blue (E7)
- Deleted Colors
- Ingot Silver (UX)
- Magma Red (E2)
- Ruby Red Metallic Tinted Clearcoat (RR)
- White Platinum Metallic Tri-Coat (UG)

INTERIOR/COMFORT

- New/Changed
- None
- Deleted
- None

SAFETY/SECURITY

- New/Changed
- Deleted
 - Rear Inflatable Seat Belts (555)
 - Driver/Passenger Side Airbags/Curtains Delete (556)
 - Frontal Passenger and Side Airbags/Curtains Delete (557)

FORD CO-PILOT360™ TECHNOLOGY

- * New/Changed
 - Audible Lane Departure Warning (60C) optional
 Pre-Collision Assist with Automatic Emergency Braking (AEB), Automatic High Beam and Forward Collision Warning
 - (94P) optional

FUNCTIONAL

- ★ New/Changed
 - Fog Lamps (595) optional on XL and XLT; standard on Lariat
 - FordPass Connect[™] (4G) standard
 - Heated Windshield Wiper Park (includes Rain-Sensing Windshield Wipers) (60W) – optional on Lariat
 - SYNC® standard on XL
 - SYNC® 3 standard on XLT and Lariat

PACKAGES

- * New/Changed
- Deleted
- Fleet Telematics Modem (87T)

JOB 2 ORDER GUIDE UPDATES – Effective on all vehicles built on or after Job #2 (02/25/20)

- Revised: Dual Diesel (65C) restrictions
- Added: F-600 to XL and XLT
- Revised: 19.5" Argent Painted Steel Wheel description (64Z)
 Revised: 19.5" Forged Polished Aluminum Wheel description
- Revised: 19.5 Forged Polished Aluminum Wheel description (64D)
- Added: 19.5" Argent Painted Steel Wheel 19.5"x6.75" (64B) standard on F-600 Regular Cab XL and XLT only
- Added: 19.5" Forged Polished Aluminum Wheel 19.5"x6.75" (64M) – optional on F-600 Regular Cab XL only
- Added: 245/70Rx19.5G BSW A/P tire (TD5) standard on F-600 Regular Cab XL and XLT only
- Added: 245/70Rx19.5 BSW Traction tire (TGU) optional on F-600 Regular Cab XL and XLT only
- Added: Manual Telescoping Mirror w/102" width (54L) optional on XL and XLT Regular Cab only
- Revised: Automatic High Beam offering
- Revised: Pre-Collision Assist with AEB (94P) description
- Revised: Alternator availability and alternator chart

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information.

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) MAJOR PRODUCT SUMMARY

The all-new 2020 F-SUPER DUTY® reinforces the tough image of the F-Series and continues to meet the needs of both commercial and personal use towing customers

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where otherwise noted: All XL content, plus All XLT content, plus EXTERIOR MECHANICAL EXTERIOR Brakes – Four-wheel Disc Brakes; Anti-lock Brake System (ABS) Electronic-Shift-On-the-Fly (ESOF) (4x4 only) Grille – two (2) bar, bright chrome Wheels – F-350 SRW – 18" Argent Painted Steel Wheel w/Painted Hub – front, chrome Fog lamps Grille – two (2) bar, chrome (includes additional chrome inserts) Handles - door, body-color Engine — 6.2L 2 Valve Gas SOHC EFI NA V8 (Flex-Fuel) (F-350)
 — 7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550/★F-600)
 Transmission – Ten-Speed Automatic Transmission with Selectable Cover/Center Ornaments Wheels INTERIOR/COMFORT F-350 SRW – 18" Bright Machined Cast Aluminum w/Magnetic 4.2" LCD Productivity Screen in IP Cluster w/Compass display Painted Pockets and Bright Hub Covers/Center Ornaments F-350 DRW – 17" Forged Polished Aluminum w/bright hub 110/400W outlets; one (1) dash mounted 110/150W Inverter Outlet in IP Auxiliary audio input jack Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery * EXTERIOR
 Bumper – front, black painted covers/center ornaments F-450/F-550 – 19.5" Forged Polished Aluminum w/bright hub Fender vents - front Door-trim - soft armrest, grab handle, power window/lock switches and covers/center ornament rear map pockets on Crew Cab Floor covering – color-coordinated full carpet INTERIOR/COMFORT • 110V/400W outlets; one (1) dash mounted and one (1) in rear console • Air conditioning – Dual-Zone Electronic Automatic Temperature Control Front License Plate Bracket Fuel Tank 26.5 gallon mid ship (F-350 SRW) 40 gallon aft axle (F-350 DRW/F-450/F-550/★F-600) Floor mats - color-coordinated carpet (DEATC) Glass – solar-tinted Grille – black painted Power Equipment Group – 1st row (front-seat) windows w/one-touch up/down, power 2nd row (rear-seat) windows (Super/Crew Cab); Air conditioning vents – painted obsidian with chrome ring Instrumentation Center – 8" LCD Productivity Screen with steering wheel-mounted five (5) button control: includes compass and menus for Scuff plates - front, color-coordinated power/door-locks w/backlit switches & accessory delay Splash Guards/Mud Flaps – Front (F-450/550/★F-600 only) "Three Blink" Lane change signal Tow hooks – front (2) Seats, Front Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road Front, high-series cloth 40/20/40 split bench – 20% center und seat storage, w/center armrest, cupholder and storage applications Mirror – rearview, electrochromic self-dimming Power-Adjustable Pedals Trailer wiring - 7 wire harness w/relays, blunt cut & labeled Four-way adjustable driver/passenger headrests Wheels Sun visors - Color-coordinated cloth, both driver and passenger Seats, Front w/covered mirrors Window – rear, fixed privacy glass F-350 SRW – 18" Argent Painted Steel wheel w/Painted Hub Leather seating surfaces, 40/Console/40 10-way power driver & front-passenger seats (six-way power-Cover/Center Ornaments F-350 DRW – 17" Argent Painted Steel (hub covers/center SAFETY/SECURITY adjustable track, two-way power recline and two-way power lumbar) ornaments not included) F-450, F-550 & *F-600 – 19.5" Argent Painted Steel Advanced Security Pack Mirrors – manually telescoping/folding trailer tow with power/heated Seats. Rear Armrest with cupholders (Crew Cab) Rear under-seat storage (SuperCab); floor fold-flat and locking Manual Locking Hubs (4x4) glass, heated convex spotter mirror, integrated clearance lamps/turn signals MyKey® owner controls feature Remote keyless entry SecuriLock® Passive Anti-Theft System (PATS) (Crew Cab) Windshield Wipers - intermittent Steering wheel – leather-wrapped, color-coordinated Sun visors – color-coordinated cloth; both driver and passenger INTERIOR/COMFORT 2.3" Productivity Screen in IP Cluster Instrumentation Center - Multifunction switch message center display with Ice Blue® Lighting w/covered illuminated visor vanity mirrors 12V Powerpoint, auxiliary Air conditioning – single-zone, manual Air conditioning vents – black w/chrome ring and knob Cruise control (steering wheel-mounted)
 FUNCTIONAL Window - rear, power-sliding with privacy glass and defrost SAFETY/SECURITY Autolock, Auto unlock Cabin Air Particulate Filter Mirrors - Power-folding with Autofold, PowerScope® Telescoping. Alternators Door-trim – armrest/grab handle and reflector Floor covering – black, full length vinyl Mirror – rearview 11.5" day/night nautos 6.2L 2 Valve Gas – 240 AMP 7.3L 2 Valve Gas – 397 AMP Dual 6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel – 332 AMP Dual Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights and body-color skull caps) Audio – AM/FM stereo MP3 player & five (5) speakers w/Reg Cab, se (7) speakers w/Super/Crew Cabs SiriusXM® Radio Outside Temperature Display SecuriCode™ keyless entry keypad Seat – Front, HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage (manual lumbar – driver's side) FUNCTIONAL Alternators: Steering – power Steering wheel – black urethane with tilt and telescoping steering wheel/column; includes three (3) button message control Sun visors – color-coordinated vinyl, driver w/pocket, passenger Note: Includes a 6-month prepaid subscription. Service is not available 6.2L 2 Valve Gas - 240 AMP 7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550) – 397 AMP Dual Audio – B&O Sound System ny Bang & Olufsen – ten (10) speakers and in Alaska or Hawaii Note: SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc. If you decide to subwoofer * w/uncovered mirror insert with 6 inch overhead continue service after your trial, the subscription plan you choose will Upfitter switches – 6 located in Overhead Console Window – Rear, fixed automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To SAFETY/SECURITY cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at <u>www.sirius.xm.com</u>, All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. AdvanceTrac® with RSC® (Roll Stability Control™) AdVance Irados with Irados (front sates/ing control) Belt-Minder® (front safety belt reminder) Driver and passenger frontal airbag; passenger side deactivation switch Headlamps – Quad beam jewel effect halogen SYNC® 3 Lamps – Roof marker/clearance – LED Mirrors – manually telescoping two-way fold trailer tow with manual glass Safety Belts – w/height adjustment (front-outboard seating positions Enhanced Voice Recognition Communications and Entertainment System 8" LCD Capacitive Touchscreen in Center Stack with Swipe Capability only) Safety Canopy® System (incl. side-curtain airbags) Stationary Elevated Idle Control (SEIC) SOS Post-Crash Alert System™ Finch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation System AppLink® Underhood service light 911 Assist® _ Ondernood service light
 FORD CO-PILOT360™ TECHNOLOGY
 AutoLamp – Auto On/Off Headlamps
 FUNCTIONAL Apple CarPlay[™] and Android Auto[™] Capability Smart Charging USB-C Ports – two (2) Trailer Brake Controller 6.2L 2 Valve Gas – 200 AMP 7.3L 2 Valve Gas – 240 AMP 6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel - 240 AMP Audio – AM/FM stereo (four (4) speakers) FordPass Connect™ (4G) — 4G LTE Wi-Fi hotspot connects up to 10 devices¹ Remotely start, lock and unlock vehicle² 2 Schedule specific times to remotely start vehicle² Locate parked vehicle² Check vehicle status Note: Ford Telematics ™ and Data Services Prep included for Fleet Only: FordPass Connect™ 4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnositics and whice location, speed, the line, they, venice diagnosities and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at <u>www.fleet.ford.com</u> or call 833-FCS-FORD or 833-327-3673 Stabilizer bars - front & rear SYNC® Enhanced Voice Recognition Communication and Entertainment 911 Assist® 4.2" LCD Center Stack screen AppLink® Smart-Charging USB-C port – one (1) Please see Standard Equipment pages for more details 1 Wi-Fi hotspot includes wireless data trial that begins upon AT&T activation and expires at the end of 3 months or when 3GB of data is used, whichever comes first, but cannot extend beyond the trial subscription period for remote features. To activate, go to www.att.com/ford.
² FordPass Connect™ (optional on select vehicles), the Ford Pass App., and Complimentary Connected Services are required for remote features (see FordPass Terms for details). Connected Service and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Connected services excludes Wi-Fi hotspot

> Product Features Availability Features, op

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) STANDARD EQUIPMENT

 <u>he following features are standard on every 2020 SUPER DUTY® Chas</u> <u>MECHANICAL</u> Brakes – Four-wheel Disc Brakes with Anti-Lock Brake System (ABS) <u>EXTERIOR</u> <u>Doors</u> Two (Regular Cab only) Four (SuperCab/Crew Cab only) Front License Plate Bracket <u>Fuel Tank</u> 26.5 gallon mid ship (F-350 SRW) 40 gallon aft axle (F-350 DRW/F-450/F-550/★F-600) Diesel Exhaust Fluid (DEF) Tank Location: Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails. Mid ship fuel tank is paired with the DEF tank located outside of the frame rail Dual tanks are paired with the DEF tank located outside of the frame rail Dual tanks are paired with the DEF tank located outside of the frame rail Glass Solar-tinted complete (Std. on XL) Privacy (Std. on XLT and Lariat; NA front-seat windows) Manual Locking Hubs (4x4) Scuff plates – front, color-coordinated "Three-Blink" lane change signal Tow hooks – front, (two) (2) Trailer wiring – 7 wire harness w/relays, blunt cut and labeled Windshield wipers – intermittent NTERIOR/COMFORT Convenience Coat hooks, LH/RH color-coordinated Dash top tray Dome lamp – LH/RH door activated & I/P switch operated w/delay Handles, grab – driver & front-passenger Handles, roof ride – front-passenger (also over rear-doors on Crew Cab) 12V Powerpoint, auxiliary 	 INTERIOR/COMFORT (continued) Instrumentation Center 2.3° LCD Productivity Screen in IP Cluster (standard on XL) 4.2° LCD Productivity Screen in IP Cluster (standard on Lariat) Overhead Console with 6 Upfitter Switches Steering – power Steering damper SAFETY/SECURITY AdvanceTrac® with RSC® (Roll Stability Control[™]) Airbags Driver and Passenger frontal and side airbag/curtain Passenger side airbag deactivation switch Child tethers (Regular Cab front-passenger and all rear-seating positions) Lamps – LED Roof marker/clearance Safety Belts Belt-Minder® (front safety belt reminder) – chime and flashing warning lights on I/P if belts not buckled Color-coordinated safety belts w/height adjustment (front-outboard seating positions only) SecuriLock® Passive Anti-Theft System (PATS); includes MyKey® owner controls feature (XLT and Lariat Only) SOS Post-Crash Alert System[™] Stationary Elevated Idle Control (SEIC) FUNCTIONAL Alternator Alternator XL: 6.2L 2 Valve Gas – 200 AMP 7.3L 2 Valve Gas – 240 AMP 6.7L 4 Valve Diesel – 240 AMP 7.3L 2 Valve Gas – 240 AMP 6.2L 2 Valve Gas – 240 AMP 6.7L 4 Valve Diesel – 332 AMP Dual 6.7L 4 Valve Diesel – 332 AMP Dual Catati 6.2L 2 Valve Gas – 240 AMP 7.3L 2 Valve Gas – 240 AMP 6.2L 2 Valv
 Headliner – color-coordinated cloth Instrument panel – color-coordinated w/dual glove boxes, four (4) air registers w/positive shut-off and powerpoint 	 Oil minder system (6.2L Gas engine) Shock absorbers – heavy-duty gas Springs, rear auxiliary Stabilizer bar – front and rear

•	•	•
•	•	•
•	•	•
•		
•		
•		
	•	•
	•	•
	•	•
•	•	•
•	•	•
	• • • • • •	

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) STANDARD EQUIPMENT

PROPRIETARY

MECHANICAL (continued)	XL	XLT	LARIAT
Battery			
650 CCA, 72 AH (6.2L Gas engine only) (F-350 XL SRW/DRW)	•		
750 CCA, 78 AH Single (6.2L Gas F-350 SRW/DRW XLT & Lariat)		•	•
750 CCA, 78 AH Single (7.3L Gas F-450, F-550, ★F-600 XL & XLT)		•	•
750 CCA, 78 AH, Dual (7.3L 2V DEVCT NA PFI V8 Gas F-450 and F-550 Lariat)			•
Fuel Tanks			
26.5 gallon mid ship (F-350 SRW w/68D Payload Downgrade Pkg)	•	•	•
40 gallon aft axle (F-350 SRW/F-350 DRW/F-450/F-550/★F-600; NA with 68D Payload	_	_	_
Downgrade Pkg. on F-350 SRW)	•	•	•
KEY EXTERIOR FEATURES			
Bumper – Front			
Black painted steel w/grained MIC top cover and black lower air dam	•		
Chrome w/grained MIC top cover and black lower air dam		•	•
Grille			
Black MIC	•		
Bright Chrome – two (2) bar		•	
Chrome – two (2) bar (includes additional chrome inserts)			•
Handles – Door and Tailgate			
Black	•	•	
Body-color			•
Headlamps/Taillamps/Lamps			
Quad-beam halogen jewel effect	•	•	•
Center High-Mounted Stop Lamp (CHMSL) (Standard on vehicles 10k GVWR and below)	•	•	•
Fog lamps			•
LED Roof Marker/Clearance Lamps	•	•	•
Utility Lighting System (LED Side-mirror Spotlights) (see mirror descriptions below)			•
Mirrors			
Manually telescoping/folding trailer tow with manual glass	•		
Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror,		•	
integrated clearance lamps/turn signals			
Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with			
Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED			•
Side-mirror Spotlights)			
Wheels (SRW)			
18" Argent Painted Steel w/painted hub covers/center ornaments (F-350)	•		
18" Sparkle Silver Painted Cast Aluminum w/bright hub covers/center ornaments (F-350)		•	
18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and bright hub covers/center			•
ornaments (F-350)			
Wheels (DRW)			
17" Argent Painted Steel (hub covers/center ornaments not included (F-350)	•	•	_
17" Forged Polished Aluminum w/bright hub covers/center ornaments (F-350)	-	-	•
19.5" Argent Painted Steel (F-450/F-550/ ★ F-600)	•	•	_
19.5" Forged Polished Aluminum w/bright hub covers/center ornaments (F-450/F-550)			•
<u>Windows and Glass</u> 1 st Row (front-seat) – Manual	-		
	•		
1 st Row (front-seat) – Power w/one-touch up/down 2 nd Row (rear-seat) – Fixed	•(2)	•	•
2 nd Row (rear-seat) – Fixed 2 nd Row (rear-seat) – Power	•(2)	•(2.2)	e (2.2)
Rear (backlight) – Fixed	•	•(2,3)	•(2,3)
Rear (backlight) – Power-sliding w/defrost	•	•	•
Solar-tinted glass (complete)	•		•
Privacy glass, (rear backlight on all cabs; 2 nd Row (rear-seat) windows on SuperCab and Crew	•		
Cab. Other glass is solar-tinted.)		•	•
KEY INTERIOR/COMFORT FEATURES			
Air Conditioning			
Manual, Single Zone	•	•	
	-	•	
Dual-Zone Electronic Automatic Temperature Control (DEATC)			•

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) STANDARD EQUIPMENT

STANDARD EQUIFINIEN			
KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
Audio			
AM/FM stereo MP3 Player(speakers; four (4) w/Regular Cab, six (6) w/SuperCab and Crew	•		
Cab) AM/FM stereo MP3 player (speakers; five (5) with Regular Cab, seven (7) with SuperCab and			
Crew Cab)		•	
SiriusXM® Radio (speakers; adds one (1) I/P mounted center speaker on XLT only)			
Note: Includes a 6-month prepaid subscription. Service is not available in Alaska and Hawaii. Note: SiriusXM audio and data services each require a subscription sold separately, or as a			
package, by Sirius XM Radio Inc. If you decide to continue service after your trial, the			
subscription plan you choose will automatically renew thereafter and you will be charged		•	•
according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for			
complete terms at <u>www.siriusxm.com.</u> All fees and programming subject to change. Sirius, XM			
and all related marks and logos are trademarks of Sirius XM Radio Inc.			
B&O Sound System by Bang & Olufsen (incl. 10 speakers and subwoofer)			•
SYNC® – Enhanced Voice Recognition Communications and Entertainment System			
- 911 Assist®			
- 4.2 LCD Center Stack screen	•		
– AppLink®			
– Smart-Charging USB-C port – one (1) SYNC® 3			
 Enhanced Voice Recognition Communications and Entertainment System 			
- 8" LCD Capacitive Touchscreen in Center Stack with Swipe Capability			
 Pinch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation 		_	
System – AppLink®		•	•
– 911 Assist®			
– Apple CarPlay™ and Android Auto™ Capability			
– Smart-Charging USB-C Ports – two (2) ★FordPass Connect™ (4G)			
-4 G LTE Wi-Fi® hotspot connects up to 10 devices ¹			
 Remotely start, lock and unlock vehicle² 			
 Schedule specific times to remotely start vehicle² Locate parked vehicle² 			
– Check vehicle status ²	•	•	•
Note: Ford Telematics™ and Data Services Prep included for Fleet Only: FordPass Connect™			
4G Wi-Fi Modem provides data to support telematics and data services including but not limited			
to vehicle location, speed, idle time, fuel, vehicle diagnositics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at			
www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673.			
Cupholders			
Dual, instrument panel-mounted Integrated w/armrest on rear-seat	•	•	• •(3)
Door-Trim			•(3)
Armrest, grab handle and reflector	•		
Soft armrest, grab handle, power window/lock switches and reflector; front map pockets on		•	•
Regular Cab and SuperCab; front and rear map pockets on Crew Cab Floor Covering			
Black vinyl	•		
Color-coordinated carpet and carpeted floor mats (includes rear mats on SuperCab & Crew Cab)		•	•
(deleted when all-weather floor mats are ordered) Instrumentation Center			
2.3" Productivity Screen display includes menus for Multi-function switch message center w/Ice	-		
Blue® Lighting (three (3) button message control on steering wheel)	•		
4.2 Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications five (5) button message control on steering wheel (included		_	
with the SYNC® and SYNC® Services)		•	
8.0" Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy			
and Towing/Off-Road applications; five (5) button message control on steering wheel (included			•
with the SYNC® and SYNC® Services) Manual door-locks and windows	•		
Overhead Console – with dual storage bin and map lights	•	•	•
¹ Wi-Fi hotspot includes wireless data trial that begins upon AT&T activation and expires at the end of 3 months or wh	en 3GB of data i	s used, whichev	er comes first, but

¹ Wi-Fi hotspot includes wireless data trial that begins upon AT&T activation and expires at the end of 3 months or when 3GB of data is used, whichever comes first, but cannot extend beyond the trial subscription period for remote features. To activate, go to <u>www.att.com/ford</u>.

² FordPass Connect™ (optional on select vehicles), the Ford Pass App., and Complimentary Connected Services are required for remote features (see FordPass Terms for details). Connected Service and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Connected services excludes Wi-Fi hotspot.

★ = New for this model year

= Available

KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
Power Equipment			
Accessory delay		•	•
Door-locks w/backlit switches		•	•
Windows w/backlit switches		•	•
Upfitter switches – 6 located in Overhead Console	•	•	•
Powerpoint and 110V/400W Outlet			
One (1) Powerpoint in front center under-seat storage		•	
Two (2) Powerpoints in instrumentation center	•	•	•
Two (2) Powerpoints in rear side of Flow-through Console			•
110V/400W Outlet dash mounted		•	•
110V/150W Outlet in rear side of Flow-through Console			•
110V/150W Inverter Outlet in IP		•	•
Rearview Mirror			
11.5" day/night	•	•	
Electrochromic self-dimming			•
Seats (Front)	_		
HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage	•		
Cloth, 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and storage		•	
			•
Leather seating surfaces, 40/Console/40 Manual lumbar support, driver's side	•	•	•
Power driver & front-passenger seats 10-Way (six-way power-adjustable track, two-way power	•	•	
recline and two-way power lumbar)			•
Four-way adjustable driver/passenger headrests		•	•
Seats (Rear) SuperCab		-	
Vinyl, 60/40 fold-up bench seat	•		
Cloth, 60/40 fold-up bench seat		•	
Premium vinyl seating surfaces, 60/40 fold-up bench seat			•
Seats (Rear) Crew Cab			
60/40 bench w/flip-up/fold-down w/2 outboard head restraints and a center head restraint	•		
60/40 bench w/flip-up seats & fold-down backrests w/under-seat partitioned lockable fold-flat			
storage, two (2) outboard head restraints and a center head restraint.		•	
60/40 bench w/flip-up seats & fold-down backrests w/under-seat partitioned lockable fold-flat			
storage, two (2) outboard head restraints and a center head restraint. Dual integrated			•
cupholders in armrest			
Vinyl	•		
Cloth		•	
Leather			•
Steering Wheel			
Urethane – Black – w/redundant audio and SYNC® controls	•	•	
Leather-Wrapped – w/redundant audio and SYNC® controls (Lariat, color-coordinated)			•
Cruise Control (steering wheel-mounted)		•	•
Manual Tilt and Telescoping steering wheel/column	•	•	•
Sun Visors			
Color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror	•		
Color-coordinated Cloth, both driver and passenger w/covered mirrors Color-coordinated Cloth; both driver and passenger w/covered illuminated visor vanity mirror		•	-
SAFETY/SECURITY	XL	XLT	
AdvanceTrac® with RSC® (Roll Stability Control™)	•	•	LARIAI
Advanced Security Pack (incl. Inclination / Intrusion Sensors)		•	•
AutoLamp (Auto On/Off Headlamps), Rainlamp Wiper Activated Headlamps	•	•	•
Autolock, Auto unlock	•	•	•
Remote Keyless Entry		•	•
SecuriLock® Passive Anti-Theft System (PATS)		•	•
Trailer Sway Control and Hill Start Assist	•	•	•
Airbags		•	-
Driver & Passenger side	•	•	•
Passenger-side deactivation switch	•	•	•
v v			

AXLE AVAILABILITY

1			Non-	Limite	d-Slip	Lin	nited-S	Slip	Electroni	c-Locking
Series	Engine	Transmission	3.73	4.10	4.88	4.10	4.30	4.88	3.73	4.30
Series	Engine	Transmission	X37	X41	X48	X4N	X4L	X8L	X3E	X4M
	6.2L 2V Gas SOHC EFI NA V8	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	_	_	_	_	_	0	0
F-350 SRW	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	-	_	_	_	_	_	S
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	_	_	_	_	_	0	—
	6.2L 2V Gas SOHC EFI NA V8	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	_	_	_	0	_	—	—
F-350 DRW	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	-	_	_	0	_	_	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	-	_	0	_	_	_	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	-	S	_	0	_	_	_	—
F-450	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	-		_	O ¹	_	—	—
F-400	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	-		_	S ²	_	_	—
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	-	-	S	_	_	0	_	_
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	S	—	0	—	—	—	_
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	-	_	_	_	O ³	_	—
F-550	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	-	_	_	O ⁴	_	_	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	-	-	-	-	S ⁵	-	—	—
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	-	S ⁶	—	—	0	—	_
★F-600	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	-	—	—	—	S7	_	—
★ F-000	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	-	—	—	—	S	—	_

¹ Requires Trailer Tow Package – High Capacity (535)
 ² Standard when Extra Heavy Duty Front End Suspension (67P)
 ³ Requires Payload Upgrade Package (68M). Also available with Trailer Tow Package – High Capacity (535) when ordered with Payload Upgrade Package (68M)
 ⁴ Requires Trailer Tow Package – High Capacity (535) with Payload Downgrade Package (68D) or Trailer Tow Package – High Capacity (535) with Base Payload
 ⁵ Standard when Extra Heavy Duty Front End Suspension (67P) is ordered unless 4.88 LS is already selected
 ⁶ Not available with the Payload Upgrade Package (68U) or Payload Plus Upgrade Package (68M)

7 F-600 w/ Diesel on Late Availability

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

★ = New for this model year

S = Standard, O = Optional, P = Packaged Option

PROPRIETARY

F-350	6.2L Gas							
6.2L Gas Chassis Cab Alternator Application Chart	XL	XLT	Lariat					
Base - All Chassis Cabs Include Upfitter Switches	SC5 200A	SC7 240A	SC7 240A					
Snow Plow Package	SC5 200A	SC7 240A	SC7 240A					
110V Inverter (standard on XLT and Lariat)	SC7 240A	SC7 240A	SC7 240A					
Heated Wiper Park	ONA	ONA	SC7 240A					
ONA = Option Not Available	1 an 1 an 1							

F-350/ F-450 / F-550 / F-600	7.3L Gas							
7.3L Gas Chassis Cab Alternator Application Chart	XL	XLT	Lariat					
Base - All Chassis Cabs Include Upfitter Switches	SC7 240A	SC2 + SC7 397A	SC2 + SC7 397A					
Snow Plow Package	SC2 + SC7 397A	SC2 + SC7 397A	SC2 + SC7 397A					
Dual Batteries	397	397	397					
110V Inverter (standard on XLT and Lariat)	SC2 + SC7 397A	SC2 + SC7 397A	SC2 + SC7 397A					
110V Inverter & Snow Plow Prep	SC2 + SC7 397A	SC2 + SC7 397A	SC2 + SC7 397A					
110V Inverter & Heated Wiper Park	ONA	ONA	SC2 + SC7 397A					
Ambulance	SC2 + SC7 397A	SC2 + SC7 397A	ONA					
ONA = Option Not Available								

F-350/ F-450 / F-550 / F-600	6.7L Diesel							
6.7L Diesel Chassis Cab Alternator Application Chart	XL	XLT	Lariat					
Base - All Chassis Cabs Include Upfitter Switches	SC7 240A	SC2 + SC3 332A	SC2 + SC3 332A					
Snow Plow Package	SC2 + SC3 332A	SC2 + SC3 332A	SC2 + SC3 332A					
110V Inverter (standard on XLT and Lariat)	SC2 + SC3 332A	SC2 + SC3 332A	SC2 + SC3 332A					
110V Inverter & Snow Plow Prep	SC2 + SC3 332A	SC2 + SC3 332A	SC2 + SC3 332A					
110V Inverter & Heated Wiper Park	ONA	ONA	SC2 + SC3 332A					
Ambulance OR Fire Prep	SC2 + SC7 397A	SC2 + SC7 397A	ONA					
Rapid Heat	SC2 + SC7 397A	SC2 + SC7 397A	SC2 + SC7 397A					
ONA = Option Not Available		58	5					

LEGEND:

Single SC5 - 200A – 67D (6.2L)
Single SC7 - 240A – 67E (6.2L) / Base (7.3L)
Single SC7 – 240A - 67D (6.7L)
Dual SC2 and SC3 - 332A - 67A
Dual SC2 and SC7 - 397A - 67B
Option Not Available (ONA)

S = Standard, O = Optional, P = Packaged Option

WHEEL AVAILABILITY - SRW ONLY



17" Argent Painted Steel w/painted hub cover/center ornament (Opt. on XL and XLT) – 64A



18" Sparkle Silver Painted Cast Aluminum w/bright hub cover/center ornament (Std. on XLT F-350 SRW) - 648



18" Argent Painted Steel w/painted hub cover/center ornament (Std. on XL F-350 SRW) - 64F



18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and bright hub cover/center ornament (Std. on Lariat) – 64C

WHEEL AVAILABILITY - DRW ONLY



17" Argent Painted Steel (hub covers/center ornament not included) (Std. on XL and XLT F-350) – 64K



17" Forged Polished Aluminum w/bright hub cover/center ornament (Std. on Lariat F-350; Opt. on XL and XLT F-350) – 64J Wheel image coming soon

19.5" Argent Painted Steel (19.5"x6.75"; std on XL and XLT F-600)



19.5" Argent Painted Steel (19.5"x6"; hub cover/center ornament not included; Std. on XL and XLT F-450 and F-550) – 64Z



17" or 19.5" Stainless Steel Wheel Covers (Front & Rear) (Opt. on XL and XLT) – 945

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only ★ = New for this model year

Wheel image

soon

19.5" Forged Polished

Aluminum w/bright hub

cover/center ornament;

19.5"x6.75" (Opt. on XLT F-600)

comine

S = Standard, O = Optional, P = Packaged Option

19.5" Forged Polished

Aluminum w/bright hub

cover/center ornament;

19.5"x6" (Std. on Lariat F-

450 and F-550; Opt. on XLT F-450 and F-550) – 64D

PROPRIETARY

Order Code Code Regular Cab 4X2 – Cab to Axle 60" 145" Regular Cab 4X2 – Cab to Axle 108" 193" Regular Cab 4X2 – Cab to Axle 120" 205" Regular Cab 4X4 – Cab to Axle 60" 145" Regular Cab 4X4 – Cab to Axle 60" 168" Regular Cab 4X4 – Cab to Axle 60" 168" SuperCab 4X4 – Cab to Axle 60" 168" SuperCab 4X4 – Cab to Axle 60" 179" Crew Cab 4X4 – Cab to Axle 60" 179" Crew Cab 4X4 – Cab to Axle 60" 179" Crew Cab 4X4 – Cab to Axle 60" 179" Crew Cab 4X4 – Cab to Axle 60" 179" Crew Cab 4X4 – Cab to Axle 60" 179" Crew Cab 4X4 – Cab to Axle 60" 179" Crew Cab 4X4 – Cab to Axle 60" 179" Crew Cab 4X4 – Cab to Axle 60" 199" Cab 0 Axle 60" 179" Crew Cab 4X4 – Cab to Axle 60" 199" Crew Cab 4X4 – Cab to Axle 60" 199"	SRW 630 A 630 A	F3G F3G F3G F3G F3H F3H F3H F3H F3H F3H F3H F3H F3H F3H	650A F4G F4G F4G F4G F4H F4H F4H F4H F4H X4G X4G X4H X4H W4G W4H W4H S S	F5G F5G F5G F5H F5H F5H X5G X5G X5H W5G W5G W5H	★F- 600 680A F6K F6K F6K F6L F6L F6L F6L F6L F6L S 0 ¹	SRW	350 DRW 643A F3G F3G F3G F3H F3H T3H X3G X3H X3H X3H S 0 0		F-550 663A F5G F5G F5G F5H F5H F5H F5H F5H F5H S5G X5G X5G X5G W5G W5G W5H W5H	683A 683A F6K F6K F6K F6L F6L F6L F6L F6L 	638A		
Code ODVSTYLE & WHEELBASE Vegular Cab 4X2 - Cab to Axle 60" 145" Regular Cab 4X2 - Cab to Axle 108" 193" Legular Cab 4X2 - Cab to Axle 60" 145" Regular Cab 4X4 - Cab to Axle 60" 145" Regular Cab 4X4 - Cab to Axle 60" 145" Regular Cab 4X4 - Cab to Axle 60" 168" UpperCab 4X2 - Cab to Axle 60" 168" UpperCab 4X2 - Cab to Axle 60" 168" UpperCab 4X2 - Cab to Axle 60" 179" UpperCab 4X2 - Cab to Axle 84" 192" UpperCab 4X2 - Cab to Axle 60" 179" Crew Cab 4X2 - Cab to Axle 84" 203" Crew Cab 4X2 - Cab to Axle 84" 203" Crew Cab 4X4 - Cab to Axle 84" 203" Crew Cab 4X4 - Cab to Axle 84" 203" Crew Cab 4X4 - Cab to Axle 84" 203" Cac ab to Axle 84" 203" Crew Cab 4X4 - Cab to Axle 84" 203" Cac ab to Axle 84" 203" Cac ab to Axle 84" 203" Cac ab to Axle 84" 203" Crew Cab 4X4 - Cab to Axle 84" 996/44G	F3E 	F3G F3G F3G F3G F3H F3H F3H F3H F3H F3H F3H F3H F3H F3H	F4G F4G F4G F4H F4H F4H F4H X4G X4G X4H X4H W4G W4G W4H W4H	F5G F5G F5G F5H F5H F5H F5H F5H S5G X5H X5H W5G W5G W5G W5H	F6K F6K F6K F6L F6L F6L F6L 	F3E 	F3G F3G F3G F3H F3H S3H X3G X3H W3G W3G S O	F4G F4G F4G F4H F4H F4H F4H F4H F4H F4H F4H F4H F4H	F5G F5G F5G F5H F5H F5H F5H F5H S5G X5G X5H X5H W5G W5G W5G W5H	F6K F6K F6L F6L F6L F6L F6L 			
legular Cab 4X2 – Cab to Axle 60" 145" legular Cab 4X2 – Cab to Axle 108" 193" legular Cab 4X2 – Cab to Axle 108" 193" legular Cab 4X2 – Cab to Axle 60" 145" legular Cab 4X4 – Cab to Axle 60" 193" legular Cab 4X4 – Cab to Axle 60" 193" legular Cab 4X4 – Cab to Axle 60" 108" uperCab 4X2 – Cab to Axle 60" 168" uperCab 4X4 – Cab to Axle 60" 168" uperCab 4X4 – Cab to Axle 60" 179" rew Cab 4X4 – Cab to Axle 60" 179" rew Cab 4X4 – Cab to Axle 84" 203" NCINETTRANSMISSION 203" NCINETTRANSMISSION 203" NCINETTRANSMISSION 203" YA2 V DEVCT NA PFI V8 Gas/* TorgShift® 996/44G Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep 997/44G Sand/Snow & Slippery 7.1 4 Valve OHV Power Stroke® V8 Turbo 997/44G Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery 997/44G YT 4 Valve OHV Power Stroke® V8 Turbo 997/44G Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery 997/44G YT 4 Valve OHV Power Stroke® V8 Turbo 997/44G Orders/Center Ornam		F3G 	F4G F4G F4H F4H F4H F4H F4H S O	F5G F5G F5H F5H F5H F5H X5G X5G X5H X5H W5G W5G W5H 	F6K F6K F6L F6L F6L F6L S		F3G F3H F3H X3G X3H W3H W3H S O	F4G F4G F4H F4H F4H F4H F4H X4G X4H X4H W4G W4H W4H	F5G F5G F5H F5H F5H F5H S5G X5G X5H X5H W5G W5G W5H W5H	F6K F6K F6L F6L F6L F6L S			
egular Cab 4X2 - Cab to Axle 84" 169" egular Cab 4X2 - Cab to Axle 108" 193" egular Cab 4X2 - Cab to Axle 60" 145" egular Cab 4X4 - Cab to Axle 60" 145" egular Cab 4X4 - Cab to Axle 84" 169" egular Cab 4X4 - Cab to Axle 60" 168" uperCab 4X2 - Cab to Axle 60" 168" uperCab 4X2 - Cab to Axle 60" 168" uperCab 4X2 - Cab to Axle 60" 179" rew Cab 4X2 - Cab to Axle 60" 179" rew Cab 4X2 - Cab to Axle 60" 179" rew Cab 4X2 - Cab to Axle 60" 179" rew Cab 4X2 - Cab to Axle 60" 179" rew Cab 4X2 - Cab to Axle 60" 179" rew Cab 4X4 - Cab to Axle 60" 179" rew Cab 4X4 - Cab to Axle 84" 203" NGINE/TRANS/ISSION 203" 21 2 Valve Gas SOHC EFI NA V8 (Flex 996/44G Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep 997/44G Sand/Snow & Slippery 7.3 L 2V DEVCT NA PFI V8 Gas/★TorqShift@ Fen-Speed Automatic with Selectable Drive Modes: 997/44G Sormal, Tow/Haul, Eco, Deep Sand/Snow & 991/44G Covers/Center Ornaments (req. 6.2L Gas 990 (of		F3G 	F4G F4G F4H F4H F4H F4H F4H S O	F5G F5G F5H F5H F5H F5H X5G X5G X5H X5H W5G W5G W5H 	F6K F6K F6L F6L F6L F6L S		F3G F3H F3H X3G X3H W3H W3H S O	F4G F4G F4H F4H F4H F4H F4H X4G X4H X4H W4G W4H W4H	F5G F5G F5H F5H F5H F5H S5G X5G X5H X5H W5G W5G W5H W5H	F6K F6K F6L F6L F6L F6L S			
egular Cab 4X2 - Cab to Axle 120"205"egular Cab 4X4 - Cab to Axle 60"145"egular Cab 4X4 - Cab to Axle 60"168"uperCab 4X2 - Cab to Axle 60"168"uperCab 4X4 - Cab to Axle 60"168"uperCab 4X4 - Cab to Axle 60"168"uperCab 4X4 - Cab to Axle 60"179"rew Cab 4X2 - Cab to Axle 60"179"rew Cab 4X4 - Cab to Axle 84"203"rew Cab 4X4 - Cab to Axle 84"203"rew Cab 4X4 - Cab to Axle 84"203"rew Cab 4X4 - Cab to Axle 84"203"YCINE/TRANSMISSION203"21 2 Valve Gas SOHC EFI NA V8 (Flex996/44Gco, Deep Sand/Snow & Slippery7.3 L 2V DEVCT NA PFI V8 Gas/* TorqShift®Fen-Speed Automatic with Selectable Drive998/44GSand/Snow & Slippery7.1 4 Valve OHV Power Stroke® V8 TurboCise B20 with manual push-button Engine- Exhaust Braking/* TorqShift® Ten-Speed997/44GSippery w/Transmission Power Take-Off997/44GProvision - Late availability on * F-60064AWheels (SRW); 6 Wheels (DRW). Spare Wheel includer64ACovers/Center Ornaments (req. 6.2L Gas 996) of 7.1 Diesel (99T) and Payload Downgrade Package (68D); NA w/7.3L Gas 99N))64ACovers/Center Ornaments (4 aluminum w/Bright Hub Covers/Center Ornaments 3" Argent Painted Steel (Hub Covers/Center Ornaments ot included)64ACovers/Center Ornaments 3.5" Argent Painted Cast Aluminum w/Bright Hub Covers/Center Ornaments 3.5" Argent Painted Steel (Hp3.5"x 6")64Z3.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments		- F3H F3H - S - X3G - X3G - X3H - W3G - W3H - W3H - S - S - O - O	F4G F4H F4H F4H X4G X4G X4G W4G W4G W4G W4H W4H	F5G F5H F5H F5H X5G X5G X5G X5H X5H X5H W5G W5G W5H W5H	F6K F6L F6L F6L 			F4G F4H F4H F4H X4G X4G X4G X4H W4G W4G W4G W4H W4H	F5G F5H F5H F5H X5G X5G X5G X5G W5G W5G W5G W5H	F6K F6L F6L F6L S			
egular Cab 4X4 - Cab to Axle 60"145"egular Cab 4X4 - Cab to Axle 84"169"egular Cab 4X4 - Cab to Axle 108"193"egular Cab 4X4 - Cab to Axle 60"168"uperCab 4X2 - Cab to Axle 60"168"uperCab 4X4 - Cab to Axle 60"179"rew Cab 4X4 - Cab to Axle 60"179"rew Cab 4X2 - Cab to Axle 60"179"rew Cab 4X2 - Cab to Axle 60"179"rew Cab 4X2 - Cab to Axle 60"179"rew Cab 4X4 - Cab to Axle 84"203"XCINE/TRANSMISSION203"2L 2 Valve Gas SOHC EFI NA V8 (Flex996/44GSelectable Drive Modes: Normal, Tow/Haul, Eco, Deep996/44GSelectable Drive Modes: Normal, Tow/Haul, Eco, Deep998/44GYal V DEVCT NA PFI V8 Gas/* TorqShift®998/44GYormal, Tow/Haul, Eco, Deep Sand/Snow & Slippery991/44GY1 4 Valve OHV Power Stroke® V8 Turbo997/44GYormal, Tow/Haul, Eco, Deep Sand/Snow &997/44GSlippery w/Transmission Power Take-Off997/44GYroysion - Late availability on *F-60064AYmagent Painted Steel (Mbel WPainted Hub Covers/Center Ornaments (reg. 6.2L Gas 998))64AY'' Argent Painted Steel (Hub Covers/Center Ornaments not included)64AY'' Argent Painted Steel (MPainted Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner)64FB'' Bright Machined Cast Alumi	F3F 	F3H F3H X3G X3G X3H W3G W3H S S O	F4H F4H F4H X4G X4G X4H W4G W4G W4G W4G W4H W4H	F5H F5H F5H X5G X5G X5G X5H W5G W5G W5H W5H	F6L F6L F6L S	F3F 	F3H F3H X3G X3H W3G W3H S O	F4H F4H F4H X4G X4G X4G X4H W4G W4G W4G W4H W4H	F5H F5H F5H X5G X5G X5H X5H W5G W5G W5H W5H	F6L F6L F6L S			— X4G X4G X4H X4H W4G W4G W4G W4H W4H
equilar Cab 4X4 - Cab to Axle 84"169"eguilar Cab 4X4 - Cab to Axle 108"193"eguilar Cab 4X4 - Cab to Axle 120"205"uperCab 4X2 - Cab to Axle 60"168"uperCab 4X4 - Cab to Axle 60"168"uperCab 4X4 - Cab to Axle 60"179"rew Cab 4X4 - Cab to Axle 84"203"NCINETRANSMISSION212 Valve Gas SOHC EFI NA V8 (Flex2L 2 Valve Gas SOHC EFI NA V8 (Flex996/44GSelectable Drive Modes: Normal, Tow/Haul,996/44GSend/Snow & Slippery71.4 Valve OHV Power Stroke® V8 TurboOises B20 with manual push-button Engine-99N/44GSand/Snow & Slippery99T/44GY1.4 Valve OHV Power Stroke® V8 Turbo99T/44GOises B20 with manual push-button Engine-99T/44GSormal, Tow/Haul, Eco, Deep Sand/Snow &99T/44GCovers/Center Ornaments (req. 6.2L Gas996) or 6.7L Diesel (99T) and PayloadCovers/Center Ornaments (4 aluminum outer64ACowngrade Package (68D); NA w/7.3L Gas990N)7" Argent Painted Steel (Hub Covers/Center64KCovers/Center Ornaments (4 aluminum outer64Jand 2 steel inner)64F3" Sparkle Silver Painted Steel (19.5"x 6.75")64B3" Sparkle Silver Painted Steel (19.5"x 6.75")64B3.5" Forged Polished Aluminum w/Bright Hub Covers/Ce		F3H X3G X3H X3H W3H W3H S 0 0	F4H F4H X4G X4G X4H X4H W4G W4G W4H W4H	F5H F5H X5G X5G X5H X5H W5G W5G W5G W5H W5H	F6L F6L S	 X3E X3F W3F S 0	F3H 	F4H F4H X4G X4G X4H X4H W4G W4G W4G W4H W4H	F5H F5H X5G X5G X5H X5H W5G W5G W5G W5H W5H	F6L F6L S			— X4G X4G X4H X4H W4G W4G W4G W4H W4H
egular Cab 4X4 - Cab to Axle 108" 193" egular Cab 4X4 - Cab to Axle 60" 168" uperCab 4X2 - Cab to Axle 60" 168" uperCab 4X4 - Cab to Axle 60" 168" uperCab 4X4 - Cab to Axle 60" 179" rew Cab 4X2 - Cab to Axle 60" 179" rew Cab 4X2 - Cab to Axle 60" 179" rew Cab 4X2 - Cab to Axle 60" 179" rew Cab 4X4 - Cab to Axle 84" 203" NGINE/TRANSMISSION 203" XIIII Compositive Cab to Axle 84" 203" NGINE/TRANSMISSION 203" XIIII Compositive Cab to Axle 84" 203" NGINE/TRANSMISSION 203" XIIII Compositive Cab to Axle 84" 203" NGINE/TRANSMISSION 203" XIIII Compositive Cab to Axle 84" 203" Yorgen Value Cab to Axle 84" 203" Yorgen Value Cab to Axle 84" 203" Yorgen Value Cab to Xle 84" 203" Yorgen Value Cab XL Cocke® V8 Turbo 20 Diseel B20 with manual pus			F4H F4H X4G X4G X4H W4G W4G W4H W4H S S	F5H F5H X5G X5G X5H X5H W5G W5H W5G W5H	F6L F6L 	- X3E X3F W3E W3F - S		F4H F4H X4G X4G X4H W4G W4G W4H W4H	F5H F5H X5G X5G X5H X5H W5G W5H W5G W5H W5H	F6L F6L S			— X4G X4G X4H X4H W4G W4G W4G W4H W4H
equilar Cab 4X4 - Cab to Axle 120"205"uperCab 4X2 - Cab to Axle 60"168"uperCab 4X4 - Cab to Axle 60"168"uperCab 4X4 - Cab to Axle 84"192"uperCab 4X4 - Cab to Axle 60"179"rew Cab 4X2 - Cab to Axle 60"179"rew Cab 4X2 - Cab to Axle 84"203"rew Cab 4X4 - Cab to Axle 84"203"rew Cab 4X4 - Cab to Axle 84"203"VGINE/TRANSMISSION21221 2 Valve Gas SOHC EFI NA V8 (Flex"ueil)* TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery7.3 L 2V DEVCT NA PFI V8 Gas/*TorqShift® Fen-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision - Late availability on *F-600YHEES Wheels (SRW); 6 Wheels (DRW). Spare Wheel included Covers/Center Ornaments (req. 6.2L Gas 996))?" Argent Painted Steel (Meel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996))?" Argent Painted Steel (Meel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996))?" Argent Painted Steel (Meel w/Painted Hub Covers/Center Ornaments (4 aluminum outer Ornaments not included)?" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments 3" Sparkle Silver Painted Steel (19.5"x 6.75").5" Argent Painted Steel (19.5"x 6.75").64B Overs/Center Ornaments 3.5" Argent Painted Steel (19.5"x 6.75").64B Overs/Center Ornaments 3.	X3E X3F W3E W3F S S	= X3G = X3H = W3G = W3H = W3H S 0	F4H X4G X4H X4H W4G W4H W4H W4H S S	F5H X5G X5G X5H W5G W5G W5H W5H	F6L 			F4H X4G X4G X4H W4G W4G W4H W4H	F5H X5G X5G X5H X5H W5G W5G W5H W5H	F6L 		x3G X3H W3G W3G W3H S S	X4G X4G X4H X4H W4G W4G W4H W4H
uperCab 4X2 - Cab to Axle 60"168"uperCab 4X4 - Cab to Axle 84"192"uperCab 4X4 - Cab to Axle 60"168"uperCab 4X4 - Cab to Axle 60"179"rew Cab 4X2 - Cab to Axle 60"179"rew Cab 4X4 - Cab to Axle 84"203"VGINE/TRANSMISSION21.2 Valve Gas SOHC EFI NA V8 (Flex21.2 Valve Gas SOHC EFI NA V8 (Flex996/44Gcould's TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery991/44G7.3.1 2V DEVCT NA PFI V8 Gas/* TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision - Late availability on *F-600991/44GWheels (SRW); 6 Wheels (DRW). Spare Wheel included Covers/Center Ornaments (req. 6.2L Gas 99N))64ACowngrade Package (68D); NA w/7.3L Gas 99N))64ACovers/Center Ornaments (req. 6.2L Gas 99N))64F3" Argent Painted Steel (Hub Covers/Center Ornaments not included)64F3" Argent Painted Steel (Hub Covers/Center Ornaments (Magnetic Painted Steel (Meel and Payload 04F64F3" Sight Machined Cast Aluminum (Magnetic Painted Steel (19.5" x 6")64Z0.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" Argent Painted Steel (19.5" x 6")64Z0.5" Forged Polished Alu	X3F W3E W3F S O	E X3G X3H E W3G W3H S S O	X4G X4G X4H X4H W4G W4G W4H W4H S S	X5G X5G X5H X5H W5G W5G W5H W5H		X3F W3E W3F S	X3G 	X4G X4G X4H W4G W4G W4G W4H W4H	X5G X5G X5H X5H W5G W5G W5H W5H		X3F W3E W3F S	x3H W3G W3H S S	X4G X4H X4H W4G W4G W4H W4H
uperCab 4X2 - Cab to Axle 84" 192" uperCab 4X4 - Cab to Axle 60" 168" uperCab 4X2 - Cab to Axle 60" 179" rew Cab 4X2 - Cab to Axle 60" 179" rew Cab 4X2 - Cab to Axle 60" 179" rew Cab 4X4 - Cab to Axle 60" 179" rew Cab 4X4 - Cab to Axle 84" 203" NGINE/TRANSMISSION 203" XL 2 Valve Gas SOHC EFI NA V8 (Flex 996/44G Selectable Drive Modes: Normal, Tow/Haul, 996/44G Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep 998/44G Sand/Snow & Slippery 7.1 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine-Exhaust Braking/* TorqShift® Ten-Speed 997/44G Normal, Tow/Haul, Eco, Deep Sand/Snow & 997/44G Orowing a Painted Steel Wheel w/Painted Hub 64A Oowngrade Package (68D); NA w/7.3L Gas 998) or 6.7L Diesel (99T) and Payload 64A Oowngrade Package (68D); NA w/7.3L Gas 998) 64F Orers/Center Ornaments (4 aluminum outer 64	X3F W3E W3F S O	- X3H = W3G = W3H - S 0 0	X4G X4H X4H W4G W4G W4H W4H	X5G X5H X5H W5G W5G W5H W5H		X3F W3E W3F S	X3H W3G W3H S	X4G X4H X4H W4G W4G W4H W4H	X5G X5H X5H W5G W5G W5H W5H		X3F W3E W3F S	x3H W3G W3H S S	X4G X4H X4H W4G W4G W4H W4H
uperCab 4X4 - Cab to Axle 60"168"uperCab 4X4 - Cab to Axle 84"192"rew Cab 4X2 - Cab to Axle 60"179"rew Cab 4X2 - Cab to Axle 84"203"rew Cab 4X4 - Cab to Axle 84"203"Stap 12 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		= W3G = W3H S 0 0	X4H X4H W4G W4G W4H W4H S	X5H X5H W5G W5H W5H 		W3E W3F S	X3H W3G W3H S	X4H X4H W4G W4G W4H W4H	X5H X5H W5G W5G W5H 		W3E W3F S	X3H W3G W3H S O	X4H X4H W4G W4G W4H W4H
JperCab 4X4 - Cab to Axle 84"192"rew Cab 4X2 - Cab to Axle 60"179"rew Cab 4X4 - Cab to Axle 60"179"rew Cab 4X4 - Cab to Axle 84"203"rew Cab 4X4 - Cab to Axle 84"203"VGINE/TRANSMISSION21.2 Valve Gas SOHC EFI NA V8 (Flex21.2 Valve Gas SOHC EFI NA V8 (Flex996/44Gcuell/* TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery998/44G7.3.1 2V DEVCT NA PFI V8 Gas/* TorqShift® ren-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery998/44G7.1 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- Exhaust Braking/* TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision – Late availability on *F-600997/44GWheels (SRW); 6 Wheels (DRW). Spare Wheel included Covers/Center Ornaments (req. 6.2L Gas 996)))64ACowers/Center Ornaments (req. 6.2L Gas 996)))64ACovers/Center Ornaments (reg. 6.2L Gas 996)))64ACovers/Center Ornaments (reg. 6.2L Gas 996)))64ACovers/Center Ornaments (req. 6.2L Gas 996)))64ACovers/Center Ornaments (req. 6.2L Gas 996))64ACovers/Center Ornaments (req. 6.2L Gas 996))64ACovers/Center Ornaments (featuminum outer ind 2 steel inner)64A"" Argent Painted Steel (Hub Covers/Center Ornaments (featuminum W/Magnetic Painted Steel w/Painted Hub Covers/Center Ornaments 3.5" Argent Painted Steel (19.5"x 6.75")64B<		= W3G = W3H S 0 0	X4H W4G W4H W4H S S	X5H W5G W5G W5H W5H		W3E W3F S	W3G W3H S	X4H W4G W4G W4H W4H	X5H W5G W5G W5H W5H		W3E W3F S		X4H W4G W4G W4H W4H
rew Cab 4X2 – Cab to Axle 84" rew Cab 4X4 – Cab to Axle 60" 179" rew Cab 4X4 – Cab to Axle 60" 179" rew Cab 4X4 – Cab to Axle 60" 203" XGINE/TRANSMISSION 21 2 Valve Gas SOHC EFI NA V8 (Flex Uel)/* TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery 7.3 L 2V DEVCT NA PFI V8 Gas/*TorqShift® ren-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery 7.1 L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- Exhaust Braking/* TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision – Late availability on *F-600 HEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel includer T" Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996) or 6.7L Diesel (99T) and Payload Downgrade Package (68D); NA w/7.3L Gas 99N)) T" Argent Painted Steel (Hub Covers/Center Ornaments not included) T" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) The apinted Steel (NPainted Hub Covers/Center Ornaments Targent Painted Steel (NPainted Hub Covers/Center Ornaments 3" Bright Machined Cast Aluminum v/Bright Hub Covers/Center Ornaments 3" Sparkle Silver Painted Cast Aluminum v/Bright Hub Covers/Center Ornaments 3" Sparkle Silver Painted Steel (19.5" x 6.75") 19.5" Argent Painted Steel (19.5" x 6.75") 19.5" Argent Painted Steel (19.5" x 6.75") 19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 19.5" Argent Painted Steel (PAINT 6.75") 19.5" Fo	W3F S O O	S O O	W4G W4H W4H	W5G W5H W5H	 	W3F 	s 0	W4G W4H W4H	W5G W5H W5H	 	W3F 	s O	W4G W4H W4H
rew Cab 4X4 – Cab to Axle 60" 179" rew Cab 4X4 – Cab to Axle 84" 203" NGINE/TRANSMISSION 203" XII 2 Valve Gas SOHC EFI NA V8 (Flex 996/44G Suel/* TorqShift® Ten-Speed Automatic with 996/44G Selectable Drive Modes: Normal, Tow/Haul, 996/44G Sco, Deep Sand/Snow & Slippery 73.1 2V DEVCT NA PFI V8 Gas/* TorqShift® Ya.1 2 Valve OHV Power Stroke® V8 Turbo 99N/44G Sand/Snow & Slippery 71.4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- 99T/44G Automatic with Selectable Drive Modes: 99T/44G Normal, Tow/Haul, Eco, Deep Sand/Snow & 99T/44G Yheels (SRW); 6 Wheels (DRW). Spare Wheel includer 99T/44G Yheels (SRW); 6 Wheels (DRW). Spare Wheel includer 99T/44G Yheels (SRW); 6 Wheels (DRW). Spare Wheel includer 99T/44G Yheels (SRW); 6 Wheels (DRW). Spare Wheel includer 64A Oowngrade Package (68D); NA w/7.3L Gas 99N)) 2" Argent Painted Steel (Hub Covers/Center 64K Yr argent Painted Steel w/Painted Hub 64F Covers/Center Ornaments 64F S" Sparkle Silver Painted Steel (19.5"x 6") 64Z <td></td> <td></td> <td>W4H W4H S O</td> <td>W5H W5H</td> <td>S</td> <td></td> <td></td> <td>W4H W4H</td> <td>W5H W5H</td> <td></td> <td></td> <td></td> <td>W4H W4H</td>			W4H W4H S O	W5H W5H	S			W4H W4H	W5H W5H				W4H W4H
rew Cab 4X4 – Cab to Axle 84" 203" NGINE/TRANSMISSION 21 2 Valve Gas SOHC EFI NA V8 (Flex Cuel/ + TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery 996/44G 7.3 L 2V DEVCT NA PFI V8 Gas/ * TorqShift® Fen-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery 99N/44G 7.4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- Exhaust Braking/ * TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision – Late availability on * F-600 99T/44G #HEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel included Covers/Center Ornaments (req. 6.2L Gas 996) or 6.7L Diesel (99T) and Payload Downgrade Package (68D); NA w/7.3L Gas 99N)) 64A Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 64K 7" Argent Painted Steel (Hub Covers/Center Ornaments not included) 64F 7" Argent Painted Steel w/Painted Hub Covers/Center Ornaments 64Z 2.5" Argent Painted Steel (19.5"x 6.75") 64Z 3.5" Sparkle Silver Painted Cast Aluminum w/Magnetic Painted Steel (19.5"x 6.75") 64B 3.5" Argent Painted Steel (19.5"x 6") 64Z 3.5" Argent Painted Steel (19.5"x 6.75") 64B 3.5" Argent Painted Steel (19.5"x 6.75") 64B 3.5" Argent Pa			W4H S O	W5H	S			W4H	W5H				W4H
NGINE/TRANSMISSION 2L 2 Valve Gas SOHC EFI NA V8 (Flex Yuel)* TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery 7.3L 2V DEVCT NA PFI V8 Gas/*TorqShift® Fen-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery 7.1 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- Shaust Braking/* TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision – Late availability on * F-600 HEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel includer Yargent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996)) or 6.7L Diesel (99T) and Payload Downgrade Package (68D); NA w/7.3L Gas 998))) Z" Argent Painted Steel (Hub Covers/Center Ormanets not included) Z" Argent Painted Steel w/Painted Hub Covers/Center Ornaments B" Bright Machined Cast Aluminum What Painted Pockets and Bright hub Covers/Center Orname	0	s o o		S		0	S O	S	S		0	0	_
2L 2 Valve Gas SOHC EFI NA V8 (Flex 996/44G Selectable Drive Modes: Normal, Tow/Haul, 996/44G Selectable Drive Modes: Normal, Tow/Haul, 996/44G Selectable Drive Modes: Normal, Tow/Haul, 998/44G Yalve Orep Sand/Snow & Slippery 998/44G 7.3L 2V DEVCT NA PFI V8 Gas/*TorqShift® 998/44G Fen-Speed Automatic with Selectable Drive 998/44G Modes: Normal, Tow/Haul, Eco, Deep 997/44G Sand/Snow & Slippery 77.1 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- 997/44G Automatic with Selectable Drive Modes: 997/44G Normal, Tow/Haul, Eco, Deep Sand/Snow & 997/44G Slippery w/Transmission Power Take-Off 997/44G Provision – Late availability on *F-600 HEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel includer 64A Covers/Center Ornaments (reg. 6.2L Gas 998))) "" Argent Painted Steel (Hub Covers/Center 64K Ormanents not included) 64J "" Argent Painted Steel (Hub Covers/Center 64F Orwer/Center Ornaments 64F B" Bright Machined Cast Aluminum 64F O'S Argent Painted Steel	0	0	0			0	0				0	0	S
Fuel/*TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery996/44G7.3L 2V DEVCT NA PFI V8 Gas/*TorqShift® ren-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery99N/44G7.3L 2V DEVCT NA PFI V8 Gas/* TorqShift® ren-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery 7L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- Exhaust Braking/* TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision – Late availability on *F-60099T/44GHEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel includes (Tergent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 99N))64A"" Argent Painted Steel (Hub Covers/Center Ornaments not included)64K"" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer on 2 steel inner)64F3" Argent Painted Steel (NPainted Hub Covers/Center Ornaments64Z2." Argent Painted Steel (19.5"x 6.75")64B3." Sparkle Silver Painted Cast Aluminum w/Magnetic Painted Steel (19.5"x 6.75")64D3." Sparkle Silver Painted Steel (19.5" x 6.75")64D3." Sparkle Silver Painted	0	0	0			0	0				0	0	s
Selectable Drive Modes: Normal, Tow/Haul, 990/44G Eco, Deep Sand/Snow & Slippery 7.3L 2V DEVCT NA PFI V8 Gas/*TorqShift® Fen-Speed Automatic with Selectable Drive 99N/44G Modes: Normal, Tow/Haul, Eco, Deep 99N/44G Sand/Snow & Slippery 99N/44G YIL 4 Valve OHV Power Stroke® V8 Turbo 99N/44G Diesel B20 with manual push-button Engine- 99N/44G Exhaust Braking/* TorqShift® Ten-Speed 99T/44G Automatic with Selectable Drive Modes: 99T/44G Normal, Tow/Haul, Eco, Deep Sand/Snow & 99T/44G Slippery w/Transmission Power Take-Off Provision – Late availability on *F-600 /HEELS Wheels (DRW). Spare Wheel includer Covers/Center Ornaments (req. 6.2L Gas 64A Downgrade Package (68D); NA w/7.3L Gas 99N)) 7" Argent Painted Steel (Hub Covers/Center Ornaments not included) 64K 7" Forged Polished Aluminum w/Bright Hub 64F Covers/Center Ornaments 64Z 8" Bright Machined Cast Aluminum 64A Covers/Center Ornaments 64Z 9.5" Argent Painted Steel (19.5"x 6.75") 64Z 9.5" Argent Painted Steel (19.5"x 6.75") 64Z	0	0	0			0	0				0	0	s
Eco, Deep Sand/Snow & Slippery7.3L 2V DEVCT NA PFI V8 Gas/ * TorqShift® Fen-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery99N/44G99N/44GSand/Snow & Slippery7L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- Exhaust Braking/ * TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision – Late availability on * F-60099T/44GWheels (SRW); 6 Wheels (DRW). Spare Wheel included " Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996) or 6.7L Diesel (99T) and Payload Downgrade Package (68D); NA w/7.3L Gas 99N))64A7" Argent Painted Steel (Hub Covers/Center Ornaments not included)64K7" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 3" Argent Painted Steel w/Painted Hub Covers/Center Ornaments 3" Bright Machined Cast Aluminum w/Magnetic Painted Steel (19.5"x 6.75") 9.5" Argent Painted Steel (19.5"x 6.75") 9.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 9.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75")64B 9.5" 64D7245/75Rx17E BSW A/	0	0	0										s
7.3L 2V DEVCT NA PFI V8 Gas/ * TorqShift® 99N/44G ren-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery 99N/44G 7.1L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- Exhaust Braking/ * TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & 99T/44G Vormal, Tow/Haul, Eco, Deep Sand/Snow & 99T/44G Silppery w/Transmission Power Take-Off Provision – Late availability on * F-600 99T/44G Wheels (SRW); 6 Wheels (DRW). Spare Wheel included 64A Z'' Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996) or 6.7L Diesel (997) and Payload Downgrade Package (68D); NA w/7.3L Gas 999N)) 64A Z'' Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer Ind 2 steel inner) 64J Z'' Argent Painted Steel w/Painted Hub Covers/Center Ornaments 64F Z'' Bright Machined Cast Aluminum Wagnetic Painted Pockets and Bright hub Covers/Center Ornaments 64Z Z'' Argent Painted Steel (19.5"x 6.75") 64B Z'' Argent Painted Steel (19.5"x 6") 64Z Z''s Parkle Silver Painted Steel (19.5"x 6.75") 64B Z''s Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments 64D Z''s Forged Polished Aluminum w/Bright Hub C	0	0	0										S
Fen-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery 99N/44G Y1L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- Exhaust Braking/ * TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off 99T/44G Vormal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off 99T/44G Provision – Late availability on * F-600 99T/44G Wheels (SRW); 6 Wheels (DRW). Spare Wheel includer (" Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996) or 6.7L Diesel (99T) and Payload Downgrade Package (68D); NA w/7.3L Gas 99N)) 64A "7" Argent Painted Steel (Hub Covers/Center Ornaments not included) 64K "7" Argent Painted Steel (Hub Covers/Center Ornaments not included) 64J "8" Argent Painted Steel w/Painted Hub Covers/Center Ornaments 64F "8" Sright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments 64Z 9.5" Argent Painted Steel (19.5"x 6.75") 64B 9.5" Argent Painted Steel (19.5"x 6.75") 64D 9.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64D 9.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64D 9.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75")	0	0	0										S
Modes: Normal, Tow/Haul, Eco, Deep 99N/44G Sand/Snow & Slippery 7L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- Exhaust Braking/★TorqShift® Ten-Speed 99T/44G Automatic with Selectable Drive Modes: 99T/44G Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off 99T/44G Provision – Late availability on ★F-600 HEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel includer 64A Covers/Center Ornaments (req. 6.2L Gas 64A Downgrade Package (68D); NA w/7.3L Gas 99N)) ?" Argent Painted Steel (Hub Covers/Center Ornaments not included) 64K ?" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 64F ?" Argent Painted Steel (MPainted Hub Covers/Center Ornaments 64Z ?" Sparkle Silver Painted Cast Aluminum w/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments 64Z ?" Sparkle Silver Painted Steel (19.5"x 6.75") 64B ?" Sreget Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5"x 6.75") 64B ?" Sreget Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64B ?" Sreget Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64D ?" Sreget	0	0	0										S
Sand/Snow & Slippery 7L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- Schaust Braking/★TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision – Late availability on ★F-600 HEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel included Covers/Center Ornaments (req. 6.2L Gas 996) or 6.7L Diesel (99T) and Payload Downgrade Package (68D); NA w/7.3L Gas 99N)) 7" Argent Painted Steel (Hub Covers/Center Ornaments not included) 7" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments 3" Argent Painted Steel w/Painted Hub Covers/Center Ornaments 3" Argent Painted Steel w/Painted Hub Covers/Center Ornaments 3" Bright Machined Cast Aluminum w/Bright Hub Covers/Center Ornaments 3" Sparkle Silver Painted Steel (19.5"x 6") 3.5" Argent Painted Steel (19.5"x 6") 3.5" Argent Painted Steel (19.5"x 6") 3.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments 3.5" Forged Polished Aluminum w/Bright <t< td=""><td></td><td></td><td></td><td>0</td><td>O¹</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0¹</td><td>0</td><td>0</td><td></td></t<>				0	O ¹	0	0	0	0	0 ¹	0	0	
7L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine- Exhaust Braking/ * TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision – Late availability on * F-600 HEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel included Z'' Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996)) Z'' Argent Painted Steel (Hub Covers/Center Ormaments not included) Z'' Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 3'' Argent Painted Steel w/Painted Hub Covers/Center Ornaments 3'' Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments 3'' Sparkle Silver Painted Steel (19.5''x 6.75'') 64Z 19.5'' Argent Painted Steel (19.5''x 6.75'') 64B Covers/Center Ornaments (19.5''x 6'') 64D Covers/Center Ornaments (19.5''x 6.75'') 64B 5'' Argent Painted Steel (19.5''x 6.75'') <td></td> <td></td> <td></td> <td>0</td> <td>O¹</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0¹</td> <td>0</td> <td>0</td> <td></td>				0	O ¹	0	0	0	0	0 ¹	0	0	
Diesel B20 with manual push-button Engine- Exhaust Braking/ * TorqShift® Ten-Speed 99T/44G Automatic with Selectable Drive Modes: 99T/44G Normal, Tow/Haul, Eco, Deep Sand/Snow & 99T/44G Bilppery w/Transmission Power Take-Off 99T/44G Provision – Late availability on * F-600 1100000000000000000000000000000000000				ο	O ¹	о	0	0	0	0 ¹	ο	ο	
Exhaust Braking/ * TorqShift® Ten-Speed 99T/44G Automatic with Selectable Drive Modes: 99T/44G Normal, Tow/Haul, Eco, Deep Sand/Snow & 99T/44G Silppery w/Transmission Power Take-Off 99T/44G Provision – Late availability on *F-600 1000000000000000000000000000000000000				0	O ¹	0	О	ο	ο	O ¹	о	ο	
Automatic with Šelectable Drive Modes: 997/44G Normal, Tow/Haul, Eco, Deep Sand/Snow & 997/44G Slippery w/Transmission Power Take-Off Provision – Late availability on ★ F-600 HEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel included Wheels (SRW); 6 Wheels (DRW). Spare Wheel included 64A Covers/Center Ornaments (req. 6.2L Gas 64A Downgrade Package (68D); NA w/7.3L Gas 998) or 6.7L Diesel (997) and Payload Oowngrade Package (68D); NA w/7.3L Gas 64K Ornaments not included) 64K 7" Argent Painted Steel (Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 64J 3" Argent Painted Steel w/Painted Hub 64F Covers/Center Ornaments 64C Covers/Center Ornaments 648 3" Sparkle Silver Painted Cast Aluminum w/Magnetic Painted Steel (19.5"x 6") 64Z 3.5" Argent Painted Steel (19.5"x 6.75") 64B 3.5" Argent Painted Steel (19.5"x 6.75") 64B 3.5" Argent Painted Steel (19.5"x 6.75") 64B 3.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6.75") 64B 3.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Cent				0	O ¹	0	0	0	0	0 ¹	0	0	1
Slippery w/Transmission Power Take-Off Provision – Late availability on ★F-600 HEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel included "Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996) or 6.7L Diesel (997) and Payload Oowngrade Package (68D); NA w/7.3L Gas 9980)) "Argent Painted Steel (Hub Covers/Center Ornaments not included) "Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 3" Argent Painted Steel w/Painted Hub Covers/Center Ornaments 8" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments 3" Sparkle Silver Painted Cast Aluminum w/Bright Hub Covers/Center Ornaments 3." Argent Painted Steel (19.5"x 6.75") 64B 5." Argent Painted Steel (19.5"x 6.75") 64D Covers/Center Ornaments (19.5" x 6.75	d with S	Spare T	ire.										0
Provision – Late availability on ★F-600 (HEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel included (T' Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996) or 6.7L Diesel (997) and Payload Owngrade Package (68D); NA w/7.3L Gas 99N)) (T' Argent Painted Steel (Hub Covers/Center Ornaments not included) (T' Argent Painted Steel (Hub Covers/Center Ornaments not included) (T' Argent Painted Steel (Hub Covers/Center Ornaments not included) (T' Argent Painted Steel w/Painted Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) (A' Argent Painted Steel w/Painted Hub Covers/Center Ornaments (A' Argent Painted Steel (19.5"x 6.75") (A' Argent Painted Steel (19.5"x 6.75") (A' Argent Painted Steel (19.5"x 6.75") (A' Baylet Painted Steel (19.5"x 6.75") <t< td=""><td>d with S</td><td>Spare T</td><td>ire.</td><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td><td>1</td><td></td><td></td></t<>	d with S	Spare T	ire.			1					1		
HEELS Wheels (SRW); 6 Wheels (DRW). Spare Wheel includer "" Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996) or 6.7L Diesel (99T) and Payload 64A Downgrade Package (68D); NA w/7.3L Gas 64A Owngrade Package (68D); NA w/7.3L Gas 64K "" Argent Painted Steel (Hub Covers/Center Ornaments not included) 64K "" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 64F "" Argent Painted Steel w/Painted Hub Covers/Center Ornaments 64F "Singht Machined Cast Aluminum v/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments 64Z 3" Sparkle Silver Painted Steel (19.5"x 6.75") 64B 3.5" Argent Painted Steel (19.5"x 6.75") 64B 3.5" Argent Painted Steel (19.5"x 6.75") 64B 3.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64B 3.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64M Tires (SRW); 6 Tires (DRW) 64M pare Tire required in Rhode Island, optional in all other nanufacturers to meet production capacity demands. [245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8	d with \$	Spare T	ire.										
Wheels (SRW); 6 Wheels (DRW). Spare Wheel included Zargent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996) or 6.7L Diesel (997) and Payload Oowngrade Package (68D); NA w/7.3L Gas 99N)) Zargent Painted Steel (Hub Covers/Center Ornaments not included) Zargent Painted Steel (Hub Covers/Center Ornaments not included) Zargent Painted Steel (Hub Covers/Center Ornaments not included) Zargent Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer Machined Cast Aluminum V/Magnetic Painted Steel w/Painted Hub Covers/Center Ornaments Zargent Painted Steel (19.5"x 6") Machined Cast Aluminum V/Bright Hub Covers/Center Ornaments S." Argent Painted Steel (19.5"x 6") A.S." Argent Painted Steel (19.5"x 6") A.S." Argent Painted Steel (19.5"x 6") A.S." Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") A.S." Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") A.S." Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75")	d with S	Spare T	ire.										
7" Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas 996) or 6.7L Diesel (997) and Payload Oowngrade Package (68D); NA w/7.3L Gas 99N)) 7" Argent Painted Steel (Hub Covers/Center Ornaments not included) 7" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 3" Argent Painted Steel w/Painted Hub Covers/Center Ornaments 3" Bright Machined Cast Aluminum v/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments 3" Sparkle Silver Painted Cast Aluminum v/Bright Hub Covers/Center Ornaments 648 5.5" Argent Painted Steel (19.5"x 6") 647 648 658 649 640 641 642 643 644 645 646 647 648 648 65" Argent Painted Steel (19.5"x 6.75") 648 65" Argent Painted Steel (19.5"x 6.75") 648 <t< td=""><td>d with s</td><td>Spare I</td><td>ire.</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	d with s	Spare I	ire.										
Covers/Center Ornaments (req. 6.2L Gas 64A 996) or 6.7L Diesel (99T) and Payload 64A Downgrade Package (68D); NA w/7.3L Gas 69N) "7 Argent Painted Steel (Hub Covers/Center 64K Ornaments not included) 64J "7 Forged Polished Aluminum w/Bright Hub 64J Covers/Center Ornaments (4 aluminum outer 64J and 2 steel inner) 64F 8" Argent Painted Steel w/Painted Hub 64F Covers/Center Ornaments 64C Covers/Center Ornaments 64C Covers/Center Ornaments 64Z 19.5" Argent Painted Steel (19.5"x 6") 64Z 19.5" Argent Painted Steel (19.5"x 6.75") 64B 9.5" Argent Painted Steel (19.5"x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright 64D Covers/Center Ornaments (19.5" x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright 64M Hub Covers/Center Ornaments (19.5" x 6.75") 64M Tires (SRW); 6 Tires (DRW) 64M parer Tire required in Rhode Island, optional in all other<			1									4	4
996) or 6.7L Diesel (99T) and Payload 64A Downgrade Package (68D); NA w/7.3L Gas 99N)) "7" Argent Painted Steel (Hub Covers/Center 64K Drnaments not included) 64J "7" Forged Polished Aluminum w/Bright Hub 64J Covers/Center Ornaments (4 aluminum outer 64J and 2 steel inner) 64F 2" Argent Painted Steel w/Painted Hub 64F Covers/Center Ornaments 64C Covers/Center Ornaments 64C Covers/Center Ornaments 64Z 3" Sparkle Silver Painted Cast Aluminum 64Z 49.5" Argent Painted Steel (19.5"x 6") 64Z 19.5" Argent Painted Steel (19.5"x 6.75") 64B 2.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6.75") 64M Tires (SRW); 6 Tires (DRW) 64M pare Tire required in Rhode Island, optional in all other 64M Cutters to meet production capacity demands. 7245/75Rx17E BSW A/S PLU (F-350 SRW Cage, (996) and Payload Downgrade TD8													
Downgrade Package (68Ď); NA w/7.3L Gas 99N)) "" Argent Painted Steel (Hub Covers/Center Drnaments not included) "" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 64J "" Argent Painted Steel w/Painted Hub Covers/Center Ornaments 64F "S' Argent Painted Steel w/Painted Hub Covers/Center Ornaments 64F "S' Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments 648 "S' Sparkle Silver Painted Steel (19.5"x 6") 64Z 3.5" Argent Painted Steel (19.5"x 6.75") 64B 3.5" Argent Painted Steel (19.5"x 6.75") 64B 2.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5"x 6.75") 64B 3.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64B 2.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64M RES Tires (SRW); 6 Tires (DRW) 64M Tizes (SRW); 6 Tires (DRW) 64M 64M Cathrier Tire required in Rhode Island, optional in all other nanufacturers to meet production capacity demands. 7245/75Rx17E BSW A/S PLU (F-350 SRW Cathrier Gege) and Payload Downgrade TD8 TD8	0					0							
99N)) Gamma Control (Hub Covers/Center Draments not included) 64K 07" Argent Painted Steel (Hub Covers/Center Ornaments not included) 64K 07" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 64J 3" Argent Painted Steel w/Painted Hub Covers/Center Ornaments 64F 3" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments 64C 3" Sparkle Silver Painted Cast Aluminum w/Bright Hub Covers/Center Ornaments 648 3" Srgent Painted Steel (19.5"x 6") 64Z 19.5" Argent Painted Steel (19.5"x 6.75") 64B 0.5" Argent Painted Steel (19.5"x 6.75") 64B 0.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64D 19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64M RES Tires (SRW); 6 Tires (DRW) 64M Tires (SRW); 6 Tires (DRW) pare Tire required in Rhode Island, optional in all other nanufacturers to meet production capacity demands. T245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8		_			_	0		_		_			
7" Argent Painted Steel (Hub Covers/Center Draments not included) 64K 64K 64K 7" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 64J 3" Argent Painted Steel w/Painted Hub Cover/Center Ornaments 64F 3" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments 64C 3" Sparkle Silver Painted Cast Aluminum w/Bright Hub Covers/Center Ornaments 648 3." Argent Painted Steel (19.5"x 6.75") 64B 3.5" Argent Painted Steel (19.5"x 6.75") 64B 2.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64B 3.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64M 7 7 64M Covers/Center Ornaments (19.5" x 6.75") 64M WES 7 64M Tires (SRW); 6 Tires (DRW) 64M Case (996) and Payload Downgrade <													
Drnaments not included) 64K Ornaments not included) 64K Ornaments not included) 64K Orreged Polished Aluminum w/Bright Hub 64J Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 64F S" Argent Painted Steel w/Painted Hub 64F Covers/Center Ornaments 64C Covers/Center Ornaments 64C S" Sparkle Silver Painted Cast Aluminum w/Magnetic Painted Pockets and Bright hub 64Z Overs/Center Ornaments 64Z S" Sparkle Silver Painted Cast Aluminum w/Bright Hub Covers/Center Ornaments 64Z 9.5" Argent Painted Steel (19.5"x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64D Covers/Center Ornaments (19.5" x 6.75") 64M RES Tires (SRW); 6 Tires (DRW) 64M pare Tire required in Rhode Island, optional in all other manufacturers to meet production capacity demands. 7245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8 TD8		-					-						
7" Forged Polished Aluminum w/Bright Hub 64J Covers/Center Ornaments (4 aluminum outer 64J and 2 steel inner) 64F 2" Argent Painted Steel w/Painted Hub 64F Covers/Center Ornaments 64F 2" Bright Machined Cast Aluminum 64C Covers/Center Ornaments 64C Covers/Center Ornaments 648 3" Sparkle Silver Painted Cast Aluminum 648 9.5" Argent Painted Steel (19.5"x 6") 64Z 9.5" Argent Painted Steel (19.5"x 6.75") 64B 0.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6.75") 64B 2.5" Forged Polished Aluminum w/Bright 64M WRES 64M Tires (SRW); 6 Tires (DRW) 64M pare Tire required in Rhode Island, optional in all other 64M of the manufacturers to meet production capacity demands. T245/75Rx17E BSW A/S PLU (F-350 SRW 6 Ge, 2.L Gas (996) and Payload Downgrade TD8		S	—		—		S	—	—	—		—	_
Covers/Center Ornaments (4 aluminum outer and 2 steel inner) 64J 8" Argent Painted Steel w/Painted Hub Cover/Center Ornaments 64F 8" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments 64C 8" Sparkle Silver Painted Cast Aluminum w/Bright Hub Covers/Center Ornaments 648 9.5" Argent Painted Steel (19.5"x 6") 64Z 19.5" Argent Painted Steel (19.5"x 6") 64B 9.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6") 64D 19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64M RES Tires (SRW); 6 Tires (DRW) pare Tire required in Rhode Island, optional in all other manufacturers to meet production capacity demands. T245/75Rx17E BSW A/S PLU (F-350 SRW TD8													
and 2 steel inner) 8" Argent Painted Steel w/Painted Hub 64F 8" Bright Machined Cast Aluminum 64F w/Magnetic Painted Pockets and Bright hub 64C Covers/Center Ornaments 648 8" Sparkle Silver Painted Cast Aluminum 648 w/Bright Hub Covers/Center Ornaments 648 9.5" Argent Painted Steel (19.5"x 6") 642 19.5" Argent Painted Steel (19.5"x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright Hub 64M Covers/Center Ornaments (19.5" x 6.75") 64M IRES Tires (SRW); 6 Tires (DRW) 64M manufacturers to meet production capacity demands. 7245/75Rx17E BSW A/S PLU (F-350 SRW req. 6.2L Gas (996) and Payload Downgrade TD8	_	0			_		0	_		_	_	S	_
Cover/Center Ornaments 04F 3" Bright Machined Cast Aluminum 64C Covers/Center Ornaments 64C 3" Sparkle Silver Painted Cast Aluminum 64Z 3" Sparkle Silver Painted Cast Aluminum 648 %/Bright Hub Covers/Center Ornaments 643 9.5" Argent Painted Steel (19.5"x 6") 642 19.5" Argent Painted Steel (19.5"x 6.75") 64B 20.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright 64M Hub Covers/Center Ornaments (19.5" x 6.75") 64M Tires (SRW); 6 Tires (DRW) 64M pare Tire required in Rhode Island, optional in all other nanufacturers to meet production capacity demands. T245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8													
Cover/Center Ornaments 64C "Bright Machined Cast Aluminum 64C V/Magnetic Painted Pockets and Bright hub 64C Covers/Center Ornaments 648 3" Sparkle Silver Painted Cast Aluminum 648 //Bright Hub Covers/Center Ornaments 642 19.5" Argent Painted Steel (19.5"x 6") 642 19.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6.75") 64B Tires (SRW); 6 Tires (DRW) 64M pare Tire required in Rhode Island, optional in all other 10.5% Argent Painted SP LU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8	s	_											
v/Magnetic Painted Pockets and Bright hub 64C Covers/Center Ornaments 648 3" Sparkle Silver Painted Cast Aluminum 648 y/Bright Hub Covers/Center Ornaments 647 5.5" Argent Painted Steel (19.5"x 6") 648 0.5" Argent Painted Steel (19.5"x 6") 648 0.5" Argent Painted Steel (19.5"x 6") 648 0.5" Forged Polished Aluminum w/Bright Hub 640 Covers/Center Ornaments (19.5" x 6") 64D 19.5" Forged Polished Aluminum w/Bright 64M ub Covers/Center Ornaments (19.5" x 6.75") 64M RES 64M Tires (SRW); 6 Tires (DRW) 64M nanufacturers to meet production capacity demands. 7245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8	3				_			_	_	_		_	
Covers/Center Ornaments 648 8" Sparkle Silver Painted Cast Aluminum 648 w/Bright Hub Covers/Center Ornaments 647 9.5" Argent Painted Steel (19.5"x 6") 642 19.5" Argent Painted Steel (19.5"x 6.75") 648 9.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 648 19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 640 19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64M IRES Tires (SRW); 6 Tires (DRW) 64M manufacturers to meet production capacity demands. T245/75Rx17E BSW A/S PLU (F-350 SRW T245/75Rx17E BSW A/S PLU (F-350 SRW req. 6.2L Gas (996) and Payload Downgrade TD8 TD8													
8" Sparkle Silver Painted Cast Aluminum 648 w/Bright Hub Covers/Center Ornaments 642 9.5" Argent Painted Steel (19.5"x 6") 642 19.5" Argent Painted Steel (19.5"x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6") 64D 19.5" Forged Polished Aluminum w/Bright Hub 64D Lub Covers/Center Ornaments (19.5" x 6.75") 64M IRES Tires (SRW); 6 Tires (DRW) pare Tire required in Rhode Island, optional in all other manufacturers to meet production capacity demands. T245/75Rx17E BSW A/S PLU (F-350 SRW req. 6.2L Gas (996) and Payload Downgrade TD8	—	—	—	—	—	—		—	—	—	S	-	-
w/Bright Hub Covers/Center Ornaments 040 9.5" Argent Painted Steel (19.5"x 6") 64Z 19.5" Argent Painted Steel (19.5"x 6.75") 64B 2.5" Forged Polished Aluminum w/Bright Hub 64D 2.5" Forged Polished Aluminum w/Bright Hub 64D 19.5" Forged Polished Aluminum w/Bright 64M Hub Covers/Center Ornaments (19.5" x 6") 64M Tires (SRW); 6 Tires (DRW) 64M pare Tire required in Rhode Island, optional in all other nall other T245/75Rx17E BSW A/S PLU (F-350 SRW 4D eq. 6.2L Gas (996) and Payload Downgrade TD8													
WBright Hub Covers/Center Ornaments 9.5" Argent Painted Steel (19.5"x 6") 19.5" Argent Painted Steel (19.5"x 6.75") 64B 2.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6") 19.5" Forged Polished Aluminum w/Bright 44D Covers/Center Ornaments (19.5" x 6.75") 64B 19.5" Forged Polished Aluminum w/Bright 44D 64D Covers/Center Ornaments (19.5" x 6.75") 64M RES Tires (SRW); 6 Tires (DRW) pare Tire required in Rhode Island, optional in all other nanufacturers to meet production capacity demands. 17245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8	_	_	_	_		s	_	_		_	_	_	_
19.5" Årgent Painted Steel (19.5" x 6.75") 64B 9.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6") 64D 19.5" Forged Polished Aluminum w/Bright 64D ub Covers/Center Ornaments (19.5" x 6.75") 64M RES 64M Tires (SRW); 6 Tires (DRW) 64M pare Tire required in Rhode Island, optional in all other 64D nanufacturers to meet production capacity demands. 7245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8			-					~					
9.5" Forged Polished Aluminum w/Bright Hub 64D Covers/Center Ornaments (19.5" x 6") 64M 19.5" Forged Polished Aluminum w/Bright 64M Hub Covers/Center Ornaments (19.5" x 6.75") 64M RES Tires (SRW); 6 Tires (DRW) pare Tire required in Rhode Island, optional in all other 10.5% nanufacturers to meet production capacity demands. 1245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8	-	-	S	S	_	—	—	S	S	_	_	-	-
Covers/Čenter Ornaments (19.5" x 6") 04D 19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64M RES 61 Tires (SRW); 6 Tires (DRW) pare Tire required in Rhode Island, optional in all other nanufacturers to meet production capacity demands. T245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8	-	-	-	-	S	-	-		_	S	-		
19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75") 64M RES Tires (SRW); 6 Tires (DRW) pare Tire required in Rhode Island, optional in all other manufacturers to meet production capacity demands. T245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8	_	_	—	—	—	—	—	0	0	_	_	—	S
Hub Covers/Center Ornaments (19.5" x 6.75") RES Tires (SRW); 6 Tires (DRW) pare Tire required in Rhode Island, optional in all other manufacturers to meet production capacity demands. T245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8													1
IRES Tires (SRW); 6 Tires (DRW) pare Tire required in Rhode Island, optional in all other nanufacturers to meet production capacity demands. T245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8	-	-	-	-		-	-	—	—	0	-	-	-
Tires (SRW); 6 Tires (DRW) pare Tire required in Rhode Island, optional in all other nanufacturers to meet production capacity demands. I245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8				l		l	l	 					مسيبي
pare Tire required in Rhode Island, optional in all other nanufacturers to meet production capacity demands. I245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8													
nanufacturers to meet production capacity demands. I245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8	r states	s Snare	may n	ot he th	ne sam	e as ro	ad tire	Ford r	eserve	s the r	right to	shift ti	ro
r245/75Rx17E BSW A/S PLU (F-350 SRW eq. 6.2L Gas (996) and Payload Downgrade TD8		a optile			- Call		and and				-5/11/10		
eq. 6.2L Gas (996) and Payload Downgrade TD8													
		S		_		0	S					S	_
Package (68D))	0												
T245/75Rx17E BSW A/T (F-350 SRW req.	0		1										
6.2L Gas (996) and Payload Downgrade TBM	0		1	_	—	0	0	—	_	-	—	0	—
Package (68D))	0	0	_	1									
T245/75Rx17E OWL A/T (DRW inner rear) TBL		0							—	-	—	0	
T265/70Rx17E OWL A/T(F-350 SRW req.		0	-	_			0						
6.2L Gas (996) Payload Downgrade Package TCD	0		-	—	_	_	0			I —	-	-	-
(68D))			- -	_	_	0	0	_	_				
T275/65Rx18E BSW A/S TCH	0 — 0		-	_	_		0	_	—		0		
	0		-	-	_	 0 	0 —	_	-	_	S		
	0 — 0			-	_		0	_	_	-	5		
F-600 w/ Diesel on Late Availability	0 — 0		-	_ _	-		0	-	_	_	5		
= Regular Cab only, 2 = SuperCab only, 3 = Crew Cab	0 — 0		-	-	-		0 — —	-	-	-	3		

PROPRIETARY

		F⊰	350	XL F-450	F-550	★F- 600	F-3	350	XLT F-450	F-550	★F- 600	F-:	LAF 350	RIAT F-450	F-5
	Order Code		DRW 640A	650A	660A			DRW 643A		663A	683A		DRW 648A	658A	668
TIRES	Code						I	ļ					ļ	ļ	l
I Tires (SRW); 6 Tires (DRW) Spare Tire required in Rhode Island, optional manufacturers to meet production capacity				may n	ot be th	ne sam	e as ro	ad tire	Ford r	eserve	s the r	ight to	shift ti	re	
T275/70Rx18E BSW A/T Plus, 4X4	TDX	0	—	_	_	_	0	_	_	—	_	0	—	—	_
T275/70Rx18E OWL A/T, 4X4	TDU	—	—		—	—	0	_		—		0			_
25/70Rx19.5G BSW A/P (NA w/ XLT Regular Cab 4x2)	TGJ	_	_	S	s	_		_	s	s	_	_	_	S	5
€45/70RX19.5G BSW A/P	TD5	_	_	_		S					S				_
25/70Rx19.5G BSW A/P – 4x2 only	THB	_	_	_	_	-	_	_	S-1	S-1	_	_	_	_	-
22/70Rx19.5G BSW Traction (includes 4 traction tires on the rear and 2 A/P tires on the	THC	-	_	_	_	_	_	_	0-1	0-1	_	_	_	_	-
front.) – 4x2 only 225/70Rx19.5G BSW Traction (includes 4 traction tires on the rear and 2 A/P tires on the	TGM	_	_	0	0	_	_	_	0	0	_	_	_	0	(
front. NA w/ XLT Regular Cab 4x2) 225/70Rx19.5G BSW Traction, 4X4 (includes 4															
traction tires on the rear and 2 traction tires on the front. Not recommended for over the road applications; could incur irregular front tire	TGK	-	_	0	0	—	_	_	0	0	_	-	-	0	(
wear and/or NVH.) ★245/70RX19.5 BSW Traction (includes 6 traction tires.)	TGT	-	_	-	_	0	_	-	_	_	0	-	-	-	-
€245/70Rx19.5 BSW Traction (includes 4															
traction tires on the rear and 2 A/P tires on the front.)	TGU	-	-	-	—	0	_	-	—	—	0	-	-	-	-
Spare Tire, Wheel and Jack (Excludes carrier; includes Hydraulic Jack (61J); required in RI) lack (Two-ton Mechanical – F-350 SRW /	512	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Four-ton Hydraulic – F-350 DRW / Six-ton Hydraulic – F-450, F-550 & ★F-600) (required in RI)	61J	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Spare Tire and Wheel Delete (only available to Pool Accounts for sales to RI)	51D	0	0	0	0	0	0	0	0	0	0	0	0	0	(
ROUPS/PACKAGES (see Packaged Options		pages	for co		conten	t and r	estrict	ions)							
railer Tow Package (NA w/★F-600A)	531			0					—				-	_	
L Value Package	96V 90L			0					S					S	
(LT Value Package	17V			-											
				—					0					_	
	96L			_					0				-	0	
leavy-Service Front Suspension Package (NA				—					_				-	0	
leavy-Service Front Suspension Package (NA w/★F-600) ixtra Heavy-Service Suspension Package (NA	96L 67H 67X			— 0					0 — 0 0				- (
Heavy-Service Front Suspension Package (NA w/★F-600) Extra Heavy-Service Suspension Package (NA w/★F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std	67H			0					0				- ((0	
Lariat Value Package Heavy-Service Front Suspension Package (NA w/★F-600) Extra Heavy-Service Suspension Package (NA w/★F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on ★F-600 (requires 4.30 or 4.88 axle) Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp	67H 67X 67P								0 0 0						
Heavy-Service Front Suspension Package (NA w/★F-600) Extra Heavy-Service Suspension Package (NA w/★F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on ★F-600 (requires 4.30 or 4.88 axle) Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L (99N) or 6.7L (99T) engines on F-350 SRW	67H 67X 67P 68D								0 0 0						
Heavy-Service Front Suspension Package (NA w/★F-600) Extra Heavy-Service Suspension Package (NA w/★F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on ★F-600 (requires 4.30 or 4.88 axle) Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L (99N) or 6.7L (99T) engines on F-350 SRW) 6,000 GVWR Package (avail. on F-450 only)	67H 67X 67P								0 0 0						
Ieavy-Service Front Suspension Package (NA w/★F-600) Extra Heavy-Service Suspension Package (NA w/★F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on ★F-600 (requires 4.30 or 4.88 axle) Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L (99N) or 6.7L (99T) engines on F-350 SRW) 6,000 GVWR Package (F-550 only w/7.3L	67H 67X 67P 68D								0 0 0						
Ieavy-Service Front Suspension Package (NA w/★F-600) Extra Heavy-Service Suspension Package (NA w/★F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on ★F-600 (requires 4.30 or 4.88 axle) Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L (99N) or 6.7L (99T) engines on F-350 SRW) 6,000 GVWR Package (avail. on F-450 only) Payload Upgrade Package (F-550 only w/7.3L Gas and 145" WB) Payload Plus Upgrade Package (avail. on F- 550 only)	67H 67X 67P 68D 68L														
Heavy-Service Front Suspension Package (NA w/★F-600) Extra Heavy-Service Suspension Package (NA w/★F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on ★F-600 (requires 4.30 or 4.88 axle) Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L (99N) or 6.7L (99T) engines on F-350 SRW) 6,000 GVWR Package (avail. on F-450 only) Payload Upgrade Package (F-550 only w/7.3L Gas and 145" WB) Payload Plus Upgrade Package (avail. on F- 550 only) Snow Plow Prep Package (req. 4x4 on F-350; NA on ★F-600)	67H 67X 67P 68D 68L 68U														
Heavy-Service Front Suspension Package (NA w/★F-600) Extra Heavy-Service Suspension Package (NA w/★F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on ★F-600 (requires 4.30 or 4.88 axle) Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L (99N) or 6.7L (99T) engines on F-350 SRW) 6,000 GVWR Package (avail. on F-450 only) Payload Upgrade Package (F-550 only w/7.3L Gas and 145" WB) Payload Plus Upgrade Package (avail. on F- 550 only) Show Plow Prep Package (req. 4x4 on F-350; NA on ★F-600) tote: Reference alternator chart for required engine / alternator requirements railer Tow Package – High Capacity (avail. on	67H 67X 67P 68D 68L 68U 68M 473														
Ideavy-Service Front Suspension Package (NA w/★F-600) Extra Heavy-Service Suspension Package (NA w/★F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on ★F-600 (requires 4.30 or 4.88 axle) Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L (99N) or 6.7L (99T) engines on F-350 SRW) 6,000 GVWR Package (avail. on F-450 only) Payload Upgrade Package (F-550 only w/7.3L Gas and 145" WB) Payload Plus Upgrade Package (avail. on F- 550 only) Snow Plow Prep Package (req. 4x4 on F-350; NA on ★F-600) Iote: Reference alternator chart for required engine / alternator requirements Trailer Tow Package – High Capacity (avail. on F-450 & F-550 only; reqs. 6.7L Engine (99T)) ow Deflection Package (avail. on F-450, F-	67H 67X 67P 68D 68L 68L 68U 68M														
Heavy-Service Front Suspension Package (NA w/ \star F-600) Extra Heavy-Service Suspension Package (NA w/ \star F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on \star F-600 (requires 4.30 or 4.88 axle) Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L (99N) or 6.7L (99T) engines on F-350 SRW) 6,000 GVWR Package (avail. on F-450 only) Payload Upgrade Package (F-550 only w/7.3L Gas and 145" WB) Payload Plus Upgrade Package (avail. on F- 550 only) Snow Plow Prep Package (req. 4x4 on F-350; NA on \star F-600) Jote: Reference alternator chart for required engine / alternator requirements railer Tow Package – High Capacity (avail. on F-450 & F-550 only; reqs. 6.7L Engine (99T)) .ow Deflection Package (avail. on F-450, F- 550 \star F-600 only (NA w/4x4 w/145"WB)) 2NG/Propane Gaseous Engine Prep Package	67H 67X 67P 68D 68L 68U 68W 473 535														
Heavy-Service Front Suspension Package (NA w/ \star F-600) Extra Heavy-Service Suspension Package (NA w/ \star F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on \star F-600 (requires 4.30 or 4.88 axle) Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w7 .3L (99N) or 6.7L (99T) engines on F-350 SRW) 6,000 GVWR Package (avail. on F-450 only) Payload Upgrade Package (F-550 only w/7.3L Gas and 145" WB) Payload Plus Upgrade Package (avail. on F- 550 only) Snow Plow Prep Package (req. 4x4 on F-350; NA on \star F-600) Mote: Reference alternator chart for required engine / alternator requirements Trailer Tow Package – High Capacity (avail. on F-450 & F-550 only; reqs. 6.7L Engine (99T)). ow Deflection Package (avail. on F-450, F- 550 & \star F-600 only (NA w/4x4 w/145"WB)) DNG/Propane Gaseous Engine Prep Package (req. 7.3L Gas Engine w/ F-450, F-550 or \star F- 600)	67H 67X 67P 68D 68L 68U 68M 473 535 86S 98G														
leavy-Service Front Suspension Package (NA w/ \star F-600) xtra Heavy-Service Suspension Package (NA w/ \star F-600) xtra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on \star F-600 (requires 4.30 or 4.88 axle) ayload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L (99N) or 6.7L (99T) engines on F-350 SRW) 6,000 GVWR Package (avail. on F-450 only) ayload Upgrade Package (F-550 only w/7.3L Gas and 145" WB) ayload Plus Upgrade Package (avail. on F- 550 only) now Plow Prep Package (req. 4x4 on F-350; NA on \star F-600) lote: Reference alternator chart for required engine / alternator requirements railer Tow Package – High Capacity (avail. on F-450 & F-550 only; reqs. 6.7L Engine (99T)) ow Deflection Package (avail. on F-450, F- 550 & \star F-600 only (NA w/4x4 w/145"WB)) NG/Propane Gaseous Engine Prep Package (req. 7.3L Gas Engine w/ F-450, F-550 or \star F- 600) NG/Propane Gaseous Engine Prep Package (avail. on F-350 w/6.2L engine only) – Late Availability	67H 67X 67P 68D 68L 68U 68W 473 535 86S 98G 98F		for co					ions							
Heavy-Service Front Suspension Package (NA w/ \star F-600) Extra Heavy-Service Suspension Package (NA w/ \star F-600) Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on \star F-600 (requires 4.30 or 4.88 axle) Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L	67H 67X 67P 68D 68L 68U 68W 473 535 86S 98G 98F	pages	for col		conter	t and r	estrict	ions) (IEd)					

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

S = Standard, O = Optional, P = Packaged Option F = Fleet Only Option

PROPRIETARY

		XL 🛨 E	XLT = 350 = 450 = 550 ★F-	LARIAT						
		F-350 F-450 F-550 ★F- 600 SRW DRW	F-350 F-450 F-550 600 SRW DRW	F-350 F-450 F-55 SRW DRW						
	Order Code	630A 640A 650A 660A 680A	633A 643A 653A 663A 683A	638A 648A 658A 668A						
FUNCTIONAL	Code									
Aft-Axle Frame Extension (req. 145" or 169" wheelbase) – F-450/F-550 only (145" Wheelbase/60" CA – 42.4" aft-of-axle frame extension increases AF dimension to 89.4")										
(169" Wheelbase/84" CA – 32.4" aft-of-axle frame extension increases AF dimension to 79.6"; NA w/ ★Audible Lane Departure Warning (60C) or ★Pre-Collision Assist with	63C	Ο	Ο	_						
AEB (94P)) Engine Block Heater	41H	0	0	0						
Skid Plates – Transfer Case (4X4 only)	41P	Ő	Ő	Ő						
Transmission Power Take-Off Provision (all engines include Mobile and Stationary PTO modes; 6.2L req. 4.30 final drive ratio; std on 6.7L Power Stroke® Diesel engine; std on ★F- 600A: required with XLT F-450/F-550 Regular	62R	0	0	ο						
Cab 4x2 w/ 7.3L gas engine (99N)) Programmable Engine Idle Shutdown – 5	86A	0	0							
minute Programmable Engine Idle Shutdown – 10		-								
minute Programmable Engine Idle Shutdown – 15	86B	0	0	—						
minute	86C	0	0	—						
Programmable Engine Idle Shutdown – 20 minute	86D	0	0	—						
Operator Commanded Regeneration (req. 6.7L Power Stroke® Diesel engine) Dual Battery (Dual 78 AH; req. 6.2L.Gas or	98R	0	0	—						
7.3L Gas engine; std on XL w/ 110V/400W Outlet (43C) and 7.3L Gas engine; std on XLT and Lariat w/ 7.3L Gas engine)	86M	S/O	S/O	S/O						
Upfitter Interface Module	18A	0	0	0						
Alternators (*Refer to alternator chart for futh 332 Amp Alternators (req. 6.7L Power Stroke® Diesel engine; required with 110V/400W Outlet (43C) and Snow Plow Pkg. (473) when the 6.7L is ordered; NA 6.2L)	67A	S	S	S						
397 Amp Alternators (req. 6.7L Power Stroke® Diesel engine; required with Rapid-Heat Supplemental Cab Heater (41A), Ambulance (47A/47L) or Fire Truck (47J/47K); req. 7.3L Gas reqs. Dual Battery (86M) – std on Lariat, required with 110V/400W Outlet (43C) or Snowplow (473) on XL & XLT; NA 6.2L or 6.8L)	67B	S/O	S/O	S/O						
240 Amp Alternator (Opt. XL/XLT w/6.2L engine; required with 110V/400W Outlet (43C) and Snow Plow Pkg. (473) when the 6.2L is ordered; NA w/67A or 6.7L)	67E	S/O	S/O	S						
Fuel Tanks 26.5 Gallon Mid Ship (NA w/193" WB Regular Cabs & 203.4" WB Crew Cabs equipped w/gas engines; included with F-350 SRW w/Payload Downgrade Pkg. (68D); removes 40 gallon fuel tank)	65M	Ο	Ο	0						
Dual Diesel – combines 40 gallon aft-of-axle & 26.5 gallon mid ship tank (req. DRW)	65C	0	0	_						
Trailer Towing Equipment Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals (included w/ Power Equipment Group (90L) on XL)	54K	P-90L	S	_						
FUNCTIONAL (continued) *Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals, 102" Width; DRW only; req. Power Equipment Group (90L) on XL; NA w/ 6.2L gas engine (996), Fog Lamps (595), F-350 4x2, *Audible Lane Departure Warning (60C) or *Pre-Collision Assist with AEB (94P); Utility Lighting System (63A) is std on XL and XLT)	54L	0-1	O-1	_						

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only \Box = New for this model year

S = Standard, O = Optional, P = Packaged Option F = Fleet Only Option

PROPRIETARY

	UPI	UNAL EQUIPI		
	Order Code	XL F-350 F-450 F-550 ★F- 600 SRW DRW 630A 640A 650A 660A 680A	XLT F-350 F-450 F-550 ★ F- 600 SRW DRW 633A 643A 653A 663A 683A	LARIAT F-350 F-450 F-550 SRW DRW 638A 648A 658A 668A
Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights)	54F	_	0	S
Utility Lighting System (LED Side-mirror Spotlights) (req. Manual Telescoping (54K); std on XLT when ordering 54F)	63A	0	O/S	S
Trailer Brake Controller (TBC) (Verified to be compatible with electronic actuated drum brakes only. NA w/531 Trailer Tow Pkg.; includes Smart Trailer Tow Connector) Steps	52B	Ο	S	S
Platform Running Boards	18B	0	0	0
KEY EXTERIOR OPTIONS				
 ★Audible Lane Departure Warning (reqs. ★Pre-Collision Assist with Automatic Emergency Braking (AEB) and Forward Collision Warning; NA w/★F-600, XLT F- 450/550 Regular Cab 4x2 or Aft-Axle Frame Extension (63C)) 	60C	ο	Ο	0
★Pre-Collision Assist with Automatic Emergency Braking (AEB), Automatic High Beam and Forward Collision Warning (NA w/ ★F-600, XLT F-450/550 Regular Cab 4x2 or Aft-Axle Frame Extension (63C))	94P	ο	ο	0
Center High-Mounted Stop Lamp (CHMSL) (opt. for vehicles with GVWR over 10,000 lbs.; required with Payload Downgrade Package (68D) for vehicles with GVWR 10,000 lbs. or less)	59H	ο	Ο	0
Rear View Camera and Prep Kit (includes loose camera, wiring bundle)	872	0	0	0
FOG Lamps (reqs. XL Décor (17F) on XL; NA w/ ★F-600, XLT F-450/550 Regular Cab 4x2, Manual Telescoping Mirror w/102" width (54L) and Aft-Axle Frame Extension (63C))	595	0	Ο	S
*Heated Windshield Wiper Park (includes Rain-Sensing Windshield Wipers) Rear-windows	60W	-	-	0
Defrost with Fixed and Privacy Glass (Privacy Glass is standard on XLT; XL req. Privacy Glass (924) and XL Power Equipment Group (90L))	43B	0	Ο	_
Power-Sliding w/Defrost and Privacy Glass (XL req. 90L Power Equipment Group; 924 Privacy Glass is standard on XLT; includes Driver/Passenger sun visors w/illuminated vanity covered mirrors)	435/924	O-2,3	O-2,3	S
KEY INTERIOR OPTIONS	400			
Floor Mats, All-Weather Carpet Delete (XLT & Lariat replaced w/black flooring)	16S 166	S	0-2,3 0	O-2,3 O
Rapid-Heat Supplemental Cab Heater (Optional in all states with 6.7L Power Stroke® Diesel engine)	41A	0	0	0
KEY INTERIOR OPTIONS (continued) 110V/400W Outlet (with 40/20/40 seats, there is one in-dash mounted outlet; 2 nd outlet in the console req. 40/Console/40 seats; req. 332 Amp Dual Alternators (67A) with 6.7L Power Stroke® Diesel engine or 240 Amp Single Alternator (67E) with 6.2L 2 Valve Gas Engine or 397 Amp Dual Alternators (67B) with 7.3L Gas Engine)	43C	0	S	S
Remote Štart System (req. 90L Power Equipment Group)	76S	0	Ο	0 P-96L

Ford Division

PROPRIETARY

	UFI		QUIF					
		XL			XLT		LARIAT	
			F-550 ★F- 600	F-350	F-450 F-550	★F- 600 F-	350 F-450	F-550
		SRW DRW	600	SRW DRW		600	DRW	
	Order Code	630A 640A 650A	660A 680A	A 633A 643A	653A 663A	683A 638A	648A 658A	668A
Audio	Code							1
SYNC® 3								
 Enhanced Voice Recognition Communication and Entertainment System 8" LCD Capacitive Touchscreen in Center Stack with Swipe Capability Pinch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation System AppLink® 911 Assist® Apple CarPlay[™] and Android Auto[™] Capability Smart-Charging USB-C Ports – two (2) 	913	_			S		S	
SiriusXM® Radio Note: Includes a six (6)-month prepaid subscription. Service is not available in Alaska and Hawaii. Note: SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes	395	0			S		S	
apply. To cancel you must call SiriusXM at 1- 866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc – adds one (1) I/P mounted center speaker on XL only Voice-Activated Touchscreen Navigation								
System with Pinch-to-Zoom Capability, SiriusXM Radio Traffic and Travel Link® Note: SiriusXM Traffic and Travel Link® includes a five (5)-year prepaid subscription. SiriusXM Traffic and Travel Link® service is not available in Alaska and Hawaii Note: After your trial period ends, Sirius XM audio and data services each require a subscription sold separately, or as a package, by SiriusXM Radio Inc. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Trial subscriptions not available in Alaska and Hawaii.	21N	_			O		Ο	
Front-Seats (See Color & Trim Availability pa Cloth, 40/20/40 Split Bench	ge for additi	ional information)						
Vinyl, 40/Mini Console/40	L	0			_		—	
Cloth, 40/Mini Console/40 Cloth, 40/Console/40	4	0			0-2,3		_	
Leather, 40/20/40 Split Bench	6	-					0	
Driver Heated Seat w/ Variable Temperature – req. XLT Value Pkg (17V) and Power-Sliding w/Defrost (435) or Defrost with Fixed (43B)	90A	-			O-2,3		_	
Rear-Seats Heated Seats (req. 40/Console/40 front-seat; req. 96L Lariat Value Pkg.)	90R	—			_		O-3	
KEY INTERIOR OPTIONS (continued) LPO/FLEET OPTIONS (Requires Valid FIN Co	de) (see Pad	kaged Options/Emi	ssions page	s for complete	content and re	estrictions o	n packages)	
Ambulance Prep Package – req. 6.7 Power Stroke® Diesel Engine (99T) or 7.3L Gas	47A	F			F			
Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions – req. 6.7 Power Stroke® Diesel Engine (99T)	47L	F			F		—	
Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine – req. 6.7 Power Stroke® Diesel Engine (99T)	47J	F			F		_	
Adjustable Pedals Cruise Control (steering wheel-mounted)	62M 525	— —			F		_	
Shallos Control (Sconing Wiles-Mounted)	525	I F		I		ļ		

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only \Box = New for this model year

S = Standard, O = Optional, P = Packaged Option F = Fleet Only Option

PROPRIETARY

				XL					XLT				LAF	RIAT	
		F-3	50	F-450	F-550	★F- 600	F-3	50	F-450	F-550 🕇	★F- 600	F- F-3		F-450	F-550
		SRW	DRW				SRW	DRW				SRW	DRW		
	Order Code	630A	640A	650A	660A	680A	633A	643A	653A	663A	683A	638A	648A	658A	668/
Daytime Running Lamps (DRL) (the non- controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL) (On/Off Cluster Controllable)	942			F	•	•			F				-		
Speed Limitation – 65-mph governed top speed	926			F					F				-	_	
Speed Limitation – 75-mph governed top speed	927			F					F				-	_	
TPMS Delete (optional on F-350 SRW over 10,000 lbs. GVWR)	18L			F					F				I	F	
Bright Grille (reqs. XL Décor Group (17F))	63G			F					S				-	_	
XL Décor Group	17F			F					—				-	_	
FORD ACCESSORIES, PRE-INSTALLED															
Hood Deflector – Black Molded	87H			0					0				(C	
Vehicle Safe by Console Vault (reqs. Seat- Bucket 40/console/40)	21X			—					0				(C	
Exterior Backup Alarm	76C			0					0				(C	
LED Warning Strobes – Amber (req. Center High-mounted Stop Lamp (CHMSL); includes center high-mounted stop light bar and two (2) hood mounted lights)	91S			0					0				(C	
LED Warning Strobes – Amber-White (req. Center High-mounted Stop Lamp (CHMSL); includes center high-mounted stop light bar and two (2) hood mounted lights)	91G			0					0				(C	
Splash Guards/Mud Flaps – Front only (optional on F-350 only)	61S			0					0				(C	
Stainless Steel Wheel Covers – Front & Rear (NA F-350 SRW; req. 64K 17" Argent Painted Steel Wheel or 64Z 19.5" Argent Painted Steel Wheel)	945			0					0				-	_	
Wheel Well, Front	61L			0					0				(C	

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600)

PROPRIETARY

(,
COLOR &	TRIM	AVAILA	BILITY

				OR AND SEAT C	OLOR
		ERIOR COLOR	Medium Earth Gray	Camel	Black
XL	HD Vinyl, 40/20/40 Split Bench w/center armrest, cupholder an manual lumbar (driver's side only)	•	AS		
	 Cloth, 40/20/40 Split Bench w/center armrest, cupholder and st lumbar (driver's side only) 	torage manual	1S		
	 Vinyl, 40/Mini Console/40 manual lumbar (driver's side only) Cloth, 40/Mini Console/40 manual lumbar (driver's side only) 		LS 4S		
	• Cloth, 40/20/40 split bench, 20% center under-seat storage, w/				
(LT	cupholder and storage, four-way adjustable driver/passenger her manual lumbar (driver's side only)		3S	3A	
	 Cloth, 40/Console/40; four-way adjustable driver/passenger he manual lumbar (driver's side only); Flow-through Console with 1 outlet in rear (SuperCab & Crew Cab Only). 		2S	2A	
	• Front, leather seating surfaces, 40/Console/40; 10-way power of				
Lariat	passenger seating, four-way adjustable driver/passenger headre 60/40 Rear Bench w/partitioned locking under-seat storage and	12V		5A	5B
	 Powerpoint, Flow-through Console with 110v/150w Inverter outle Front, leather seating surfaces, 40/20/40 Split Bench; 10-way p 				
	and passenger seating, four-way adjustable driver/passenger he matching 60/40 Rear Bench w/partitioned locking under-seat sto	adrests,		6A	6B
	Powerpoint EXTERIOR COLOR	MONOTONE		Availability	
۲L				· ·	
	Black ¹	UM	•		
	Jeans ¹ S Silver ¹	N1 JS	•		
Magn		J3 J7	•		
	d White	Z1	•		
Race		PQ	•		
	e Gray ¹	D1	•		
XLT					
Anate					
rigate	e Black ¹	UM	•	•	
	∋ Black¹ Jeans¹	UM N1	•	•	
Blue . Iconic	Jeans ¹ : Silver ¹	_		• • •	
Blue 、 ★ Iconic ★ Rapid	Jeans ¹ : Silver ¹ I Red Metallic Tinted Clearcoat ^{2 3}	N1 JS D4	•	• • • •	
Blue ↓ Iconic Rapid Magn	Jeans ¹ : Silver ¹ I Red Metallic Tinted Clearcoat ^{2 3} etic ¹	N1 JS D4 J7	•	• • • -	
Blue ↓ ★ Iconic ★ Rapid Magn Oxfor	Jeans ¹ 5 Silver ¹ I Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White	N1 JS D4 J7 Z1	•	• • • -	
Blue ↓ Iconic ★Rapid Magn Oxfor Race	Jeans ¹ : Silver ¹ I Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red	N1 JS D4 J7 Z1 PQ	• • • •	• • • -	
Blue ↓ ★ Iconic ★ Rapid Magn Oxfor Race Silver	Jeans ¹ Silver ¹ Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3}	N1 JS D4 J7 Z1 PQ BN	• • • •	• • • - • •	
Blue ↓ Iconic ★ Rapid Magn Oxfor Race Silver Stone	Jeans ¹ Silver ¹ I Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3} e Gray ¹	N1 JS D4 J7 Z1 PQ BN D1	• • • • •	• • • • • •	
Blue ↓ ★ Iconic ★ Rapid Magn Oxfor Race Silver Stone ★ Veloc	Jeans ¹ Silver ¹ I Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3} e Gray ¹ ity Blue ^{1 3}	N1 JS D4 J7 Z1 PQ BN	• • • •	• • • • • • • • • •	
Blue S + Iconic + Rapid Magn Oxfor Race Silver Stone + Veloc - ARIAT	Jeans ¹ S Silver ¹ I Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3} e Gray ¹ ity Blue ^{1 3}	N1 JS D4 J7 Z1 PQ BN D1 E7	• • • • •		
Blue * Iconic * Rapid Magn Oxfor Race Silver Stone * Veloc ARIAT Agate	Jeans ¹ c Silver ¹ I Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red · Spruce ^{1 3} e Gray ¹ ity Blue ^{1 3}	N1 JS D4 J7 Z1 PQ BN D1 E7 UM	• • • • •	•	•
Blue * Iconic * Rapid Magn Oxfor Race Silver Stone * Veloc ARIAT Agate Blue	Jeans ¹ S Silver ¹ I Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3} e Gray ¹ ity Blue ^{1 3} Black ¹ Jeans ¹	N1 JS D4 J7 Z1 PQ BN D1 E7 UM N1	• • • • •		٠
Blue * Iconic * Rapid Magn Oxfor Race Silver Stone * Veloc ARIAT Agate Blue * Iconic	Jeans ¹ c Silver ¹ Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3} e Gray ¹ ity Blue ^{1 3} Black ¹ Jeans ¹ c Silver ¹	N1 JS D4 J7 Z1 PQ BN D1 E7 UM N1 JS	• • • • •	• • •	•
Blue * Iconic * Rapid Magn Oxfor Race Silver Stone * Veloc Agate Blue * Iconic * Rapid	Jeans ¹ c Silver ¹ Hed Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3} e Gray ¹ ity Blue ^{1 3} Black ¹ Jeans ¹ c Silver ¹ Hed Metallic Tinted Clearcoat ²	N1 JS D4 J7 Z1 PQ BN D1 E7 UM N1 JS D4	• • • • •	•	٠
Blue * Iconic * Rapid Magn Oxfor Race Silver Stone * Veloc Agate Blue * Iconic * Rapid Magn	Jeans ¹ c Silver ¹ Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3} e Gray ¹ ity Blue ^{1 3} Black ¹ Jeans ¹ c Silver ¹ Red Metallic Tinted Clearcoat ² etic ¹	N1 JS D4 J7 Z1 PQ BN D1 E7 UM N1 JS D4 J7	• • • • •	• • • -	• • •
Blue * Iconic * Rapid Magn Oxfor Race Silver Stone * Veloc Agate Blue * Iconic * Rapid Magn Oxfor	Jeans ¹ c Silver ¹ Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3} e Gray ¹ ity Blue ^{1 3} Black ¹ Jeans ¹ c Silver ¹ Red Metallic Tinted Clearcoat ² etic ¹ d White	N1 JS D4 J7 Z1 PQ BN D1 E7 UM N1 JS D4 J7 Z1	• • • • •	• • •	• • • • •
Blue * Iconic * Rapid Magn Oxfor Race Silver Stone * Veloc Agate Blue * Iconic * Rapid Magn Oxfor Race	Jeans ¹ c Silver ¹ Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3} e Gray ¹ ity Blue ^{1 3} Black ¹ Jeans ¹ c Silver ¹ Red Metallic Tinted Clearcoat ² etic ¹ d White Red	N1 JS D4 J7 Z1 PQ BN D1 E7 UM N1 JS D4 J7 Z1 PQ	• • • • •	• • • - •	• • • •
Blue * Iconic * Rapid Magn Oxfor Race Silver Stone * Veloc Agate Blue * Iconic * Rapid Magn Oxfor Race	Jeans ¹ c Silver ¹ Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3} e Gray ¹ ity Blue ^{1 3} Black ¹ Jeans ¹ c Silver ¹ Red Metallic Tinted Clearcoat ² etic ¹ d White Red Spruce ¹	N1 JS D4 J7 Z1 PQ BN D1 E7 UM N1 JS D4 J7 Z1 PQ BN	• • • • •	• • • -	• • • • •
Blue * Iconic * Rapid Magn Oxfor Race Silver Stone * Veloc Agate Blue * Iconic * Rapid Magn Oxfor Race Silver * Star V	Jeans ¹ c Silver ¹ Red Metallic Tinted Clearcoat ^{2 3} etic ¹ d White Red Spruce ^{1 3} e Gray ¹ ity Blue ^{1 3} Black ¹ Jeans ¹ c Silver ¹ Red Metallic Tinted Clearcoat ² etic ¹ d White Red	N1 JS D4 J7 Z1 PQ BN D1 E7 UM N1 JS D4 J7 Z1 PQ	• • • • •	• • • - •	• • • •

² Extra Charge Paint

★ = New for this model year

³ NA w/ *F-600, XLT F-450/550 Regular Cab 4x2, Manual Telescoping Mirror w/102" width (54L) and Aft-Axle Frame Extension (63C)

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) COLOR & TRIM AVAILABILITY

FLEET ONLY EXTERIOR COLORS – (REQUIRES VALID FIN CODE) ⁴	MONOTONE	Availability				
XL						
★Green ⁵	GR	•				
★Green Gem ⁵	W6	•				
★Orange ⁵	MB	•				
★School Bus Yellow	BY	•				
★Vermillion Red ⁵	E4	•				
★Yellow ⁵	AT	•				
XLT						
★Green ⁵	GR	•	•			
★Green Gem ⁵	W6	•	•			
★Orange ⁵	MB	•	•			
★School Bus Yellow	BY	•	•			
★Vermillion Red ⁵	E4	•	•			
★Yellow ⁵	AT	•	•			

⁴ Fleet only exterior colors will be priced as VSO colors.

⁵ NA w/ ★ F-600, XLT F-450/550 Regular Cab 4x2, Manual Telescoping Mirror w/102" width (54L) and Aft-Axle Frame Extension (63C)

★ = New for this model year

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) PACKAGED OPTIONS/EMISSIONS

XL VALUE PACKAGE (96V)

Availability:

Optional on XL

Includes:

- Bright chrome hub covers and center ornaments (F-350 SRW only)
- Chrome front bumper
- Cruise Control(steering wheel-mounted)

XL DÉCOR GROUP (17F)

Availability:

- Optional on XL (Fleet Only)
- Includes:
- Bright chrome hub covers and center ornaments (F-350 SRW only)

Chrome front bumper

- **Options Available:**
- Chrome/Bright Grille (63G)

POWER EQUIPMENT GROUP (90L)

- Availability:
- Optional on XL
- Standard on XLT and Lariat

Includes:

- Accessory Delay
- Advanced Security Pack (Incl. SecuriLock® Passive Anti-Theft System (PATS) and Inclination / Intrusion Sensors)
- Manual-folding, manually-telescoping; power glass trailer tow mirrors with heated glass, heated convex spotter mirror, integrated clearance lamps/turn signals (XL & XLT only)
- MyKey® owner controls feature
- Power 1st row (front-seat) windows w/one-touch up/down
- Power 2nd row (rear-seat) windows (Super/Crew Cab)
- Power locks
- Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Sidemirror Spotlights) (54F) (Lariat only)
- Remote keyless entry
- SecuriLock® Passive Anti-Theft System (PATS) (XLT and Lariat Only)
- Upgraded door-trim panel XL

Deletes:

- Passenger side lock cylinder
- **Options Available:**
- Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Sidemirror Spotlights) (54F) (XLT only)

XLT VALUE PACKAGE (17V)

Availability:

Optional on XLT

Includes:

- Autolock/Auto unlock
- Power-Adjustable Pedals not available on regular cab
- Power Driver's Seat (eight-way)
- SecuriCode™ keyless entry keypad (driver's side)

LARIAT VALUE PACKAGE (96L) Availability:

Optional on Lariat

Includes:

- Easy Entry/Exit Memory Driver's Seat Feature
- Power-Adjustable Pedals with Memory
- Power Heated/Ventilated Driver/Passenger Seat with Driver Side Memory
- PowerScope® Trailer Tow Mirrors with Memory
- Remote Start System

WRECKER PACKAGE (474)

- Availability:
- Optional on XL and XLT F-450

Not available with:

- Heavy-Service Front Suspension Package (67H)
- Snow Plow Prep Package (473)
- Extra Heavy-Service Suspension Package (67X)
- Extra Heavy-Duty Front End Suspension 7,500 FGAWR (67P)
- Requires:
- Regular Cab
- 145" WB
- Includes:
- 7K Front Springs
- 19.5K Rear Springs
- 2" Rear Spacer Block (4x2 only)
- Note 1: May result in a deterioration of ride quality
- Note 2: Vehicle ride height will increase w/the addition of this package

TRAILER TOW PACKAGE (531)

- Availability:
- Optional on XL

Not available with:

- Ambulance Prep Packages (47A/47L) or Trailer Brake Controller (52B)
- ★ F-600

Includes:

- Aftermarket trailer brake wiring kit
- Trailer Brake Controller not included
- NOTE: Salespersons Source Book or Ford RV Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability.

TRAILER TOW PACKAGE – HIGH CAPACITY (535) Availability:

• Optional on all F-450 and F-550

Not available with:

- Ambulance Prep Packages (47A/47L)
- Requires:
- 6.7L Power Stroke® Diesel engine (99T)
- 4.30 Limited-slip rear-axle (X4L) available on F-450 (or F-550 w/Base Payload or Payload Downgrade Package (68D))
- 4.88 Limited-slip rear-axle (X8L) available on F-550 w/Payload Plus Upgrade Package (68M)

Includes:

- Trailer brake wiring kit (not included if 52B Trailer Brake Controller is ordered)
- Increase GCW on diesel engine from 32,500 lbs. to 35,000 lbs. (F-450)
- Increase GCW on diesel engine from 32,500 lbs. to 40,000 lbs. (F-550)
- Upgraded rear-axle
- Trailer brake controller not included
- NOTE: Salesperson's Portfolio or Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability. See Supplemental Reference for vehicle height consideration.

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) PACKAGED OPTIONS/EMISSIONS

SNOW PLOW PREP PACKAGE (473)

Availability:

- Optional on all Chassis Cabs
- Not available with:

★ F-600

 Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Packages (47A/47L) or Fire/Rescue Prep Package w/EPA Special Emissions
 For Diesel Engine (47J)

Requires:

• 4x4 (F-350 only)

Includes:

- 332 Amp Dual Alternators (67A) Diesel Engine
- 200 Amp Single Alternator (67D) XL with 6.2L Gas Engine
- 240 Amp Single Alternator (67E) XLT and Lariat with 6.2L Gas Engine
- 397 Amp Dual Alternator (67B) XLT with 7.3L Gas Engine
- Pre-selected springs (See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations)
- NOTE 1: Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details.

NOTE 2: Also allows for the attachment of a winch

HEAVY-SERVICE FRONT SUSPENSION PACKAGE (67H) Availability:

Optional on all Chassis Cabs

Usage:

• Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

• Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Extra Heavy-Service Suspension Package (67X)

★ F-60ÓA

Includes:

- Heavy-service front springs. (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)
- NOTE 1. May result in a deterioration of ride quality.
- NOTE 2: Vehicle ride height will increase w/the addition of this package

EXTRA HEAVY-SERVICE SUSPENSION PACKAGE (67X) Availability:

• Optional on all Chassis Cabs

Usage:

• Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

• Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Heavy-Service Front Suspension Package (67H)

★ F-600A

Includes:

 Extra heavy-service front springs (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: May result in a deterioration of ride quality.

NOTE 2: Vehicle ride height will increase w/the addition of this package

EXTRA HEAVY DUTY FRONT END SUSPENSION – 7500 GAWR (67P)

Availability:

- Optional on F-450 or F-550
- Standard on ★F-600
- Usage:
- Incomplete vehicle package req. further manufacture and certification by a final stage manufacturer
- Not available with:
- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X)

Includes:

- (3) Unique Front Axle
 - 7500 LB GAWR for 4x2 Chassis
 - 7500 LB GAWR for 4x4 Chassis @ 4.30 Ratio
 - 7500 LB GAWR for 4x4 Chassis @ 4.88 Ratio
- Max 7500 lbs. Front Springs/GAWR rating for configuration selected

AMBULANCE PREP PACKAGE (47A)

Availability:

Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances only if equipped w/the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package to produce an ambulance voids the Ford warranty

Not available with:

 Snow Plow Prep Package (473), Trailer Tow Package (531), Trailer Tow Package – High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package w/Special Emissions (47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- 7.3L Gas engine (99N)
- Includes:
- 397 Amp Alternator (67B)
- 7000 lbs. Max Front Springs/GAWR rating for configuration selected
- Operator Commanded Regeneration (OCR) 6.7L Power Stroke® Diesel engine (99T) only
- 4.10 Limited-slip "Wide track" axle included w/F-350 DRW (X4W) 6.7L Power Stroke® Diesel engine (99T) only
- 4.30 Limited-slip "Wide track" axle included w/F-350 DRW (X4X) 7.3L Gas engine (99N) only

Options Available:

- Electronic-locking rear-axle optional w/F-350 SRW
- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)
- NOTE: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) PACKAGED OPTIONS/EMISSIONS

NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%

AMBULANCE PREP PACKAGE W/EPA SPECIAL **EMERGENCY VEHICLE EMISSIONS (47L)** Availability:

Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package req. further manufacture and ٠ certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances with special emissions only if equipped w/the Ford Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package w/EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty

Not available with:

Snow Plow Prep Package (473), Trailer Tow Package (531), Trailer Tow Package - High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package (47A) or Fire/Rescue Prep Package w/EPA Special Emissions - For Diesel Engine (47J)

Requires:

6.7L Power Stroke® Diesel engine (99T)

Includes:

- 397 Amp Alternator (67B)
- 7000 lbs.Max Front Springs/GAWR rating for configuration selected
- Operator Commanded Regeneration (OCR) •
- "Wide track" axle included w/F-350 DRW (X4W)

Options Available:

- Electronic-locking rear-axle optional w/F-350 SRW
- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)
- NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.
- NOTE 2: Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation
- NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%
- NOTE 4: Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.
- NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

FIRE/RESCUE PREP PACKAGE W/EPA SPECIAL **EMISSIONS - FOR DIESEL ENGINE (47J)** Availability:

Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package req. further manufacture and certification by a final stage manufacturer
- Ford urges fire/rescue vehicle manufacturers to follow the ٠ recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).

Not available with:

Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X) or Ambulance Prep Packages (47A/47L)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- Includes:
- 397 Amp Alternator (67B)
- 7000 lbs. Max Front Springs/GAWR rating for configuration selected
- Operator Commanded Regeneration (OCR)
- NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.
- NOTE 2: Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation
- ★ = New for this model year

- NOTE 4: Must meet the definition of an Emergency Vehicle, "an
- Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.
- NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

PAYLOAD DOWNGRADE PACKAGE (68D) Availability:

- Required on F-350 SRW w/17" wheels/tires
- Optional on F-350 SRW w/18" wheels/tires, F-450 and F-550 Not available with:
- 7.3L Gas engine (99N) (F-350 SRW Only)
- 6.7L Power Stroke® Diesel engine (99T) (F-350 SRW Only) Requires:
- 26.5 mid ship fuel tank (65M) on F-350 SRW
- Center High-Mounted Stop Lamp (CHMSL) (59H) for vehicles with 10,000 lbs. or less Gross Vehicle Weight Rating
- Includes:
- 9,800 lbs. Gross Vehicle Weight Rating (F-350 SRW 17" Only)
- 10.000 lbs. Gross Vehicle Weight Rating (F-350 SRW 18" Only)
- 15,000 lbs. Gross Vehicle Weight Rating (F-450 Only)
- 17,500 lbs. Gross Vehicle Weight Rating (F-550 Only)

PAYLOAD UPGRADE PACKAGE (68U)

Availability:

Optional on XL and XLT F-550 Chassis Cabs 145" wheelbase with 7.3L Gas engine (99N)

Reauires:

- 4.88 Limited-slip rear-axle (X8L)
- Includes:
- Increased GVWR to 19,000 lbs.
- Upgraded frame
- Upgraded rear-axle
- NOTE: See Order Guide Supplemental Reference for further details on GVWR and payload ranges

PAYLOAD PLUS UPGRADE PACKAGE (68M)

Availability: Optional on F-550

- Not available with:
- 4.30 Limited-slip rear-axle
- 145" wheelbase on gas engine
- Requires:
- 4.88 Limited-slip rear-axle (X8L)

Includes[.]

- Increases GVWR from 18,000 lbs. to 19,500 lbs.
- Increases max RGAWR to 14,706
- Low Deflection/High Capacity Rear Springs
- Upgraded frame
- Upgraded rear-axle
- **Options Available:**
- Low Deflection Spacer (86S)
- NOTE: See Order Guide Supplemental Reference for further details on GVWR.

16,000 GVWR PACKAGE (68L)

Availability:

• Optional on all F-450 Chassis Cabs

Includes:

Provides 16,000 lbs. Gross Vehicle Weight Rating

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600)

PACKAGED OPTIONS/EMISSIONS

labeling and any other requirements LOW DEFLECTION SPACER (86S) Availability: Optional on F-450, F-550 and ★F-600 Chassis Cabs **REAR VIEW CAMERA AND PREP KIT (872)** Availability: Not available with: • 4x4 w/145" WB Optional on all Chassis Cabs Pre-installed Content Includes: Usage: Cab Wiring · Recommended for rear-biased loading, such as wrecker/retriever Frame Wiring to the rear most cross member applications Includes: Upfitters kit Includes: Camera with mounting bracket • 2" spacer blocks 20' jumper wire Camera mounting and aiming instructions CNG/Propane GASEOUS ENGINE PREP PACKAGE (98F) -LATE AVAILABILITY Vehicle Special Order (VSO) Availability: Optional on all F-350 FLEET ONLY. See www.fmcdealer.com for current VSO Order Guide. This live guide includes VSO option codes, Requires: • 6.2L Gas Engine (996) descriptions and pricing. Email vsomail@ford.com or call 1.800.34.FLEET, menu 4 with any VSO guestions you may Includes: • Hardened Engine Intake Valves and Valve Seats have. Bi-Fuel intake manifold NOTE: This package does not include CNG/Propane fuel tanks, **High Sulfur Diesel Fuel Usage** lines, etc. Vehicle will be equipped with the standard Vehicles for intended usage with diesel fuel sulfur content factory gasoline fuel system. Additional equipment greater than 15ppm require Euro II (>500ppm sulfur) or combined with Certified calibration reflash is required, Euro III (<500ppm sulfur) packages to avoid engine from an external upfitter, to convert the vehicle to a functionality issues. CNG/Propane fueled vehicle. See Alternative Fuel Buyers Packages are available through Export Order Guide with Guide: the appropriate US EPA exemption or verifiable export www.ford.com/altfuelbuyersquide usade. Ford Motor Company does not provide an exhaust or NOTE: JP8 fuel is supported and compatible with these packages evaporative emissions certificate with this option when converted to use CNG or Propane fuel. Ford does not represent that a vehicle converted to use CNG or Propane Leaded Fuel Capable will comply with all applicable U.S. or Canadian safety NOTE: Post build modification kits are not available. Vehicles must standards. It is the responsibility of the final stage be ordered correctly for the market that they are to be sold manufacturer (body-builder, installer, alterer or and operated in. subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with **European Certified Headlamps** U.S. Federal, California or Canadian exhaust and evaporative emission requirements. Federal fuel European certified headlamp package is available for export usage through Export Order Guide. economy standards, U.S. and Canadian safety standards, labeling and any other requirements NOTE: Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold **CNG/Propane GASEOUS ENGINE PREP PACKAGE (98G)** and operated in. Availability: Optional on all XL and XLT F-450, F-550 and ★F-600 **MISCELLANEOUS OPTIONS** Requires: 7.3L Gas engine (99N) Priced DORA...... C09 Includes: Hardened Engine Intake Valves and Valve Seats **PAYLOAD PACKAGE SELECTOR CHART – Refer to** NOTE: This package does not include CNG/Propane fuel tanks, lines, etc. Vehicle will be equipped with the standard Supplemental Reference Section for Payload Information. factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a **EMISSIONS STANDARD/OPTIONAL EQUIPMENT** CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide: www.ford.com/altfuelbuyersguide Standard on all Vehicles Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or Propane fuel. Ford does not represent that a vehicle converted to use CNG or Propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel

economy standards, U.S. and Canadian safety standards,

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) **POWERTRAIN**

ENGINE HORSEPOWER AND TORQUE RATINGS*

		NOMINAL	50-STATE		
		COMPRESSION	HORSEPOWER	TORQUE	
ENGINE	TRANSMISSION	RATIO	H.P. @ RPM	FT. LBS. @ RPM	
ALL					
6.2L 2V Gas SOHC EFI NA V8 (Flex-Fuel)	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	9.8:1	385 @ 5,750	430 @ 3,800	
7.3L 2V Gas DEVCT NA PFI V8	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	10.5:1	350 @ 3,900	468 @ 3,900	
6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	15.8:1	330 @ 2,600	825 @ 2,000	

(1) 10,000 lbs. GVWR and Under

(2) 10,001 lbs. GVWR and above

FUEL ECONOMY

TRUCKS WITH GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.