### 2023 TRANSIT MAJOR PRODUCT FEATURES

#### Transit Body Decoder

#### To learn more about the Transit body codes, go to www.transitbodydecoder.com

#### MODEL/SERIES/AVAILABILITY CHANGES

- New 9,900 GVWR 148" WB, SRW Cargo Van Low Roof (F1Y, F2Y), Medium Roof (F7C, F8C) and High Roof (F5X, F6X) configurations have been added to the program
- New 9,900 GVWR Extended 148" WB, SRW Cargo Van High Roof (F7X, F8X) configurations have been added to the program
- New 9,900 GVWR 156" and 178" WB SRW Cutaway (F1P, F2P) and Chassis Cab (F1Z, F2Z) configurations have been added to the program

#### PACKAGES/OPTIONS ADDED

- New Blue Metallic (FT) and Blue Mist (MT) paint colors
- New Virtual Rearview Mirror (90C) is available on Cargo Van, Crew Van and Passenger Van
- New 16" Sparkle Silver Alloy Wheel (Heavy-Duty Front Axle configurations only) (64K)
- New 16" Matte Black Alloy Wheel (Heavy-Duty Front Axle configurations only) (64G)
- Auto Start-Stop Technology is now included with the 3.5L PFDi engine (998)
- New Fleet Fuel Economy Package (98B) is available
- New Fleet Safety Package (59C) is available
- Front Sensing System (59B) has been added for Cutaway and Chassis Cab
- New All-Weather Floor Mats (86W) have been added that are available with vinyl floor covering
- New White Noise Back Up Alarm is available for E-Transit (63G)
- New Black HID Headlamps (91C)
- New Reverse Speed Limiter is standard on E-Transit

#### PACKAGES/OPTIONS CHANGED

- Right Hand Door Delete (60X) is now available on E-Transit
- Intelligent Access with push-button start (41J) is now available on Cutaway models
- Passenger Seat Delete packages (21J, 21K, 211) are now available with E-Transit
- Auto Start-Stop Switch Delete (formerly sales code 57A) is now only available with the Fleet Fuel Economy Package
- Back Up Alarm (43B) is now available with E-Transit
- Fixed Shelving (66F, 66E, 66J) are now available with E-Transit and High Roof configurations
- Reverse Sensing System (43R) is now available on Cutaway and Chassis Cab
- Single AGM Battery 70 amp-hr is now standard on all engines
- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats (21T) is now available on Low Roof Cargo Van
- Blind Spot Assist 1.0 (65A) is now available on Cutaway and Chassis Cab
- RV Prep Package (47D) is available on all Cargo Van roof heights
- School Bus Prep Package (47C) and Multi-Function School Activity Bus Prep Package (47Q) are now available with E-Transit
- Parcel Delivery Package (47G) availability has changed, refer to Packages Options Section
- Power Adjusting, Manual-Folding (543) and Power Adjusting, Manual-Folding Heated with Turn Signals (544) Long Arm Mirrors are available with Right Hand Door Delete (60X)
- Spare Tire and Wheel Delete (51A) no longer includes the Tire Repair Kit
- Parcel Delivery Package (47G) is no longer available with 3.5L EcoBoost® V6 engine (99G)

#### **PACKAGES/OPTIONS CHANGED (continued)**

- Chrome-trimmed Halogen Headlamps with Autolamp have been replaced with Chrome HID Headlamps as standard on Passenger Van XLT
- Pro Power Onboard is now optional on Cutaway
- Power Sliding Door (65C) has moved from standard to upgradeable in the Livery Package (47L) and is late availability

#### PACKAGES/OPTIONS DELETED

- Deleted Blue Jeans (N1) paint color
- 16" Black Steel Wheel with Gloss Black Center Caps (642)
- 5-Passenger Seating (96U), 8-Passenger Seating (96L), 8-
- Passenger Seating (96M)Auto Start-Stop Switch Delete (formerly sales code 57A)
- Addo Start-Stop Switch Delete (formerly sales code 37A)
   16" Forged Aluminum Wheel (formerly sales code 64G)
- Body codes K1Y, K2Y, K1C, K2C
- Single Battery 70 amp-hr
- Chrome-trimmed Halogen Headlamps
- Steering Column Lock
- Tire Repair Kit
- Cutaway/Chassis Cab Running Boards (68C)

#### LATE AVAILABILITY ITEMS

 Cutaway and Chassis Cab configurations with the 3.5L PFDi V6 engine (998)

#### **Product Changes and Features Availability**

Features, options and package content subject to change. Please check www.inford.com, MBG and DNB for the most up-to-date information.

★ = New for this model year

### 2023 TRANSIT STANDARD EQUIPMENT

### **E-TRANSIT CONFIGURATIONS**

Series¤	Body-Code¤	<b>Body</b> ·Type <sup>¤</sup>	<b>Roof</b> ·Height¤	Wheelbase¤	Drive¤
T-350¤	W1Y¤	Cargo·Van¤	Low·Roof·¤	Regular 130"¤	RWD/SRW¤
T-350¤	W1Y¤	Cargo·Van¤	Low·Roof¤	Long 148"¤	RWD/SRW¤
T-350¤	W9C¤	Cargo·Van¤	Medium·Roof¤ Regular·130"¤		RWD/SRW¤
T-350¤	W9C¤	Cargo·Van¤	Medium·Roof¤	Long·148"¤	RWD/SRW¤
T-350¤	W1X¤	Cargo·Van¤	High⋅Roof⋅¤	Long 148"¤	RWD/SRW¤
T-350¤	W3X¤	Cargo·Van¤	High⋅Roof⋅¤	Extended 148"¤	RWD/SRW¤
T-350¤	W5Z¤	Chassis ·Cab¤	Low·Roof¤	Extended 178"¤	RWD/SRW¤
T-350¤	W5P¤	Cutaway¤	Low·Roof·¤	Extended 178"¤	RWD/SRW¤

### 2023 TRANSIT STANDARD EQUIPMENT

				:		
EXTERIOR	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Body Side Mouldings – Carbon Black	•	•	•	•	•	•
Front License Plate Bracket	•	•	•	•	•	•
Rear-window Defroster Bumpers	—	•	•	•	—	—
Front Bumper – Body Coloured	_	_	_	•	—	—
Front Bumper – Carbon Black, Body Coloured with Lower Valence	•	•	•	—	•	•
Rear Bumper – Carbon Black, without Integral Step	•	•	•	•	_	_
Doors – Rear						
50/50 Hinged Rear Door, 180- degree Opening	•	•	•	•	—	—
Doors – Side						
Sliding Passenger-side Door Exterior Lighting – Front	•	•	•	•	—	—
Front Fog Lamps	—	—	—	•	—	—
Halogen Headlamps with Autolamp	•	•	•	—	•	•
Chrome HID Headlamps with Autolamp		_	_	•	—	_
Headlamp Courtesy Delay <b>Note:</b> The headlamps stay on for a set period of time after the owner turns off the ignition.	•	•	•	•	•	—
Roof Marker Lamps (Included on DRW Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT)	•	•	•	•	•	•
Daytime Running Lamps <u>Exterior Lighting – Rear</u>	•	•	•	•	•	•
Centre High Mount Stop Lamp (CHMSL)	•	•	•	•	—	_
Taillamps <u>Fuel (n/a with E-Transit)</u>	•	•	•	•	•	•
Auxiliary Fuel Port. Not available with E-Transit.	•	•	•	•	•	•
Fuel Tank – Capless Fuel Fill, 95 litres (midship) Not available with E-Transit.	•	•	•	•	•	•
Charging/Battery         Mobile Power Cord with         Switchable Cord End         (120V/240V). Standard on E-         Transit.         Note: Switchable cord end to         allow customer charge         functionality with 120V (NEMA 5-         15) up to 15 Amps or 240V         (NEMA 14-50) up to 32 Amps         Grille	●* *E-Transit only	_			●* *E-Transit only	●* *E-Transit only
Honeycomb Mesh Grille with	•	•	•		•	•
Carbon Black Surround Honeycomb Mesh Grille with		-	_	•		
Chrome Surround Three Bar Grille with Dynamic			_	•		
Blue Centre Bars and Chrome Surround. Standard on E-Transit.	●* *E-Transit only	—	_	—	●* *E-Transit only	●* *E-Transit only
Exterior Mirrors						
Mirror Delete Short-Arm Power Adjusting, Manual-Folding	•	•	•	_	•	•
Short-Arm Power Adjusting, Power-Folding Heated with Turn Signals	—	-	_	•	—	_
Running Boards		•				
Running Board <u>Tires – Single Rear Wheel (SRW)</u> 235/65R16C 121/119 R BSW all-	•	•	•	•		•
season	-		•	•	•	•

### 2023 TRANSIT STANDARD EQUIPMENT

PROPRIETARY

EXTERIOR (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB					
<u> Tires – Dual Rear Wheel (DRW)</u>											
195/75R16C 107/105 R BSW all- season (RWD with Standard	•	•	•	•	•	•					
Front Axle configurations only) 205/75R16C 113/111 BSW all-											
season (AWD, 11,000lb GVWR or RWD with Heavy-Duty Front Axle configurations only)	•	•	•	•	•	•					
Towing											
Rear Recovery Tow Hook Wheels – SRW	•	•	•	•	—	—					
16" Silver Steel Wheel with Black Hubcap (Standard Front Axle configurations only)	•	•	•	_	•	•					
16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle and E-Transit configurations only)	●* *E-Transit only	—	—	•	●* *E-Transit only	●* *E-Transit only					
16" Silver Steel Wheel. Includes Silver Hubcaps with Exposed Lug Nuts (Heavy-Duty Front Axle configurations only)	•	•	•	•	•	•					
Wheels – DRW											
16" Heavy Duty Silver Steel Wheel. Includes Silver Hubcaps with Exposed Lug Nuts <b>Note:</b> The centre ornament only comes on the front wheels, and not on the rear wheels.	•	•	•	•	•	•					
Wheels – Spare Tire											
Full-size Spare Tire and Wheel Windows/Glass	•	•	•	•	—	—					
Windows All-around	—	—	•	•	—	—					
Rear-window	—	•	•	•	—	•					
No Cargo Area Windows	•	_	—	—	—	—					
High-Strength Laminated Glass (Sliding Doors only) Tinted Glass	•	•	—	—	—	_					
Wheel Well Liners – Black (Front only)	•	•	•	•	•	•					
INTERIOR											
Step Well Pads – Black	•	•	•	•	—	—					
Centre Console											
Small Centre Console with integrated shifter and delpoyable cup holder. Included and only available with 3-passenger seating (212, 213, 216 and 217).	•	_	_	_	•	•					
Medium Centre Console with integrated shifter and dual	•	•	•	—	•	•					
cupholders Medium Centre Console with											
Integrated Rotary Gear Shift Dial and cup holder	•* *E-Transit only	—	_	—	●* *E-Transit only	●* *E-Transit only					
Large Centre Console with Integrated Shifter, dual cupolders and additional storage area	—	_	—	•	—	—					
Door-Locks and Windows											
Glove Box – Locking	•	•	•	•	•	•					
Rear Cargo Door – Interior Exit Handle	•	•	_	_							
Rear Cargo Door – Exterior Locking Cylinder	•	•	•	•	—	—					
Power Equipment Group (Power Locks and Windows) with Remote Keyless-Entry	•	•	•	•	•	•					
Floor Covering											
Vinyl, Front only	•	_	_	—	•	•					
Vinyl, Front and Rear	—	•	•	—	—	—					
Carpet, Front and Rear	—	—	—	•	—	—					
Rearview Mirror Rearview Mirror (When Equipped		•	-	•							
with Rear Glass). Rearview Mirror Delete (When	•	-	•	•	•	-					
Equipped Without Rear Glass)											

 $\star$  = New for this model year

• = Available Ford Motor Company of Canada Limited

## 2023 TRANSIT STANDARD EQUIPMENT

	• • • • •					
INTERIOR (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Interior Lighting						
Interior Lighting						
Front Dome Lamp with Map Lights and Theater Dimming	•	•	•	•	•	•
Rear Dome Lamp with Map Lights						
and Theater Dimming	—	—	—	•	—	—
Partial Rear Compartment						
Lighting (2 LED lights located at	•	_	_	_	_	_
C-pillar)						
Full Rear Compartment Lighting	—	•	•	•	—	—
Rear Compartment LED Lamp		•	_			
Switch		-				
Accessory Delay – 30 minutes	•	•	•	•	•	•
Interior Trim		_	_	_	_	_
Front Overhead Shelf Delete	•	•	•	•	•	•
A-Pillar Assist Handle (Driver and Passenger-side)	•	•	•	•	•	•
B-Pillar Assist Handle (Passenger-	•*					
side)	*Low Roof Only	•	•	•	—	—
D-Pillar Weld Nuts	€0w Roor Only	•	_			
Headliner – Cloth, Front only	•	•	_	_	•	•
Headliner – Cloth, Full-length		—	•	•	—	—
Rear View Camera						
No Rear View Camera						
Note: For incomplete vehicles,						
upfitter must add a rear view						
camera to vehicles that are						
10,000lb GVWR or less to					_	_
complete the vehicle and meet FMVSS 111 requirements. Rear	—	—	—	—	•	•
Video Camera and Prep Kit						
(61A) is available as a dunnage						
kit that requires upfitter						
installation.						
Seating – Front						
Driver and Front-passenger						
Manual Reclining Bucket Seats						
with Adjustable Headrest	•	•	•	•	•	•
(Includes driver-side and						
passenger-side inboard armrest)						
Rear-Seat(s) Recline and Inboard						
Armrest <b>Note:</b> Last row of seats do not		_	—	•	_	—
recline.						
Manual Driver-side Lumbar						
Support	_	—	•	•	—	—
Seating – Rear (Refer to the Rear S	eat Matrix on page	23 for complete s	eat details)	1		
5-Passenger Seating, 1st row: 2						
seats, 2 <sup>nd</sup> row: 3 seats.	—	•	_	—	_	—
12-Passenger Seating. 1st row: 2						
seats, 2 <sup>nd</sup> row: 3 seats, 3 <sup>rd</sup> row: 3						
seats, 4 <sup>th</sup> row: 4 seats. Standard	-	—	•	•	—	—
with Long Length Passenger						
Van.						
15-Passenger Seating. 1 <sup>st</sup> row: 2 seats, 2 <sup>nd</sup> row: 3 seats, 3 <sup>rd</sup> row: 3						
seats, 4 <sup>th</sup> row: 3 seats, 5 <sup>th</sup> row: 4			•	•	_	_
seats. Standard with Extended			•	•		
Length Passenger Van.						
Sun Visors						
Sun Visors	•	—	—	—	•	•
Illuminated Sun Visors		•	•	•	_	_
FUNCTIONAL	:					
Alternator – 250 amp (3.5L PFDi V6	•	•	•	•	•	•
and 3.5L EcoBoost® V6 engines)				-		
Engine Block Heater. Not available	•	•	•	•	•	•
with E-Transit. Frame Rail Extension Adapters					_	
Horn – Single-note	-	-	-	_	•	•
Air Conditioning	•	•	•	•	•	-
Front only	•	•	_	_	•	•
Front and Rear	_	-	•	•	_	_

### 2023 TRANSIT STANDARD EQUIPMENT

FUNCTIONAL (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Audio						
Antenna – Fender Mounted	•	•	•	•	•	•
AM/FM stereo with 4.0" multi- function display, Bluetooth, and Dual USB ports	•	•	•	_	•	•
SYNC 4 with 12.0" multi-function display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected (Subscription) Navigation	●* *E-Transit only	-	_	•	●* *E-Transit only	●* *E-Transit only
Batteries						
Single AGM Battery – 70 amp-hr	•	•	•	•	•	•
Brakes – 4-wheel Anti-lock Disc Brakes Note: Depending on driving habits and configuration, the brake pad life is up to 50% improved. In addition, brake pad wear indicators are now included and will send a warning message to the cluster if brake pads reach a certain wear threshold.	•	•	•	•	•	•
Parking Brake – Electric (SRW configurations only)	•	•	•	•	•	•
Parking Brake – Mechanical (9,900lb, 9,950lb DRW/10,360lb GVWR configurations only)	•	•	•	•	•	•
Parking Brake – Push Down Mechanical (11,000lb GWVR configurations only)	•		_	_	•	•

### 2023 TRANSIT STANDARD EQUIPMENT

FUNCTIONAL (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Embedded Modem						
FordPass™ Connect						
Note: Telematics Solutions*						
(both complimentary and						
subscription based) are available						
for Fleet Customers, providing						
access to manufacturer-grade						
data including but not limited to						
vehicle location, speed, idle time,						
fuel/energy, range, vehicle						
diagnostics, and maintenance						
alerts. FordPass Connect™ 4G						
Wi-Fi Modem, enables telematics						
services directly from Ford or						
through authorized third-party						
providers. Learn more at						
commercialsolutions.ford.com						
www.fleet.ford.ca or call 800-	-	_	_		-	
668-5515.	•	•	•	•	•	•
*Available on vehicles with						
embedded modem or equipped						
with approved plug-in device						
(PID). May require modem						
activation. Ford Telematics and						
Ford Data Services require a						
purchased subscription. Terms						
and conditions apply. Telematics						
service and features, and access						
to vehicle data depend on						
subscription and compatible Bell						
network availability. Evolving						
technology/cellular						
networks/vehicle capability may						
limit functionality and prevent						
operation of connected features.						
Telematics Essentials						
Note: A complimentary version						
of Ford Telematics that gives						
customers access to vehicle						
health insights such as odometer						
reading, diagnostic trouble codes						
and information around oil life,						
engine hours and recalls with						
more features coming later this						
year.						
*Complimentary product.						
Available on vehicles with	•	•	•	•	•	•
embedded modem. Requires						
modem activation. Terms and						
conditions apply. Telematics						
service and features, and access						
to vehicle data depend on						
compatible Bell network						
availability. Evolving						
technology/cellular						
networks/vehicle capability may						
limit functionality and prevent						
operation of connected features.						
Frontal Area Limitation						
Base Frontal Area.						
Note: Provides a Vehicle						
Emission Control Information						
label with a frontal area						
restriction between 51 and 62 $ft^2$						
depending on vehicle						
configuration. Frontal area						
limitation requires second unit						
	—	—	—	—	•	•
body to meet profile restrictions.						
For additional information please						
reference the Incomplete Vehicle						
Manual posted on						
www.fordbbas.com for details.						
Dealers should consult with body						
builder to determine frontal area						
of completed vehicle.						

### 2023 TRANSIT STANDARD EQUIPMENT

FUNCTIONAL (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB					
Instrumentation											
Instrumentation Tachometer, Fuel Level and Coolant Temperature (Gas Engines)	•	•	•	•	•	•					
Battery Level, Power Gauge and Power Availability Interior Power	●* *E-Transit only	-	—	—	●* *E-Transit only	●* *E-Transit only					
PowerPoint – 12V Note: One is located in the instrument panel and one in	•	•	•	•	•	•					
centre console USB Ports – 5 amps <b>Note:</b> Depending on seating configuration, one is located in each of the 2 <sup>nd</sup> row, 3 <sup>rd</sup> row, 4 <sup>th</sup>	_	_	•	•	_	_					
row and 5 <sup>th</sup> row. <u>Speed Limiting Device</u> 120-kph Governed Top Speed.											
Standard on E-Transit Cutaway and Chassis Cab.	-	—	—	—	●* *E-Transit only	●* *E-Transit only					
Reverse Speed Limiter – Standard on ETransit <u>Steering</u>	●* *E-Transit only	-	—	—	●* *E-Transit only	●* *E-Transit only					
Electric Power Assisted Steering (EPAS) Steering – Power Rack and Pinion	•	•	•	•	•	•					
Steering – Tilt and Telescoping Suspension Front – Independent MacPherson-	•	•	•	•	•	•					
strut, Stabilizer Bar Rear – Leaf Springs, Heavy-duty	•	•	•	•	•	•					
Gas Shock Absorbers. Gas engine configurations only. Rear – Independent with coil	•	•	•	•	•	•					
springs, semi-trailing arm STA and stabilizer bar SAFETY/SECURITY	*E-Transit only	—	—	—	*E-Transit only	*E-Transit only					
Autolocking Drive Away with Crash	_	_	_	_	_	_					
Unlocking. AdvanceTrac® with Roll Stability Control™ (RSC®)	•	•	•	•	•	•					
Safety Belts – 3-point, All Positions <b>Note:</b> Belt minder is included on the driver and front passenger seat(s).	•	•	•	•	•	•					
SecuriLock® Passive Anti-Theft System (PATS) with engine immobilizer	•	•	•	•	•	•					
SOS Post-Crash Alert System <sup>™</sup> . Not avilable with Radio Prep Package (58T) and AM/FM Stereo with 4" Screen (58U). <b>Note:</b> Automatically flashes the hazard lights and intermittently sounds the horn when the airbag deploys.	•	•	•	•	•	•					
Tire Pressure Monitoring System (TPMS)	•	•	•	•	•	•					
Stationary Elevated Idle Control (SEIC) <u>Airbags</u>	•	•	•	•	•	•					
Driver and Passenger Airbags Passenger-side Airbag Cut-off Switch. Not available with Passenger Seat Delete (21J, 21K	•	•	•	•	•	•					
and 211) or Right Hand Door Delete (60X) configurations Safety Canopy® Side-curtain	•	•		_		•					
Airbags FORD CO-PILOT360™ TECHNOLOGY											
Forward Collison Warning Hill Start Assist	•	•	•	•	•	•					

### 2023 TRANSIT STANDARD EQUIPMENT

FORD CO-PILOT360™ TECHNOLOGY (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
				×=1		
Post-Collison Braking Note: Can potentially lessen the severity of a secondary collision by automatically applying moderate brake pressure when an initial	•	•	•	•	•	•
collision event is detected. Side Wind Stabilization		-		_	_	_
Ford Co-Pilot 360™	•	•	•	•	•	•
Pre-Collision Assist with Automatic Emergency Braking (AEB) <b>Note:</b> If a potential collision is detected, a warning flashes and an alert sounds, and if the driver's response is not sufficient, the system can automatically apply the brakes to help minimize a frontal collision.	•	•	•	•	•	•
Blind Spot Assist 1.0 <b>Note:</b> Includes Blind Spot Information System (BLIS®) with Cross-traffic Alert and Trailer Coverage.	_	_	_	•	_	_
Lane-Keeping System <b>Note:</b> Includes Lane-Keeping Alert and Driver Alert. This feature can alert the driver, during day or night, if their vehicle is unintentionally leaving its intended lane.	•	•	•	-	•	•
Auto High-Beam Headlamps	•	•	•	•	•	•
Rear View Camera with Trailer Hitch Assist. <b>Note:</b> Camera will be high-mount for Medium Roof and High Roof.	•	•	•	_	_	_
High Resolution Digital Camera.	●* *E-Transit only.	—	—	•	—	—
Exterior Sensors						
Reverse Sensing System	—	_	—	•	—	
Side Sensing System	—	—	—	•	—	—
<u>Windshield Wipers</u> Automatic Rain-Sensing Windshield Wipers	•	•	•	•	•	•

	Body Type	CARGO VAN	CREW VAN	PASSENGE R VAN XL	PASSENGE R VAN XLT	CUTAWAY	CHASS CAB
	Order Code	101A	201A	301A	302A	501A	701A
E: Body Codes have changed, double-check before inputting		must input V	Vheelbase inte	O CONCEPS	now		
V ROOF 1sit-150 (GVWR: Cargo Van 8,670#   Crew Van 8,670#   Passen							
gular (130")	RWD AWD	E1Y E2Y	E1Z E9Z	_	-		-
gular (130") ng (148")	RWD	E1Y	E92 E1Z	_	_		
ng (148")	AWD	E2Y	E9Z	_	—	—	—
nsit-250 (GVWR: Cargo Van 9,070#   Crew Van 9,070#   Cutawa gular (130")	<u>ay 9,070#   Chassis</u> RWD	Cab 9,070#) R1Y	R1Z	_	_	_	_
gular (1307) gular (130")	AWD	R2Y	R1Z	_	_	_	_
gular (138")	RWD	—	_	_	—	R5P	R52
gular (138") ng (148")	AWD RWD	R1Y	R1Z	_	_	R7P	R72
ng (148")	AWD	R2Y	R2Z	_	-	-	_
ng (156")	RWD	—	_	_	—	R5P	R52
ng (156") 1sit-350 (GVWR: Cargo Van 9,500#   Crew Van 9,250#, except \	AWD with Long (148") is	9 500#   Pas	 senger Van 9	250# except	with 14 or 1	R7P 5-Passenger S	R7Z Seat
nfiguration and RWD is 9,400#   Passenger Van with 14 or 15-l	Passenger Seat co	nfiguration a	nd AWD is 9,				
gular (130")	RWD	W1Y	W1Z	_	-		
gular (130") gular (138")	AWD RWD	W2Y	W2Z	_	_	 W5P	
jular (138")	AWD	—	_	—	—	W7P	W72
g (148")	RWD	W1Y	W1Z	X2Y	X2Y	_	_
g (148") g (156")	AWD RWD	W2Y	W2Z	X9Y	X9Y	— W5P	 W52
ğ (156")	AWD	_	_	-	_	W7P	W72
ended (178")	RWD	-	-	_	-	W5P	W52
ended (178") ansit-350 HD SRW (GVWR: Cargo Van 9,900#   Cutaway 9,900	AWD   AWD		—	—	—	W7P	W7
g (148")	RWD	F1Y	—	—	—	—	_
g (148")	AWD	F2Y	—	-	-		
g (156") g (156")	RWD AWD	_	_	_	_	F1P F2P	F12 F22
ended (178")	RWD	_	_	_		F1P	F12
ended (178")	AWD	-	—		_	F2P	F2Z
sit-350 HD DRW (GVWR: Cutaway 9,950#   Chassis Cab 9,950 ular (138")	1#) RWD		-		_	F6P	F62
ular (138")	AWD	_		_	_	F8P	F8Z
g (156")	RWD	_	-	_	—	F6P	F62
g (156") ended-Length (178")	AWD RWD	_	_	-	_	F8P F6P	F8Z F6Z
ended-Length (178")	AWD	_		_	_	F8P	F8Z
sit-350 HD DRW (GVWR: Cutaway 10,360#   Chassis Cab 10,3						000	0.07
gular (138") gular (138")	RWD AWD	_		_	_	S6P S8P	S62 S82
g (156")	RWD	—	—	_	—	S6P	S62
ig (156")	AWD	_	_	_	-	S8P	S82
ended-Length (178") ended-Length (178")	RWD AWD	_	_	-	_	S6P S8P	S62 S82
sit-350 HD DRW (GVWR: Cutaway 11,000#   Chassis Cab 11,0			1			001	001
jular (138")	RWD	_	_	_	-	U6P	U62
gular (138") g (156")	AWD RWD	_		_	_	U8P U6P	U82 U62
g (156")	AWD	_	_	_	_	U8P	U82
ended-Length (178")	RWD	-	-	_	—	U6P	U62
ended-Length (178") IUM ROOF	AWD	—	—	—	—	U8P	U82
<u>sit-150 (GVWR: Cargo Van 8,670#   Crew Van 8,670#   Passen</u>							
ular (130")	RWD	E1C	E1D E2D	_	_	—	
ular (130") g (148")	AWD RWD	E2C E1C	E2D E1D	-	_		
g (148")	AWD	E10 E2C	E1D E2D	_	-	—	_
sit-250 (GVWR: Cargo Van 9,070#   Crew Van 9,070#)	DIME	DAC	DID			1	
ular (130") ular (130")	RWD AWD	R1C R2C	R1D R2D	-	_		
g (148")	RWD	R1C	R1D	_	_	_	_
g (148") cit 250 (C)//M/D: Correct Von 0 500#   Crow Von 0 250# everyte	AWD	R2C	R2D			 5 December 1	— —
sit-350 (GVWR: Cargo Van 9,500#   Crew Van 9,250#, except v figuration and RWD is 9,400#   Passenger Van with 14 or 15-I					with 14 or 1	5-Passenger	seat
gular (130")	RWD	W9C	W1D	<u> </u>	—	_	
gular (130")	AWD	W2C	W2D	-	_	_	_
g (148") g (148")	RWD AWD	W9C W2C	W1D W2D	X2C X9C	X2C X9C		
g (148 ) ansit-350 HD SRW (GVWR: Cargo Van 9,900#) (Max 128 KPH)		VV2C	VV2D	790	790		_
g (148")	RWD	F7C	—	—	—	-	—
g (148") I ROOF	AWD	F8C	—	_	_	—	
sit-250 (GVWR: Cargo Van 9,070#   Crew Van 9,070#)							
g (148")	RWD	R1X	R1V	—	—	—	
g (148") ended-Length (148")	AWD RWD	R2X R3X	R2V	_	_	_	

 $\star$  = New for this model year

	Body Type	CARGO VAN	CREW VAN	PASSENGE R VAN XL	PASSENGE R VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
HIGH ROOF (continued) Transit-350 (GVWR: Cargo Van 9,500#   Crew Van 9,500#   Passenger Van		cept with 14	or 15-Passen	ger Seat con	figuration and	d RWD is 9,40	00# <u> </u>
Passenger Van with 14 or 15-Passenger Seat configuration and AWD is 9 Long (148")	9,550# RWD	W1X	W1V	X2X	X2X	_	_
Long (148")	AWD	W2X	W2V	X9X	X9X	_	_
Extended-Length (148") Extended-Length (148")	RWD AWD	W3X			_	_	-
★Transit-350 HD SRW (GVWR: Cargo Van 9,900#)(Max 128 KPH)	AVVD	W3U	_	—	—	—	
*Long (148")	RWD	F5X	_	—	—	—	—
★Long (148") ★Extended (148")	AWD RWD	F6X F7X	_		_	_	
★Extended (148")	AWD	F8X	_	_	_	_	_
Transit-350 HD DRW (GVWR: Cargo Van 9,950#   Crew Van 9,950#)	DIME	E 4)/	504		I		
Extended-Length (148") Extended-Length (148")	RWD AWD	F4X F4U	F4V F4W	_	_	_	
Transit-350 HD DRW (GVWR: Cargo Van 10,360#   Crew Van 10,360#   Pas			1 400				
Extended-Length (148")	RWD	S4X	S4V	U4X	U4X	_	_
Extended-Length (148") Transit-350 HD DRW (GVWR: Cargo Van 11,000#)	AWD	S4U	S4W	U5X	U5X		_
★Extended (148")	RWD	U8X	I —	—	—	—	—
★Extended (148")	AWD	U8U	—	—	—		—
POWERTRAIN Engine							
3.5L PFDi V6. Not available on Cargo Van (S4U, U8X, and U8U), Crew Van							
(S4W), Passenger Van XL/XLT (U5X), Cutaway (S6P, S8P, U6P, and U8P) or Chassis Cab (S6Z, S8Z, U6Z, and U8Z).							
Late availability with Cutaway and Chassis Cab configurations.	998	S	S	S	S	S	S
Note: Includes port injection and E-85 Flex-Fuel Capable capability and							
Auto Start-Stop technology.							
3.5L EcoBoost® V6. Standard on Cargo Van (S4U, U8X, and U8U), Crew Van (S4W), Passenger Van XL/XLT (U5X), Cutaway (S6P, S8P, U6P, and							
U8P) and Chassis Cab (S6Z, S8Z, U6Z, and U8Z).	99G	S/O	S/O	S/O	S/O	S/O	S/O
Note: Includes Auto Start-Stop technology							
★Electric Motor (E-Transit) with 68kWH Standard Range High-Voltage Battery. Only Available on Cargo Van (W1Y, W9C, W1X and W3X), 178"	99K	0	_	_	_	0	0
Wheelbase Cutaway (W5P) and 178" Wheelbase Chassis Cab (W5Z).						-	
Transmission 10-Speed Automatic Overdrive with SelectShift®. Auxiliary Transmission Oil							
Cooler is standard. Not available with E-Transit	44U	S	S	S	S	S	S
Single-Speed Transmission. Only available with the Electric Motor/E-Transit	44A	0	_	_	_	0	0
(99K).		Ű				0	0
EXTERIOR 9,900 lbs. (4,490 kg) GVWR Downgrade Package. Optional on Cargo							
Van/Crew Van (F4U, F4X, F4V, and F4W) with 3.5L PFDi V6 (998) engine.							
Optional on Cutaway/Chassis Cab (F6P, F8P, F6Z, and F8Z) with 3.5L	20K	S/O	S/O	_	—	S/O	S/O
EcoBoost® V6 (99G) engine Note: 9900lb GVWR is standard on all new body codes (F1Y, F2Y, F1P,							
F2P, F1Z, F2Z, F7C, F8C, F5X, F6X, F7X, F8X)							
Roof Marker Lamp Delete. Standard on SRW Cargo Van, Crew Van and Passenger Van XL/XLT							
<b>Note:</b> Vehicle shipped with temporary tape over five (5) holes. Upfitter is	18A	S	S	S	S	0	—
responsible to seal holes on Cutaway only.							
Bumpers Front Bumper – Body Coloured. Includes Front Fog Lamps (55D). Cargo Van,			1		l		
Crew Van and Passenger Van XL requires Side Sensing System (94A).	53G	0	0	0	S	0	О
Note: Body coloured front bumpers are offered in every exterior colour. The	53G	0	0	0	5	0	0
front bumper will match the exterior colour Rear Bumper – Carbon Black, with integral step. Optional on Low Roof only	43E	0	0	0	0	_	_
Doors	102	0		0	0		
50/50 Hinged Rear Door, 253-degree Opening Only available on Long and	18P	0	0	0	0	_	_
Extended Length configurations. 60/40 Hinged Passenger-side Door (Low Roof) only	59A	0	_	0	0	_	_
Power Sliding Door. Only available on Medium / High Roof configurations.					-		
Not available with Regular Length configurations, or Cargo Van U8U/U8X.	65C	0	—	0	0	—	—
<b>Note:</b> Power Sliding Door contains anti-pinch feature to help prevent injury. Right Hand Door Delete. Included with School Bus Prep Package (47C),							
	1						
MFSAB Prep Package (47Q) and available with Shuttle Bus Prep Package							
MFSAB Prep Package (47Q) and available with Shuttle Bus Prep Package (47S). Note: Intended for upfitters who plan to modify the factory roof. Includes	60X	—	-	—	—	I/P/O	—

	Body Type	CARGO VAN	CREW VAN	PASSENGE R VAN XL	PASSENGE R VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
EXTERIOR (continued) Exterior Lighting – Front							
Chrome High-Intensity Discharge (HID) Headlamps. Chassis Cab and Cutaway are not available with 3.5L PFDi V6 (998) engine. Included in Exterior Upgrade Package – SRW (18D) and DRW (18L) Note: HID headlamps emit a brighter, more natural light than halogen headlamps, which can help improve visibility. HID headlamps also include	91A	0	o	о	S	о	ο
LED signature surround. ★Black High-Intensity Discharge (HID) Headlamps. Chassis Cab and Cutaway are not available with 3.5L PFDi V6 (998) engine. Also Included in the RV Prep Package (47D) and Motorhome Prep Package (47M).when less Exterior Upgrade Package – SRW (18D) and DRW (18L). Note: HID headlamps emit a brighter, more natural light than halogen headlamps, which can help improve visibility. HID headlamps also include LED signature surround.	91C	0	o	0	_	0	0
Wiper Activated Headlamps	91B	0	0	0	S	0	0
Front Fog Lamps. Included in Side Sensing System (94A) and in Motorhome Prep Package (47M). Also included in Exterior Upgrade Package – SRW (18D) and DRW (18L). Note: Auxiliary lamps that are generally integrated into the front fascia and designed to help illuminate the roadway during poor visibility.	55D	O/I	O/I	O/I	S	O/I	O/I
Exterior Lighting – Rear Light-emitting Diode (LED) Tailamps. Included in Ambulance Prep Package – Cutaway (47F), School Bus Prep Package (47C) and Multi-Function School Activity Bus Prep Package (47Q). Fuel Tank	43Q	_	-	—	-	O/I	0
Extended Range Fuel Tank – Capless Fuel Fill, 117 litres (midship). Not available on E-Transit, Regular Length configurations and Passenger Van XL/XLT (X9X) with the combination of the 15-Passenger seat configuration (96P) and the 3.5L EcoBoost® V6 (99G) engine	655	0	ο	0	0	0	0
Auxiliary Fuel Port Extension Line. Optional on Cargo Van Long and Extended Length and includes Extended Range Fuel Tank (655). Note: Allows for access to the Auxiliary Fuel Port without removing fuel tank Mirrors – Short-Arm	63F	ο	-	_	-	-	_
Power Adjusting, Manual-Folding. Not available with Blind Spot Assist 1.0 (65A) or Right Hand Door Delete (60X).	541	S	S	S	—	0	—
Power Adjusting, Manual-Folding Heated with Turn Signals. Not available with Blind Spot Assist 1.0 (65A) or Right Hand Door Delete (60X). Mirrors – Long-Arm	545	0	0	0	—	0	0
Power Adjusting, Manual-Folding. Not available with Blind Spot Assist 1.0 (65A).	543	0	0	0	—	O/P	-
Power Adjusting, Manual-Folding Heated with Turn Signals. Cargo Van, Crew Van and Passenger Van XL/XLT are available with Blind Spot Assist 1.0 (65A).	544	O/P	O/P	O/P	O/P	O/P	0
Running Boards Running Board.		-		-	-		
Note: Running board covers the B-C Pillar Passenger-side. Power Running Board. Not available on Cargo Van with Vinyl, Front and Rear (16E), Interior Upgrade Package – Cargo Van (96C), Load Area Protection Package (96D) or with E-Transit.	68H 68L	0	S —	0	0	_	_
Note: Running board covers the B-C Pillar Passenger-side. Extended Length Running Boards. Not available with E-Transit. Note: Running board covers the A-B Pillar Driver-side and A-C Pillar Passenger-side.	68J	0	0	ο	о	_	_
Trailering Tow/Haul Mode with Trailer Wiring Provisions. Included in Motorhome Prep Package (47M). See Package/Options page for details.	53D	0	0	0	0	O/I	0
Trailer Brake Controller (TBC). Requires Cruise Control (60C), Adaptive Cruise Control (60D), Audio Package 58E or 58F and requires Heavy-Duty Trailer Tow Package (53B) or Tow/Haul Mode with Trailer Wiring Provisions (53D). Not available with E-Transit or 3-Passenger seating (212, 213, 216 and 217).	67D	ο	o	0	о	ο	0
Heavy-Duty Trailer Tow Package Note: Deletes Rear Tow Hook. See Package/Option page for details.	53B	0	0	0	0	—	—
<u>Mheels – SRW</u> 16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only and standard with E-Transit). Included with Exterior Upgrade Package – SRW (Standard Front Axle configurations only)(18D).	64H	S/I/O	I/O	О	S	S/I/O	S/I/O
16" Silver Aluminum Alloy Wheel (Standard Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Standard Front Axle configurations only) (18D). (6" Read Automation Allow Magel (Standard Front Axle configurations only).	647	P/O	P/O	0	0	P/O	P/O
16" Black Aluminum Alloy Wheel (Standard Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Standard Front Axle configurations only) (18D).	644	P/O	P/O	0	0	P/O	P/O
★16" Sparkle Silver Alloy Wheel (Heavy-Duty Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Heavy-Duty Front Axle configurations only) (18D).	64K	P/O	P/O	0	0	P/O	P/O
★16" Matte Black Alloy Wheel (Heavy-Duty Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Heavy-Duty Front Axle configurations only) (18D).	64G	P/O	P/O	0	0	P/O	P/O

S = Standard / O = Optional / P = Packaged OptionF = Fleet Option with valid FIN code / I = Included

	Body Type	CARGO VAN	CREW VAN	PASSENGE R VAN XL	PASSENGE R VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
EXTERIOR (continued)							
Wheels – DRW 16" Heavy-Duty Forged Aluminum Wheel (Standard Front Axle configurations only). Available with Exterior Upgrade Package – DRW (Standard Front Axle configurations only) (18L)	76E	P/O	P/O	о	0	P/O	P/O
16" Heavy-Duty Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only). Available with Exterior Upgrade Package – DRW (Heavy-Duty Front Axle configurations only) (18L)	76G	P/O	P/O	0	0	P/O	P/O
Wheels – Spare Tire Spare Tire and Wheel. Included in the Ambulance Prep Package – Cutaway (47F).	51D	S	S	S	S	O/I	0
Note: Includes 4 ton jack, tool kit and full-size matching tire Spare Tire and Wheel Delete.	51A	0	0	0	0	S	S
Windows (Refer to Windows Offerings Chart on page 21 for complete win			U	0	0	0	5
Fixed Rear Cargo Door Glass. Includes Rear-window Defroster.	17A	0		—	_	—	S
Fixed Rear Cargo Door Glass and Fixed Passenger-side Glass. Includes Rear-window Defroster. Fixed Rear-Door Cargo Glass and Fixed Driver and Passenger-side Glass.	17B	0	—	—	—	—	—
Includes Rear-window Defroster.	17D	—	S	—	—	—	_
Windows-All-Around, Fixed. Includes Rear-window Defroster. Egress Window. Requires Windows-All-Around, Fixed (17F) and Privacy	17F	0	—	S	S	—	_
Ğlass (92E). Not available on Low Roof Passenger Vans. Note: Replaces 2 <sup>nd</sup> row driver-side window.	17L	—	-	0	0	—	_
Glass Safety Glass. Included with Multi-Function School Activity Bus (MFSAB) Prep			1		1	1	1
(47Q) and School Bus Prep (47C) packages. Note: Applies to the front and side windows. Provides additional safety that makes the glass less likely to break, or less likely to pose a threat when broken.	65B	_	_	_	_	O/I	_
High Strength Laminated Glass. Available with Windows-All-Around, Fixed (17F) only. Optional on Medium/High Roof Long Length Cargo Van. Not available on Low Roof. Note: High strength laminated glass applies to 2 <sup>nd</sup> -4 <sup>th</sup> row windows. This	92A	0	_	_	_	_	_
option provides a pathway to FMVSS 226 compliance. Privacy Glass. Includes Rear-window Defroster. Requires Fixed Rear Cargo Door Glass (17A), Fixed Rear Cargo Door Glass and Fixed Passenger-side Glass (17B), Fixed Rear Cargo Door Glass and Fixed Driver and Passenger-side Glass (17D) or Windows-All-Around, Fixed (17F). <b>Note:</b> Provides protection of vehicle occupant(s) and occupant personal belongings. The glass also provides occupant comfort by helping to reduce vehicle cool-down time.	92E	ο	o	ο	ο	_	_
INTERIOR Cruise Control. Includes Adjustable Speed Limiting Device (ASLD). Not							
available with audio package 58F. <b>Note:</b> The ASLD feature is great for city driving; it allows the driver to set an upper speed limit for the vehicle. If the vehicle begins to approach the upper speed limit then audible and visual warning are given	60C	0	о	0	S	0	0
B-Pillar Assist Handle (Passenger-side) Note: Handle is standard on Low Roof Cargo Van	41B	S/O	S	S	s	—	_
D-Pillar Assist Handles <b>Note:</b> Located on the Driver and Passenger-side Due to space requirements, the Driver-side handle is deleted if Front/Rear Aux A/C and Heater (Driver controlled) (57G) is also ordered.	66C	ο	0	_	_	_	_
Note: Not available with any Shelving Option (66H, 66G, 66E, 66F, 66J) Illuminated Sun Visors. Included with Interior Upgrade Package – Cargo Van	85C	O/I	S	S	S	O/I	O/I
(96C) and Interior Upgrade Package – Cutaway/Chassis Cab (47A). Rearview Mirror. Included with rear glass window configurations (17A, 17B, 17D and 17F). Not available with Rear View Display in Rearview Mirror	90B	1	S	S	S	0	S
(61B). * Virtual Rearview Mirror. Placed in the traditional rearview mirror mount location, this always on, auto-dimming enhanced mirror provides full virtual rearview images when obstructions such as a bulkhead, cargo or no rear windows are present. Returns to mirror mode when the camera is turned off. Not available with Low Roof. Note: The is is not a reverse back up camera.	90C	0	0	0	0	_	_
Note: This is not a reverse back-up camera. Full Rear Compartment Lighting. Includes cargo area LED lights at C-pillar, D-pillar and mid-ship (ELWB only). Rear Compartment LED Switch is only included on Cargo Van and Crew Van. C-Pillar LED lights are not included on Crew Van.	15F	0	S	S	S	_	_
Cargo Tie-Down Hooks (Cargo Van: 6 tie-down hooks; Crew Van: 4 tie-down hooks)	17P	0	0	_	_	_	_
Front Overhead Shelf. Not available on Low Roof Cargo Van, Crew Van, and Passenger Van.	66D	0	0	0	0	0	0

	Body Type	CARGO VAN	CREW VAN	PASSENGE R VAN XL	PASSENGE R VAN XLT	CUTAWAY	CHASSI CAB
	Order Code	101A	201A	301A	302A	501A	701A
NTERIOR (continued)				L.	L.	L.	
Bulkheads Bulkhead – Lockable Door with Window. Optional only on Medium Roof and High Roof. Includes B-Pillar Assist Handle (41B). Note: The bulkhead is located behind the driver and passenger seats in the Cargo Van, and separates them from the cargo area	47T	0	-	_	_	_	_
Bulkhead – Window Only. Optional only on Low Roof and Medium Roof. Includes B-Pillar Assist Handle (41B).	47U	0	_	—	—	—	_
<ul> <li>★Bulkhead – Crew Van. Composite material with no Window. Not available on Low Roof.</li> <li>Note: The bulkhead is located behind the 2<sup>nd</sup> row of seats in Crew Van and separates passengers from the cargo area.</li> </ul>	47V	-	0	_	_	_	_
Shelving Foldable Aluminum Shelving, two levels per side. Requires Bulkhead – Lockable Door with Window (47T). Available with High Roof and Long and Extended Lengths only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), Power Sliding Door (65C), D-Pillar Assist Handles (66C) or with Windows-All-Around (17F), Pro Power Onboard (90E), Front/Rear Aux A/C and Heater (57G) or Power Running Board (68L).	66H	Ο	_	_	_	_	_
★Foldable Aluminum Shelving, one level per side. Requires Bulkhead – Lockable Door with Window (47T). Available with High Roof and Long and Extended Lengths only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), Power Sliding Door (65C) or with Windows-All-Around (17F), Pro Power Onboard (90E), Front/Rear Aux A/C and Heater (57G) or Power Running Board (68L) or with D-Pillar Assist Handles (66C)	66G	0	_	_	_	_	_
★Fixed Shelving, multi-level – passenger side only. Requires a Bulkhead option (47T or 47U). Available with Regular and Long Lengths only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G), Pro Power OnBoard (90E) or D-Pillar Assist Handles (66C).	66F	0	-	_	_	_	_
★Fixed Shelving, multi-level – driver side only. Requires a Bulkhead option (47T or 47U). Available with Regular and Long Length Cargo Vans only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G) or D-Pillar Assist Handles (66C)	66E	ο	_	_	_	_	_
Fixed Shelving, multi-level – driver and passenger sides. Requires a Bulkhead option (47T or 47U). Available with Regular and Long Length Cargo Vans only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G), D-Pillar Assist Handles (66C) or Pro Power Onboard (90E).	66J	0	-	-	-	-	_
Centre Console							
Large Centre Console. Included with Upfitter Package (67C) and Trailer Brake Controller (67D). Not available with E-Transit. <b>Note:</b> Includes an integrated shifter, a dual cup holder and an additional storace area	67E	O/I	O/I	O/I	S	O/I	O/I
Contre Console with Right-Side Shifter. Allows for ease of leg turn. Optional on Cargo Van Medium/High Roof SRW and Cutaway SRW configurations and on the following RWD and DRW configurations only – Cargo (F4X) and Cutaway (F6P). Only availble with the 3.5L PFDi V6 (998) engine. Not available with Upfitter Package (67C), Trailer Brake Controller (67D), Radio Prep Pack (58T) or Rear View Display in Rearview Mirror (61B). loor Covering	67F	ο	-	-	-	ο	_
Vinyl, Front only.	16C	S	_	_	_	S	S
Note: Wheel Well Liners and Scuff Plates Kit are not included. Vinyl, Front and Rear. Included in Interior Upgrade Package – Cargo Van (96C) and Load Area Protection Package (96D). Not available with Front/Rear Aux A/C and Heater (Driver controlled) (57G) on Cargo Van, Heavy-Duty Cargo Flooring (60B) or Heavy-Duty Scuff Plate Kit (85B). Note: Wheel Well Liners are included as part of the rear vinyl floor covering. On the Crew Van, the vinyl flooring is only in the 1 <sup>st</sup> and 2 <sup>nd</sup> rows.	16E	0/1	S	S	0	_	_
Carpet, Front only. Not available with E-Transit.	16G	0	_	_	_	0	0
Note: Deletes all rear floor covering. Carpet, Front and Rear	16H	_	_	0	S	_	_
Carpet Floor Mats, Front. Only available with carpet floor covering (16G/16H). Heavy-Duty Cargo Flooring. Includes Heavy-Duty Scuff Plate Kit (85B). Not available with Vinyl, Front and Rear (16E) – Cargo Van only or Front/Rear Aux A/C and Heater (Driver controlled) (57G) <b>Note:</b> Crew Vans will receive	86B 60B	0		0 —	0 —	0 —	0

### 2023 TRANSIT OPTIONAL EQUIPMENT

	Body Type	CARGO VAN	CREW VAN	PASSENGE R VAN XL	PASSENGE R VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
INTERIOR (continued)							
Seating – Front (Refer to the Front Seat Matrix on page 22 for complete sea Dark Palazzo Grey Cloth, 2-way manual Driver and 2-way manual Passenger seats. Cargo Van, and Chassis Cab are only available with 10,360lb GVWR or 11,000lb GVWR configurations. Not available with E-Transit.	at details)						
Note: Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	21C	0	_	_	_	0	0
Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seats. Cargo Van, and Chassis Cab are only available with 10,360/11,000lb GVWR configurations. Not available with E-Transit. Note: Roof modification by the upfitter is required to meet the criteria for		_				_	_
application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	21D	0	_	_	_	0	0
Dark Palazzo Grey Vinyl, 2-way manual Driver and 2-way manual Passenger	21G	S	S	0	_	S	S
seats with Driver seat armrest only Passenger Seat Delete Dark Palazzo Grey Vinyl, 2-way manual Driver seat. Cargo Van is only available with 10,360lb/11,000lb GVWR configurations. <b>Note:</b> Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified	21J	0	_	-	_	0	-
roof".							
Passenger Seat Delete Dark Palazzo Grey Cloth, 2-way manual Driver seat.	21K	0	—	_	—	0	_
Dark Palazzo Grey Cloth, 2-way manual Driver and 2-way manual Passenger seats. Not available with E-Transit.	21L	0	0	—	S	0	0
Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seats	21M	0	0	S	0	0	0
Dark Palazzo Grey Vinyl, 2-way manual Driver and 2-way manual Passenger	21P	0	0	0		0	0
seats with Driver and Passenger seat armrests Dark Palazzo Grey Cloth, 10-way power heated Driver and 10-way power heated Passenger seats. Not available with E-Transit.	21Q	0	0	_	0	0	0
Ebony Cloth, 10-way power heated Driver and 10-way power heated	21R	0	0	0	0	0	0
Passenger seats. Not available with E-Transit.	211	0	0	0	0	U	0
Ebony Leather, 10-way power heated Driver and 10-way power heated Passenger seats. Not available with E-Transit. Dark Palazzo Grey Cloth, 4-way manual swivel Driver and 4-way manual	21S	0	—	-	0	0	-
swivel Passenger seats. Includes Dual AGM Batteries (63E). Not available on E-Transit or with 9,900lb / 9,950lb DRW / 10,360lb GVWR configurations. Dark Palazzo Grey Vinyl, 2-way manual Driver and 2-way manual dual	21T	0	_	-	_	0	_
Passenger seats. Unlike the Driver Seat, dual Passenger Seat insert and bolster material will be identical in Ebony vinyl material. Cargo Van is only available with 10,360/11,000lb GVWR and Chassis Cab is only available with 10,360/11,000lb GVWR. Not Available with E-Transit. <b>Note:</b> Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	212	0	-	-	-	0	0
Dark Palazzo Grey Vinyl, 2-way manual Driver and 2-way manual dual Passenger seats. Unlike the Driver Seat, dual Passenger Seat insert and bolster material will be identical in Ebony vinyl material. Not Available with E- Transit.	213	0	_	_	_	о	О
Ebony Cloth, 2-way manual Driver and 2-way manual dual Passenger seats. Unlike the Driver Seat, dual Passenger Seat insert and bolster material will be identical in Ebony cloth material. Cargo Van is only available with 10,360/11,000lb GVWR and Chassis Cab is only available with 10,360/11,000lb GVWR. Not available with E-Transit. Note: Roof modification by the upfitter is required to meet the criteria for	216	0	_	_	_	0	0
application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof". Ebony Cloth, 2-way manual Driver and 2-way manual dual Passenger seats.							
Unlike the Driver Seat, dual Passenger Seat insert and bolster material will be identical in Ebony cloth material. Not available with E-Transit. Dark Palazzo Grey Cloth, 4-way manual swivel Driver and 4-way manual	217	0	—	—		0	0
swivel Passenger seats. Includes Dual AGM Batteries (63E). Not available with E-Transit or 9,900lb / 9,950lb DRW / 10,360lb GVWR configurations on Cutaway. Cargo Van is only available with 11,000lb GVWR configurations. Note: Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof"	218	0	-	_	_	O	_
less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof". INTERIOR (continued)							

S = Standard / O = Optional / P = Packaged Option F = Fleet Option with valid FIN code / I = Included Ford Motor Company of Canada Limited

		-					
	Body Type	CARGO VAN	CREW VAN	PASSENGE R VAN XL	PASSENGE R VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
Passenger Seat Delete Ebony Cloth, 2-way manual Driver seat without an armrest.							
Note: Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	211	_	_	_	_	ο	—
Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seats without armrests.	219	0	_	_	—	0	_
Seating – Rear (Refer to the Rear Seat Matrix on page 23 for complete seat	details)						
<ol> <li>Passenger, 2-Passenger and 3-Passenger Seating. 2-Passenger Seats are standard on Cargo Van, Cutaway and Chassis Cab, except when Passenger Seat Delete (21J, 21K and 211) is ordered, then it's 1-Passenger Seat. 2- Passenger Seats (with additional rear seat attachment points) are optional on Passenger Van. 3-Passenger seating is standard on Cargo Van, Cutaway and Chassis Cab when 3-Passenger seating (212, 213, 216 and 217) are ordered.</li> <li>Note: 13 rear seats are removed, but seat attachment points are still present. This note only applies to 2-Passenger Seats on Passenger Van.</li> </ol>	96K	S	_	Ο	O	S	S
2-Passenger Seating. Optional with Long Length Passenger Van. Note: 10 rear seats are removed, but seat attachment points are still present.	96X	—	_	0	0	_	_
10-Passenger Seating, 1 <sup>st</sup> row: 2 seats, 2 <sup>nd</sup> row: 2 seats, 3 <sup>rd</sup> row: 3 seats, 4 <sup>th</sup> row: 3 seats. Optional with Extended-Length Passenger Van. <b>Note:</b> 4 rear seats are removed, but seat attachment points are still present.	96W	_	-	0	0	-	-
14-Passenger Seating, 1 <sup>st</sup> row: 2 seats, 2 <sup>nd</sup> row: 2 seats, 3 <sup>rd</sup> row: 3 seats, 4 <sup>th</sup> row: 3 seats, 5 <sup>th</sup> row: 4 seats. Optional with Long Length Passenger Van.	96S	_	_	0	0	_	_
14-Passenger Seating, 1 <sup>st</sup> row: 2 seats, 2 <sup>nd</sup> row: 2 seats, 3 <sup>rd</sup> row: 3 seats, 4 <sup>th</sup> row: 3 seats, 5 <sup>th</sup> row: 4 seats. Optional with Extended-Length Passenger Van.	96T	_	_	0	0	_	_
value v value value v	96P	_	_	0	0	_	_
FUNCTIONAL							
Auxiliary Fuse Panel with High Spec Interface Connector. Includes Dual AGM Batteries (63E) and Modified Vehicle Wiring System (53K).	87E	0	0	0	0	0	0
Dual Alternator (250 amps each). Includes Auxiliary Fuse Panel with High Spec Interface Connector (87E). Includes Auxiliary Fuse Panel with High Spec Interface Connector (87E). Included with Ambulance Prep Packages (47B and 47F). Includes Power Outlet – 110V/400W (90D) on Cargo Van, Cutaway and Chassis Cabs without Push Down Manual Parking Brake (90G) or 11,000lb GVWR. Not available with the 3.5L PFDi V6 (998) engine, Passenger Seat Delete (21J / 21K / 211), 3-Passenger seating (212, 213, 216 and 217) or E-Transit.	63C	O/I	o	0	o	O/I	0
Horn – Dual-note. Included on School Bus Prep Package (47C), MFSAB Prep Package (47Q), Ambulance Prep Package – Cargo Van (47B) and Ambulance Prep Pacakge – Cutaway (47F).	85D	0	о	0	0	0	0
Keyless Entry Keypad	52C	0	0	0	0	_	0
Modified Vehicle Wiring System – Included with Ambulance Prep Package – Cargo Van (47B), RV Prep Package (47D) and Auxiliary Fuse Panel with High Spec Interface Connector (87E). Requires Dual AGM Batteries (63E)	53K	O/I	O/I	O/I	O/I	S	S
on Cargo Van, Crew Van and Passenger Van. Intelligent Acess with Push Button start	41J	0	0	0	0	0	0
Push Down Manual Parking Brake. Standard with 11,000lb GVWR configurations and optional on Cargo Van and Cutaway DRW, except 11,000lb GVWR. Not available with Power Outlet – 110V/400W (90D). <b>Note:</b> The push down manual parking brake feature allows the driver to push the hand lever to the fully down position, while the parking brake remains engaged. This is particularly useful in situations where additional clearance to pass over the parking brake lever is necessary, such as a swivel seat.	90G	S/O	-	_	_	S/O	S
<u>Air Conditioning</u> Front/Rear Aux A/C and Heater (Driver controlled). Not available with E- Transit, Passenger Seat Delete (21J, 21K), and 3-Passenger seating (212, 213, 216 and 217), Cargo Van with Vinyl, Front and Rear (16E), Interior Upgrade Package – Cargo Van (96C), or Load Area Protection Package (96D). <b>Note:</b> Heat distributed from rear of front-passenger seat. A/C is distributed from the rear of van.	57G	0	0	S	S	-	_

	Body Type	CARGO VAN	CREW VAN	PASSENGE R VAN XL	PASSENGE R VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
FUNCTIONAL (continued)		E Tronsit E			En en men		Vahiala
Audio – Audio Packs (Refer to the chart on page 32 for details on the com Insight Tools and for more information on features included with Gas Eng			ora Commerc	al Solutions	Energy Mana	agement and	venicie
AM/FM stereo with 4" multi-function display, Bluetooth, and Dual USB ports.							
Standard on Gas Engine Cargo Van, Crew Van, Passenger Van XL when Rear View Camera with Trailer Hitch Assist is selected. Standard on Gas Engine Cutaway and Chassis Cab. – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front/4 rear) – Passenger Van XL Note: Not available with E-Transit.	58U	S	S	S	_	S	S
SYNC 3 with 4" multi-function display, AM/FM stereo, Bluetooth, and Dual							
USB ports. Optional on Gas Engine Cargo Van, Crew Van, Passenger Van XL when Rear View Camera with Trailer Hitch Assist is selected. Optional on Gas Engine Cutaway and Chassis Cab. – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front/4 rear) – Passenger Van XL Note: Not available with E-Transit.	58V	0	ο	0	_	0	0
★ SYNC 4 with AM/FM stereo and 12" display, Bluetooth, Dual USB ports,							
Embedded Voice Recognition and Connected Navigation (90 Day Trial). Includes Electronic Air Temperature Control. Standard on E-Transit and Gas Engine Passenger Van XLT and on Gas Engine Cargo Van, Crew Van and Passenger Van XL when High Resolution Digital Camera (61E) or 360- Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab. – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab – 8 speakers (4 front) – Passenger Van XL and Passenger Van XLT Note: E-Transit includes Connected Built-In Navigation (3 Years of Service).	58B	S/	S/	S/	S	S/O	S/O
★ SYNC 4 with SiriusXM® with 360L, HD Radio <sup>™</sup> and 12" multi-function display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Navigation (90 Day Trial). Includes Electronic Air Temperature Control. Optional on E-Transit, Gas Engine Cargo Van, Crew Van and Passenger Van when High Resolution Digital Camera (61E) or 360-Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab. <ul> <li>4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab</li> <li>8 speakers (4 front) – Passenger Van XL and Passenger Van XLT</li> </ul>	58C	0	0	0	0	0	0
★ SYNC 4 with SiriusXM® with 360L, HD Radio <sup>™</sup> , Navigation and 12" multifunction display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Built-In Navigation (3 Years of Service) with Traffic Sign Recognition (TSR) and Intelligent Speed Assist (ISA). Includes Electronic Air Temperature Control and Cruise Control (60C). Optional on E-Transit, Gas Engine Cargo Van, Crew Van and Passenger Van when High Resolution Digital Camera (61E) or 360-Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab <ul> <li>4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab</li> <li>8 speakers (4 front) – Passenger Van XL and Passenger Van XLT</li> </ul>	58E	0	0	0	0	0	0
★ SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation, Intelligent Adaptive Cruise Control (iACC) and 12" multi-function display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Built-In Navigation (3 Years of Service) with Traffic Sign Recognition (TSR), Intelligent Speed Assist (ISA), Intersection Assist and Intelligent Adaptive Cruise Control (iACC). Includes Electronic Air Temperature Control. Optional on E-Transit, Gas Engine Cargo Van, Crew Van and Passenger Van when High Resolution Digital Camera (61E) or 360- Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab. – 4 speakers (4 front) – Cargo Van, Crew Van XL and Passenger Van XLT	58F	0	o	o	o	o	O
Audio – Speakers 6 speakers (4 front/2 rear). Optional with Audio Packs 58U, 58V, 58B, 58C, 58E and 58F on Cargo Van, Crew Van and Cutaway. Not available with RV Prep Package (47D). Note: Rear speakers shipped in dunnage box for Cutaway only.	91L	о	о	_	_	о	_
Axle – Front Heavy-Duty Front Axle. Not available with E-Transit. Note: Up to 4,630 lb FGAWR. Refer to the Axle Availability charts beginning on page 30 for complete option details. Batteries	41E	S/O/I	S/O	S/-	S/-	S/O/I	S/O/I
Dual AGM Batteries. (70 amp-hr each). Included with Power Outlet – 110V/400W (90D), Auxiliary Fuse Panel with High Spec Interface Connector (87E), and the combination of X9C, X9X, or X9Y and 15-Passenger Seating.	63E	O/I	O/I	O/I	O/I	O/I	O/I

	Body Type	CARGO VAN	CREW VAN	PASSENGE R VAN XL	PASSENGE R VAN XLT	CUTAWAY	CHASSI CAB
	Order Code	101A	201A	301A	302A	501A	701A
FUNCTIONAL (continued) Frontal Area Limitation							
Enhanced Frontal Area Limitation 1 Note: Provides a Vehicle Emission Control Information label with a frontal area restriction between 60 and 70 ft <sup>2</sup> depending on vehicle configuration. Frontal area limitation requires second unit body to meet profile restrictionss. For additional information please reference the Incomplete Vehicle Manual posted on <u>www.fordbbas.com</u> for details. Dealers should consult with body builder to determine frontal area of completed vehicle	15D	_	_	_	_	0	0
Enhanced Frontal Area Limitation 2. Available on 10,360 or 11,000lb GVWR configurations only and with E-Transit. When ordered with E-Transit 65-mph Governed Top Speed Limiting Device (52M) is standard. <b>Note:</b> Provides a Vehicle Emission Control Information label with a frontal area restriction between 60 and 70 ft <sup>2</sup> depending on vehicle configuration. Frontal area limitation requires second unit body to meet profile restrictions. For additional information please reference the Incomplete Vehicle Manual posted on <u>www.fordbbas.com</u> for details. Dealers should consult with body builder to determine frontal area of completed vehicle	15E	_	-	-	-	0	0
Instrumentation Vehicle Maintenance Monitor. Includes Engine Hour Metre on 3.5L PFDi V6 (998) and 3.5L EcoBoost® V6 (99G) engines only. Note: Depending on the engine, this feature will display engine hour meter, oil life, oil level and tire pressure status.	61C	ο	0	ο	0	0	0
Interior Power Power Outlet – 110V/400W. Includes Dual AGM Batteries (63E). Included with Dual Alternator (63C) on vehicles without Push Down Manual Parking Brake (90G), 11,000lb GVWR or 3-Passenger seating (212, 213, 216 and 217). Not available with E-Transit, Passenger Seat Delete (21J, 21K and 211) or 3-Passenger seating (212, 213, 216 and 217), Front/Rear Aux A/C, Heater (Driver controlled) (57G), 11,000lb GVWR configurations or Push Down Manual Parking Brake (90G). Note: High-power outlets deliver up to 400 watts of power, allowing drivers to easily charge smaller corded tools, battery chargers or mobile devices on- aite	90D	0	_	_	-	0	0
site. Powerpoint – 12V. One located in the rear of vehicle	87A	0	0	_	—	_	_
Pro Power On Board – 120V/2.4kW. Only available with E-Transit. Includes 12V Powerpoint (87A) on Cargo Van configurations. For Cutaway and Chassis Cab configurations a secondary outlet and harness will be supplied in vehicle dunnage. Placement and connection of the rear outlet is the responsibility of the final stage manufacturer. <b>Note:</b> Pro Power On Board allows the vehicle to be used as a power source for tools to be plugged in to. Includes Intelligent Access with push-button start (41J)	90E	0	_	_	_	Ο	0
<u>Upfitter Accessories</u> Upfitter Package. Includes High Capacity Upfitter Switches, Large Centre Console (67E) and Auxiliary Fuse Panel with High Spec Interface Connector (87E). Not available with E-Transit or 3-Passenger seating (212, 213, 216 and 217).	67C	0	0	0	0	0	0
Upfitter Interface Module (UIM). Not available with 360-Degree Camera with Split View and Front Washer (61D), High Resolution Digital Camera (61E), or with audio packages 58B, 58C, 58E, 58F. Note: This technology makes it easy for upfitters to operate aftermarket equipment, such as lift buckets or cranes. Upfitters can connect/program the optional upfitter switches to operate aftermarket-installed equipment with up to 9 digitally configurable inputs. Please see fleet.ford.com/partsandservice/upfitter-interface for additional information. SAFETY/SECURITY	55A	0	0	Ο	_	0	0
Perimeter Alarm.	59D	0	0	0	0	—	_
Keys Keys: 2 additional (4 total) with key fobs.	86F	0	0	0	0	0	0
MyKey®. Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab require Cruise Control (60C). Cargo Van requires Cruise Control (60C) or Adaptive Cruise Control (60D) with Interior Upgrade Package (96C). Not available with audio package 58F. Camera – Rear View	62B	0	0	0	0	0	0
Rear Video Camera and Prep Kit. Will display in rearview mirror when ordered with Radio Prep Package (58T), otherwise will display in multi- function display Note: Will be a dunnage kit for Cutaway and Chassis Cab that requires upfitter installation. Upfitter must add a rear view camera to vehicles that are 10,000 lb GVWR or less to complete the vehicle and meet FMVSS 111 requirements. Rear Video Camera and Prep Kit (61A) is available as a dunnage kit that requires upfitter installation.	61A	_	_	_	_	ο	0
Rear View Display in Rearview Mirror. Includes Radio Prep Package (58T). Not available with E-Transit, Low Roof configurations, Cruise Control (60C), Adaptive Cruise Control (60D), Interior Upgrade Package – Cargo Van (96C), Centre Console with Right Side Shifter (67F), Blind Spot Assist 1.0 (65A) or Reverse Brake Assist (43S). <b>Note:</b> When vehicle is in Reverse, this feature displays an image of what's directly behind the vehicle. This image will appear in the rear view mirror.	61B	0	0	_	_	_	_

	Body Type	CARGO VAN	CREW VAN	PASSENGE R VAN XL	PASSENGE R VAN XLT	CUTAWAY	CHASS CAB
	Order Code	101A	201A	301A	302A	501A	701A
AFETY/SECURITY (continued) ORD CO-PILOT360™ TECHNOLOGY							
Adaptive Cruise Control. Includes Adjustable Speed Limiting Device (ASLD)							
and Intersection Assist. Not available with audio packages 58E and 58F. <b>Note:</b> Adaptive cruise control keeps a constant speed without having to	60D	ο	0	0	0	о	0
work the brake or accelerator pedals. Plus it automatically maintains a	000	Ŭ	Ŭ	U	Ŭ	Ŭ	0
driver-inputted preset distance (or gap) from vehicles ahead. Enhanced Active Park Assist. Requires Blind Spot Assist 1.0 (65A). Includes							
Front Sensing System, Side Sensing System (94A) and Reverse Sensing							
System (43R). Not available with Extended-Length configurations or Rear Bumper Delete (43F).	94B	0	0	0	0	_	
Note: Enhanced active park assist helps make parking less stressful. It	0.2	U U	Ŭ	Ŭ	Ŭ		
helps steer the vehicle, in Reverse, into a perpendicular parking space or steer the vehicle into or out of a parallel parking space.							
Blind Spot Assist 1.0 Includes Blind Spot Information System (BLIS®) with							
Cross-traffic Alert and Trailer Coverage. Includes Short-Arm, Power Adjusting, Power-Folding Heated with Turn Signals on Cargo Van, Crew							
Van and Passenger Van and Power Adjusting, Manual-Folding Heated with							
Turn Signals (544) on Cutaway and Chassis Cab and Reverse Sensing System (43R). Available with optional Power Adjusting, Manual-Folding							
Heated with Turn Signals (544). Blind Spot Assist 1.0 combines Blind Spot	054	0	0	0	0	0	0
Information System (BLIS®) with Lane Keeping Aid to provide a visual warning and resistive steering torque to prevent a Collison should an object	65A	0	0	0	S	0	0
be recognized in the vehicles blind spot while changing lanes.							
<b>Note:</b> Blind Spot Assist deletes the standard Short-Arm, Power Adjusting, Manual-Folding Mirrors (541) on Cargo Van, Crew Van and Passenger Van							
XL. Not available with Radio Prep Package (58T). Audio Pack 58U or Audio							
Pack 58V Reverse Sensing System (43R) is not included when Rear Bumper Delete (43F) on Cargo Van is selected.							
Reverse Brake Assist. Requires Blind Spot Assist 1.0 (65A). Includes Reverse Sensing System (43R) and 360-Degree Camera with Split View							
and Front Washer (61D). Not available with Rear Bumper Delete (43F) and							
Audio Packs 58U, 58V and 58T. Note: If the system determines a collision is imminent while in reverse,	43S	0	0	0	0	_	_
automatic braking is applied to avoid a crash or mitigate an impact. System							
operation will be effected by aftermarket rear step or other rear-mounted equipment.							
amera – Front and Rear View							
360-Degree Camera with Split View and Front Washer. Includes Front Fog Lamps (55D), Reverse Sensing System (43R) and Honeycomb Mesh Grille							
with Chrome Surround Only available with Audio Packs 58B, 58C, 58E and							
58F. Not available with Upfitter Interface Module (55A) or Rear Bumper Delete (43F).	61D	0	0	0	0	—	—
Note: Front, side and rear facing cameras allow the driver to toggle through							
different camera views via a button located on the instrument panel. High Resolution Digital Camera. Standard on E-Transit Cargo Van and Gas							
Engine Passenger Van XLT and optional on Gas Engine Cargo Van, Crew	61E	S/O	0	0	S	—	_
Van and Passenger Van XL with Audio Packs 58B, 58C, 58E and 58F.							
Reverse Sensing System. Included with Blind Spot Assist 1.0 (65A), Side							
Sensing System (94A), Enhanced Active Park Assist (94B) and Reverse Brake Assist (43S). Not available with Rear Bumper Delete (43F). – Cargo	43R	O/I	O/I	O/I	S	I	I.
Van only.							
Side Sensing System. Requires Blind Spot Assist 1.0 (65A). Includes Reverse Sensing System (43R) and Front Sensing System (59B). Not							
available with Rear Bumper Delete (43F).	94A	O/I	O/I	O/I	S	—	—
<b>Note</b> : Works similar to the Reverse Sensing System, as it sounds a tone when the vehicle gets close to surrounding vehicles and other objects.							
★Front Sensing System. Requires Blind Spot Assist 1.0 (65A). Includes Reverse Sensing System (43R) and Front Fog Lamps (55D). Included in	59B	1	1	1	s	0	0
Side Sensing System (94A) and Enhanced Active Park Assist (94B).	290	1	1	1	3	0	0
ACKAGES/KITS udio Prep Packages							
Radio Prep Package. Includes antenna, cover plate in place of radio, wiring							
that is normally provided with single-CD audio packages and speakers. A radio chassis is not provided. Not available with E-Transit, Low Roof Cargo							
Van, Low Roof Crew Van, Cruise Control (60C), Blind Spot Assist 1.0 (65A),							
Adaptive Cruise Control (60D), MyKey® (62B), Interior Upgrade Package – Cargo Van (96C), Interior Upgrade Package – Cutaway/Chassis Cab (47A),							
Motorhome Prep Package (47M), Centre Console with Right Side Shifter	58T	I	1	_	_	о	0
(67F), RV Prep Package (47D) or Reverse Brake Assist (43S) or Front Sensing System (59B)						-	J
Note: Radio Prep Package is included on Cargo Van and Crew Van when							
the Rear View Display in Rearview Mirror (61B) is selected. Optional on Cutaway and Chassis Cab. Not available with Side Sensing System (94A),							
Reverse Sensing System (43R) and Enhanced Active Park Assist (94B).							
<ul> <li>4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab <b>xterior Prep Packages</b> </li> </ul>							
Exterior Upgrade Package – SRW. Included in Shuttle Bus Prep Package	18D	0	0	_	S	O/I	0
(47S). Not available on E-Transit. Exterior Upgrade Package – DRW. Included in Shuttle Bus Prep Package							
(47S).	18L	0	0		S	O/I	0

	Body Type	CARGO VAN	CREW VAN	PASSENGE R VAN XL	PASSENGE R VAN XLT	CUTAWAY	CHASSI CAB
	Order Code	101A	201A	301A	302A	501A	701A
PACKAGES/KITS (continued)							
<u>Heating Prep Packages</u> Auxiliary Heater Prep Package without Rear Controls. Not available with Front/Rear Aux A/C and Heater (Driver controlled) (57G) or with E-Transit.	62A	0	0	—	_	0	0
Auxiliary Heater / AC Prep Package without Rear Controls. Included in Ambulance Prep Package – Cutaway (47F). Not available with Front/Rear Aux A/C and Heater (Driver controlled) (57G) or with E-Transit. <b>Note:</b> Package includes stub lines for delivery of coolant/refrigerant for easy addition of an aftermarket rear heater and A/C system. Requires aftermarket upfit of a climate control system.	62C	0	Ο	_	_	O/I	0
nterior Prep Packages Interior Upgrade Package – Cargo Van. Refer to the Packaged Options section for more details.	96C	0	_	_	_	—	—
Interior Upgrade Package – Cutaway/Chassis Cab. Refer to the Packaged Options section for more details.	47A	—	—	—	—	0	0
Frim Packages Load Area Protection Package. Refer to the Packaged Options section for more details. Note: Includes complete rear polypropylene panels on side walls and doors.	96D	0	_	_	-	_	_
Scuff Plate Kit. Not available with Load Area Protection Package (96D, Interior Upgrade Package – Cargo Van (96C) or Vinyl, Front and Rear Floor Covering (16E) <b>Note:</b> Scuff plate kit includes plastic scuffs for rear cargo doors and side cargo door (60/40 Hinged Passenger-side Door or Sliding Passenger-side Door). Scuff plate kit is not installed on vehicle, needs to be installed by upfitter/dealership.	85A	0	_	_	_	_	_
Heavy-Duty Scuff Plate Kit. Not available with the Vinyl, Front and Rear Floor Covering (16E), Load Area Protection Package (96D) or the Interior Upgrade Package – Cargo Van (96C) unless ordered with Heavy-Duty Cargo Flooring (60B). Note: Heavy-duty scuff plate kit includes heavy-duty scuffs for rear cargo doors and side cargo door (60/40 Hinged Passenger-side Door or Sliding Passenger-side Door). Heavy-duty scuff plate kit is not installed on vehicle, needs to be installed by upfitter/dealership. Miscellaneous Prep Packages	85B	O/I	—/I	_	_	_	_
Ambulance Prep Package – Cargo Van. Refer to the Packaged Options section for more details.	47B	0	_	_	—	—	—
Ambulance Prep Package – Cutaway. Refer to the Packaged Options section for more details.	47F	—	—	—	_	0	_
Motorhome Prep Package. Refer to the Packaged Options section for more details.	47M	—	—	—	—	0	—
Shuttle Bus Prep Package. Refer to the Packaged Options section for more details. RV Prep Package. Only available with Medium/High Roof. Not available with	47S	-	-	—	-	0	
E-Transit. Parcel Delivery Package. Refer to the Packaged Options section for more	47D	0	—	—	—	-	—
details.	47G	0	—	—	_	0	_
ORD ACCESSORIES Back Up Alarm. Note: The back up alarm has 102 dB(A) warning capability	43B	0	0	0	0	0	0
★White Noise Back Up Alarm. Not available with Back Up Alarm (43B). Available with E-Transit only.	63G	0	0	0	0	0	ο
Note: The back up alarm has 87 dB (+/-4) warning capability. Heavy Duty Tray Style Floor Mats (Front). Only available with carpet floor covering (16G/16H).	86N	0	—	0	0	0	0
★All-Weather Floor Mats (Front). Available with vinyl floor covering (16C and 16E).	86W	0	0	0	0	0	0
Remote Start. Not available with E-Transit. ELEET OPTIONS (Requires Valid FIN code)	68B	0	0	0	0	0	0
Rear Bumper Delete	43F	F	-	—	—	S	S
Exterior Mirror Delete. Available on Ambulance Prep Package – Cutaway (47F). Multi-Function School Activity Bus (MFSAB) Prep Package. Refer to the	54X	F	F	—	—	S/P	S
Packaged Options section for more details. Orange Safety Belts. Not available with 10-way power seat packages (21Q,	47Q	-	-	-	-	F	
21R and 21S) or swivel seat packages (21T and 218) or 3-Passenger seating (212, 213, 216 and 217). <b>Note:</b> Belt minder is included on the driver and front passenger seat(s). School Bus Prep Package. Refer to the Packaged Options section for more	76C	F	F	—	—	F	F
details.	47C	_	-	_	_	F	_
Livery Package. Refer to the Packaged Options section for more details. Mobile Power Cord Delete. Optional with E-Transit. Speed Limiting Device	47L 17S	F	_	_	F 	— F	F
105-kph Governed Top Speed Included with E-Transit Cutaway and Chassis Cab when Enhanced Frontal Area Limitation 2 (15E) is selected.	52M	F	F	F	F	F/I	F/I
113-kph Governed Top Speed	52H	F	F	F	F	F	F
121-kph Governed Top Speed. Standard on E-Transit Cutaway and Chassis Cab.	52N	F	F	F	F	S/F	S/F
*Fleet Fuel Economy Package Refer to the Packaged Options section for more details. +Elect Sector Package, Refer to the Packaged Options section for more	98B	F	F	F	F	F	F
★Fleet Safety Package. Refer to the Packaged Options section for more	59C	F	F	F	F	F	F

 $\star$  = New for this model year

Ford Motor Company of Canada Limited

	Body Type	CARGO VAN	CREW VAN	PASSENGE	PASSENGE R VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
FLEET OPTIONS (Requires Valid FIN code) (continued) Automatic Engine Idle Shutdown Includes Smart Acceleration Truncation which provides improved fuel ec	onomy an	d energy effi	ciency by lim	iting power o	on unladen ve	ehicles.	
★Engine Idle Shutdown 5 Minute Timer	55E	F	F	F	F	F	F
★ Engine Idle Shutdown 10 Minute Timer	55F	F	F	F	F	F	F
★ Engine Idle Shutdown 15 Minute Timer	55G	F	F	F	F	F	F
★ Engine Idle Shutdown 20 Minute Timer	55H	F	F	F	F	F	F
Wheels							
DRW – 16" Heavy-Duty White Steel Wheel with Exposed Lug Nuts (Standard Front Axle configurations only). Available with Exterior Upgrade Package – DRW (18L). Optional on DRW only.	76D	P/F	P/F	F	F	P/F	P/F
SRW – 16" White Steel Wheel with Black Hubcap (Standard Front Axle configurations only). Not available with Exterior Upgrade Package – SRW (18D). Optional on SRW only.	64C	F	F	F	_	F	F

= Standard Glass		2022 Tra	ansit - W	indow C	Offerings	1
= Door without Glass		SINGLE RE	AR WHEEL		DUAL REA	R WHEEL
= Fixed Glass Option	LOW	ROOF	MEDIUM &	HIGH ROOF	HIGH	ROOF
= Egress Window	Sliding Passenger-side Door	60/40 Hinged Passenger-side Door	Sliding Passenger-side Door	Power Sliding Door	Sliding Passenger-side Door	Power Sliding Door
lo Rear Glass itandard on Cargo Vans						
ide Door Glass: No lear Door Glass: No lodyside Glass: No						
ixed Rear Cargo Door Glass						
pptional on Cargo Van. ide Door Glass: No tear Door Glass: Yes oodyside Glass: No			17A			
ixed Rear Cargo Door Glass and Fixed Passenger-side Glass ptional on Cargo Van.						
ide Door Glass: Yes lear Door Glass: Yes lodyside Glass: No	178	176	178	178	178	178
ixed Rear Cargo Door Glass and Fixed Driver and Passenger-side Glass itandard on Crew Van.						
ide Door Glass: Yes lear Door Glass: Yes lodyside Glass: Yes	N/A	N/A	17D	N/A	17D	N/A
Vindows-All-Around, Fixed Optional on Cargo Van. Standard/Optional on Passenger Van.						
ide Door Glass: Yes tear Door Glass: Yes lodyside Glass: Yes	17F	17F	17F	17F	17F	17F
i <b>gress Window</b> Dptional on Passenger Van.						
ide Door Glass: Yes ear Door Glass: Yes odyside Glass: Yes	U U	T T	U.	Ϋ́	U I	υ
lote: Only available with Windows-All -Around, Fixed (17F). Requires Privacy Glass (92E). Not available on Low Roof	17L	171.	17L T	17L	17L	17L

### 2023 TRANSIT OPTIONAL EQUIPMENT

PROPRIETARY

Order Code	Seat Pack #	Color	Material	Driver Seat Control	Passenger Seat Control	Single Passenger Seat	Dual Passenger Seat	Driver Heated Seat	Passenger Heated Seat	Driver Lumbar Support	Passenger Lumbar Support	Driver Armrest	Passenger Armrest	2-Way Adjustable Headrest
21C	2	Dark Palazzo Gray	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21D	3	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21G	6	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	No	No	No	No	No	Yes	No	Yes
21J	8	Dark Palazzo Grav	Vinyl	2-Way Manual	No	No	No	No	No	No	No	Yes	No	Yes
21K	9	Dark Palazzo Grav	Cloth	2-Way Manual	No	No	No	No	No	Yes	No	Yes	No	Yes
21L	10	Dark Palazzo Grav	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21M	11	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes	Yes
21P	13	Dark Palazzo Grav	Vinyl	2-Way Manual	2-Way Manual	Yes	No	No	No	No	No	Yes	Yes	Yes
21Q	14	Dark Palazzo Grav	Cloth	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
21R	15	Ebony	Cloth	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
21S	16	Ebony	Leather	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
21T	17	Dark Palazzo Grav	Cloth	4-Way Manual Swivel Seat	4-Way Manual Swivel Seat	Yes	No	No	No	Yes	No	Yes	Yes	Yes
212	25	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	Yes	No	No	No	No	Yes	No	Yes
213	26	Dark Palazzo Grav	Vinyl	2-Way Manual	2-Way Manual	Yes	Yes	No	No	No	No	Yes	No	Yes
216	29	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	Yes	No	No	Yes	No	Yes	No	Yes
217	30	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	Yes	No	No	Yes	No	Yes	No	Yes
218	31	Dark Palazzo Gray	Cloth	4-Way Manual Swivel Seat	4-Way Manual Swivel Seat	Yes	No	No	No	Yes	No	Yes	Yes	Yes
219	32	Dark Palazzo Grav	Cloth	2-Way Manual Seat	2-Way Manual Seat	Yes	No	No	No	Yes	No	No	No	Yes

# FRONT SEAT MATRIX

### FRONT SEAT MATRIX CONTINUED

Order Code	Seat Pack #	Color	Material	Driver Beltminder System	Passenger CRS Top Tether Anchorage	Driver Front Airbag	Passenger Front Airbag	Driver Thorax Airbags	Passenger Thorax Airbags	Driver Curtain Airbags (Front Only)	Passenger Curtain Airbags (Front Only)	Driver Curtain Airbags (Front and Rear)	Passenger Curtain Airbags (Fron and Rear)
21C	2	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	No	No	No	No	No	No
21D	3	Ebony	Cloth	Yes	Yes	Yes	Yes	No	No	No	No	No	No
21G	6	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21J	8	Dark Palazzo Gray	Vinyl	Yes	No	Yes	No	Yes	No	No	No	No	No
21K	9	Dark Palazzo Gray	Cloth	Yes	No	Yes	No	Yes	No	Yes	Yes	No	No
21L	10	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21M	11	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21P	13	Dark Palazzo Grav	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21Q	14	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21R	15	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21S	16	Ebony	Leather	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21T	17	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
212	25	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
213	26	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
216	29	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
217	30	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
218	31	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	No	No	No	No	No	No
219	32	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No

### 2023 TRANSIT OPTIONAL EQUIPMENT

PROPRIETARY

### REAR SEAT MATRIX

Order Code	Seat Pack #	Passenger Seating	Second Row Seating	Third Row Seating	Fourth Row Seating	Fifth Row Seating	Rear Seat Center Armrest	Second Row Double Seat (D)	Second Row Triple Narrow Seat (K)
96K	Less	1, 2 or 3 <sup>1,2</sup>	No	No	No	No	No	No	No
96X	Less-2	2 <sup>2</sup>	No	No	No	No	No	No	No
-	1	5	Yes	No	No	No	No	No	No
96U	11	5 <sup>2</sup>	Yes	No	No	No	No <sup>3</sup>	No	No
96L	2	8	Yes	Yes	No	No	No <sup>3</sup>	No	Yes
96M	3	8	Yes	Yes	No	No	No <sup>3</sup>	No	No
96V	12	8 <sup>2</sup>	Yes	Yes	No	No	No <sup>3</sup>	No	Yes
3-8	4	10	Yes	Yes	Yes	No	No <sup>3</sup>	Yes	No
96W	13	10 <sup>2</sup>	Yes	Yes	Yes	No	No <sup>3</sup>	Yes	No
171	5	12	Yes	Yes	Yes	No	No <sup>3</sup>	No	Yes
96S	9	14	Yes	Yes	Yes	Yes	No <sup>3</sup>	Yes	No
96T	10	14	Yes	Yes	Yes	Yes	No <sup>3</sup>	Yes	No
-	7	15	Yes	Yes	Yes	Yes	No <sup>3</sup>	No	Yes
96P	6	15	Yes	Yes	Yes	Yes	No <sup>3</sup>	No	Yes

### **REAR SEAT MATRIX CONTINUED**

Order Code	Seat Pack #	Passenger Seating	Second Row Triple Wide Seat (C)	Third Row Single/Double Seat (D+F)	Third Row Triple Wide Seat (C)	Fourth Row Single/Double Seat (D+Q)	Fourth Row Triple Wide Seat (C)	Fourth Row Double/Double Seat (J+J)	Fifth Row Single/Double/ Single Seat (Y+X+Y)	Fifth Row Double/Double Seat (J+J)
96K	Less	1, 2 or 3 <sup>1,2</sup>	No	No	No	No	No	No	No	No
96X	Less-2	2 <sup>2</sup>	No	No	No	No	No	No	No	No
-	1	5	Yes	No	No	No	No	No	No	No
96U	11	5 <sup>2</sup>	Yes	No	No	No	No	No	No	No
96L	2	8	No	No	Yes	No	No	No	No	No
96M	3	8	Yes	No	Yes	No	No	No	No	No
96V	12	8 <sup>2</sup>	No	Yes	No	No	No	No	No	No
12	4	<mark>10</mark>	No	Yes	No	No	Yes	No	No	No
96W	13	10 <sup>2</sup>	No	Yes	No	Yes	No	No	No	No
	5	12	No	Yes	No	No	No	Yes	No	No
96S	9	14	No	Yes	No	Yes	No	No	Yes	No
96T	10	14	No	Yes	No	Yes	No	No	No	Yes
252	7	15	No	Yes	No	Yes	No	No	No	Yes
96P	6	15	No	Yes	No	Yes	No	No	Yes	No
	-									1


<sup>1</sup> 2-Passenger Seats are standard on Cargo Van, Cutaway and Chassis Cab, except when Passenger Seat Delete (21J and 21K) is ordered, then it's 1-Passenger Seat. 2-Passenger Seats are standard on Passenger Van with Builders Prep Package (47E). 3-Passenger seating is standard on Cargo Van, Cutaway and Chassis Cab when 3-Passenger seating (212, 213, 216 and 217) are ordered.

on Passenger van with builders Prep Package (472). 3-Passenger seating is standard on Cargo van, Cutaway and Chassis Cab when 3-Passenger seating (212, 213, 216 and 217) are ordere <sup>2</sup> Incomplete Vehicle; some rear seats are removed, but seat attachment points still exist

<sup>3</sup> Included on Passenger Van XLT

<sup>4</sup> 10 seat configuration (96W). Option 96W is only available on body codes U4X or U5X.





### 2023 TRANSIT FUNCTIONAL EQUIPMENT

PROPRIETARY

### NOMINAL TONNAGE (CARGO VAN)

CARGO VA	N	Series (T-xxx)	Drive Type	Nominal Tonnage <sup>1</sup>
	E1Y	T-150	RWD	3/4
	E2Y	T-150	AWD	3/4
	R1Y	T-250	RWD	3/4
Low Roof	R2Y	T-250	AWD	3/4
LOW ROOT	W1Y	T-350	RWD	1
	W2Y	T-350	AWD	1
	F1Y	T-350	RWD	1
	F2Y	T-350	AWD	1
	E1C	T-150	RWD	3/4
	E2C	T-150	AWD	3/4
	R1C	T-250	RWD	3/4
	R2C	T-250	AWD	3/4
Medium Roof	W2C	T-350	AWD	1
	W9C	T-350	RWD	1
	F7C	T-350	RWD	1
	F8C	T-350	AWD	1
	R1X	T-250	RWD	3/4
	R2X	T-250	AWD	3/4
	R3U	T-250	AWD	3/4
	R3X	T-250	RWD	3/4
	W1X	T-350	RWD	1
	W2X	T-350	AWD	1
	W3U	T-350	AWD	1
	W3X	T-350	RWD	1
High Roof	F4U	T-350HD	AWD	1
	F4X	T-350HD	RWD	1
	F7X	T-350HD	RWD	1
	F8X	T-350HD	AWD	1
	S4U	T-350HD	AWD	1
	S4X	T-350HD	RWD	1
	U8X	T-350HD	AWD	1
	U8U	T-350HD	RWD	1

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

### NOMINAL TONNAGE (CREW VAN)

CREW VA	N	Series (T-xxx)	Drive Type	Nominal Tonnage <sup>1</sup>
	E1Z	T-150	RWD	3/4
	E9Z	T-150	AWD	3/4
Low Roof	R1Z	T-250	RWD	3/4
LOW ROOT	R2Z	T-250	AWD	3/4
	W1Z	T-350	RWD	1
	W2Z	T-350	AWD	1
	E1D	T-150	RWD	3/4
	E2D	T-150	AWD	3/4
Medium Roof	R1D	T-250	RWD	3/4
weatum Roof	R2D	T-250	AWD	3/4
	W1D	T-350	RWD	1
	W2D	T-350	AWD	1
	R1V	T-250	RWD	3/4
	R2V	T-250	AWD	3/4
	W1V	T-350	RWD	1
High Doof	W2V	T-350	AWD	1
High Roof	F4V	T-350HD	RWD	1
	F4W	T-350HD	AWD	1
	S4W	T-350HD	AWD	1
	S4V	T-350HD	RWD	1

### NOMINAL TONNAGE (PASSENGER VAN)

PASSENGER	VAN	Series (T-xxx)	Drive Type	Nominal Tonnage <sup>1</sup>
	K1Y	T-150	RWD	1/2
Low Roof	K2Y	T-150	AWD	1/2
LOW ROOT	X2Y	T-350	RWD	1/2
	X9Y	T-350	AWD	1/2
	K1C	T-150	RWD	1/2
Medium Roof	K2C	T-150	AWD	1/2
Medium Roof	X2C	T-350	RWD	1/2
	X9C	T-350	AWD	1/2
	X2X	T-350	RWD	1/2
Ulah Deef	X9X	T-350	AWD	1/2
High Roof	U4X	T-350HD	RWD	1/2
	U5X	T-350HD	AWD	1/2

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

PROPRIETARY

### NOMINAL TONNAGE (CUTAWAY)

CUTAWA	Y	Series (T-xxx)	Drive Type	Nominal Tonnage <sup>1</sup>
	R5P		RWD	3/4
	R7P	T-250	AWD	3/4
	W7P	T-350	AWD	1
	W5P	T-350	RWD	1
	F1P	T-350HD	RWD	1
Low Roof	F2P	T-350HD	AWD	1
LOW ROOT	F6P	T-350HD	RWD	1
	F8P	T-350HD	AWD	1
	S6P	T-350HD	RWD	1
	S8P	T-350HD	AWD	1
	U6P	T-350HD	RWD	1
	U8P	T-350HD	AWD	1

### NOMINAL TONNAGE (CHASSIS CAB)

CHASSIS C	AB	Series (T-xxx)	Drive Type	Nominal Tonnage <sup>1</sup>
	R5Z	T-250	RWD	3/4
	R7Z	T-250	AWD	3/4
	W7Z	T-350	AWD	1
	W5Z	T-350	RWD	1
	F1Z	T-350HD	RWD	1
Low Roof	F2Z	T-350HD	AWD	1
LOW ROOT	F6Z	T-350HD	RWD	1
	F8Z	T-350HD	AWD	1
	S6Z	T-350HD	RWD	1
	\$8Z	T-350HD	AWD	1
	U6Z	T-350HD	RWD	1
	U8Z	T-350HD	AWD	1

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

PROPRIETARY

### FRONT AXLE AVAILABILITY (CARGO VAN)

		3.5L PFD	i V6 (998)	3.5L EcoBo	ost® V6 (99G)	Electric Motor	(E-Transit) (99K)
CARGO VAI	N	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)
De sulas (120 <sup>3</sup> )	E1Y	S	0	S	0	-	-
Regular (130")	E2Y	-	S	8 <b>4</b> 5	S	(28)	-
Lana (140 <sup>2</sup> )	E1Y	S	0	S	0/1 <sup>5</sup>	-	-
Long (148")	E2Y	-	S	5 <b>.</b>	S	-	-
Regular (130°)	R1Y	S	0	S	0	1.0	-
Regular (150)	R2Y	4	S	(22)	S	548	9 12
Long (149=)	R1Y	S	0/l <sup>5</sup>	S	0/l <sup>5</sup>	2 <del>4</del> 13	5
Long (148*)	R2Y	2	S	1221	S	628	2 2
Desules (120%)	W1Y	S	0	S	0	S	-
Regular (130°)	W2Y	2	S	12	S	120	1. 
Lana (140 <sup>3</sup> )	W1Y	S	0/l <sup>3,5</sup>		S	S	-
Long (148")	W2Y	<u>2</u>	S	823	S	120	2 2
Da aulaa (120%)	E1C	S	0	S	0		-
Regular (130")	E2C	-	S	2.5	S	170	
Large (140 <sup>3</sup> )	E1C	S	0	S	0/1 <sup>5</sup>	-	-
Long (148")	E2C	-	S	100	S		3 <u>5</u>
De autra (120%)	R1C	S	0	S	0	(21)	1
Regular (130")	R2C	-	S	257	S		2
Long (148")	R1C	S	0/1 <sup>5</sup>	S	0/1 <sup>5</sup>	528	
Long (140)	R2C	5	S	253	S	170	-
Regular (130")	W9C	S	0	S	0	S	2 1
Regular (150)	W2C	-	S	( <b>*</b> )	S		-
Long (148")	W9C	S	O/I <sup>1.2.3,4,5</sup>	121	S	S	2
Long (140)	W2C	-	S	1	S		-
Long (148")	R1X	S	O/I <sup>5</sup>	S	O/I <sup>5</sup>	-70	6. 9
Long (140)	R2X	-	S	(e-1	S	( <b>*</b> ))	5
Extended-Length (148")	R3X	S	0	S	0	270	-
Extended-Length (146)	R3U	÷	S		S		0. 
121000000000000000	W1X	S	O/I <sup>1,2,4,5</sup>	-	S	S	-
Long (148")	W2X	-	S		S	-	-
	W3X	S	0	S	0	S	-
Extended-Length (148")	W3U	e e	S		S	1	2
1279 R. (C) & 12704	F4X	S	0/l <sup>1</sup>	S	_	-	-
Extended-Length (148")	F4U	-	S		S	120	2 2 2
	S4X	S	0/l <sup>1</sup>	S	-	-	9 9
Extended-Length (148*)	S4U	-	-	-	S		
	U8X	2	12 C		S	(2)	i Si Bi
Extended-Length (148")	U8U	-	-	-	S		-

<sup>1</sup>Included in Power Sliding Door (65C)

<sup>2</sup>Included in Bulkhead – Lockable Door with Window (47T)

<sup>3</sup>Included in Bulkhead – Window Only (47U)

<sup>4</sup>Included in Seat Pack 17 (21T)

<sup>5</sup>Included in Seat Pack 26 (213) and 30 (217)

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

PROPRIETARY

### FRONT AXLE AVAILABILITY (CREW VAN)

		3.5L PFI	Di V6 (998)	3.5L EcoBoost® V6 (99G)			
CREW VAN		Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)		
D	E1Z	S	0	S	0		
Regular (130")	E9Z	-	Ard Front Axle         Heavy-Duty Front Axle (41E)         Standard Front Axle           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         -           S         0         -           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S           S         0         S		S		
(4.40)))	E1Z	S	0	Standard Front Axle (41E)         Standard Front Axle           0         S           S         -           0         S <tr< td=""><td>S</td></tr<>	S		
Long (148")	E9Z	¥.	S	5 <b>-</b>	S		
Regular (130")	R1Z	S	0	S	0		
Regular (150 )	R2Z	2	S	120	S		
Long (148")	R1Z	S	0	33 <del>9</del> 6	S		
Long (140 )	R2Z	-	S	1.	S		
Regular (130")	W1Z	S		S	0		
Negulai (150 )	W2Z	21	S	12	S		
Long (148")	W1Z	S	0		S		
Long (140 )	W2Z	-	S	-2	S		
Regular (130")	E1D	S	0	S	0		
Regular (150 )	E2D		S	2570	S		
Long (148")	E1D	S		1940	S		
Long (140 )	E2D	-	S		S		
Regular (130")	R1D	S		S	0		
Regular (150 )	R2D	-	S	259	S		
Long (148")	R1D	S	0	322	S		
Long (140 )	R2D	-	S		S		
Regular (130")	W1D	S		S	0		
Regular (150 )	W2D	5	S	(19)	S		
Long (148")	W1D	S	0	8 <u>1</u> 21	S		
Eolig (140 )	W2D	-	S		S		
Long (148")	R1V	S	0	10 <sup>-20</sup>	S		
Long (140 )	R2V	-	S		S		
Long (148")	W1V	S		2.52	S		
Long (140 )	W2V	-	S		S		
Extended-Length (148")	F4V	S			S		
Extended-Length (140 )	F4W	2	S	5 <b>-</b> 5	S		
Extended-Length (148")	S4V	S	0	5 <b>-</b> 6	S		
LAtenueu-Lengui (140)	S4W	6	2	1220	S		

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

### FRONT AXLE AVAILABILITY (PASSENGER VAN)

		3.5L PFE	Di V6 (998)	3.5L EcoBo	ost® V6 (99G)	
PASSENGER V	'AN	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	
Regular (130")	K1Y	S	-		-	
Regular (150 )	K2Y		S	84	-	
Long (148")	X2Y	S	-	S	-	
Long (146 )	X9Y	-	S	14	S	
Regular (130")	K1C	S	-		-	
Regular (150 )	K2C	24	S	822		
Long (148")	X2C	S	-	S	-	
Long (140 )	X9C	-	S	12	S	
Long (1/9")	X2X	S	-	S	-	
Long (148")	X9X	-	S	15	S	
Extended Length (149")	U4X	S	-	S	-	
Extended-Length (148")	U5X	-		(m)	S	

# 2023 TRANSIT FUNCTIONAL EQUIPMENT

### FRONT AXLE AVAILABILITY (CUTAWAY)

		3.5L PFI	)i V6 (998)	3.5L EcoBo	ost® V6 (99G)	3.5L EcoBoost® V6	Economy-Rated (993)	Electric Motor (E-Transit) (99K)		
CUTAWAY		Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	
Regular (138")	R5P	S	0	S	0	125	-	(7)	-	
Regular (150 )	R7P	2	S	-	S	1940	÷	(2)	2 	
Long (156")	R5P	S	0	S	0	253	-	(2)	5	
Long (156 )	R7P	2	S	-	S	1		(2)	2	
Regular (138")	W5P	S	0	S	0		-		-	
Regular (150 )	W7P	2	S	9	S	12		125	2	
Long (156")	W5P	S	0	S	0	3 <b>7</b> -3		100		
Long (150 )	W7P	4	S	4	S	-	2	(14) (14)		
Extended-Length (178")	W5P	S	0	S	0	( <b>*</b> )		S		
Extended-Lengur (170 )	W7P		S	-	S	323			2	
Regular (138")	F6P	S	0	S	0	-	-	-	-	
Regular (156 )	F8P	6	S	-	S	528	2	123	2	
Long (156")	F6P	S	0	S	0		-		-	
Long (156 )	F8P	2	S		S	121	2	120	)	
Extended-Length (178")	F6P	S	0	S	0		-			
Extended-Length (178)	F8P	12	S	-	S	828	2	120	2	
D 1 (430)	S6P			S	0		-		-	
Regular (138")	S8P	-	1.5	-	S	-				
4.500	S6P			S	0/l <sup>1</sup>	1941		-	2 2	
Long (156")	S8P	-		-	S		-	1.50		
Cute and and Learneth (470%)	S6P	-	(a)	S	0/I <sup>1</sup>	-	-	-	-	
Extended-Length (178")	S8P	-	35	-	S	10.70		1.70		
Danular (1202)	U6P			-	S	12	-	-	-	
Regular (138")	U8P	5	272	5	S	1.0	-	-	-	
Long (156")	U6P	2	82	-	S	22	S	20	-	
Long (156")	U8P		873		S	1.52	-	172		
Extended-Length (178")	U6P	6	12	-	S	122	S	22	-	
Extended-Length (178")	U8P	-			S	-	-	190	-	

<sup>1</sup>Included in Seat Pack 25 (212), 26 (213), 29 (216), 30 (217)

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

### FRONT AXLE AVAILABILITY (CHASSIS CAB)

0		3.5L PFE	)i V6 (998)	3.5L EcoBo	ost® V6 (99G)	3.5L EcoBoost® V6	Economy-Rated (993)	Electric Motor (E-Transit) (99K)		
CHASSIS CA	в	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	
Regular (138")	R5Z	S	0	S	0	100		(7)	-	
Kegulai (150 )	R7Z	-	S	-	S	(a)	-	-	-	
Long (156")	R5Z	S	0	S	0	( <b>.</b>	-	(2)	-	
Long (150 )	R7Z	2	S	-	S	84	-	(2)		
Regular (138")	W5Z	S	0	S	0		-	-	-	
Regular (150 )	W7Z	2	S	-	S	1940	2	120		
Long (156")	W5Z	S	0	S	0	100	÷		-	
Long (156 )	W7Z	4	S	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	S	1.4	-	120	5	
Extended-Length (178")	W5Z	S	0	S	0	( <b>1</b> 5)		S	-	
Extended-Lengur (170 )	W7Z		S	-	S	120		12	20	
D(420)))	F6Z	S	0	S	0		-	-	-	
Regular (138")	F8Z	5	S	2	S	828	. <u>S</u>	0		
1	F6Z	S	0	S	0		-			
Long (156")	F8Z		S	1	S	121	. <u>2</u>	125	2	
Extended-Length (178")	F6Z	S	0	S	0		-	-	-	
Extended-Length (170 )	F8Z	5	S	-	S	82	. <u>2</u>	(j))		
D (420)	S6Z	-	-	S	0	-	-	-	-	
Regular (138")	S8Z			-	S	2.70		1.5		
Long (156")	S6Z			S	0/l <sup>1</sup>	(a)	-	(4)	-	
Long (156 )	S8Z	-	-	-	S	5-5				
Extended-Length (178")	S6Z	2	(a)	S	0/l <sup>1</sup>		-	(2)	-	
Extended-Lengur (170 )	<b>S8Z</b>			-	S	25				
B	U6Z				S	140	2		2	
Regular (138")	U8Z	5			S	17	-	-	-	
Long (156")	U6Z	2	100	-	S	1.2	S	120		
Long (156")	U8Z	-	873	-	S	15	-	-	2	
Extended-Length (178")	U6Z	2	82		S	323	S	28	2	
Litenueu-Lengin (170)	U8Z		875		S	251	5	272	-	

<sup>1</sup>Included in Seat Pack 25 (212), 26 (213), 29 (216), 30 (217)

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

### **REAR AXLE AVAILABILITY** (CARGO VAN)

6		2	3.	5L PFD	i V6 (99	98)			3.5L	EcoBoo	st® V6	(99G)		Electric Motor (E-Transit) (99K)
CARGO VAN		Non-Limited				nited-S		Non-Limited Limited-					Non-Limited	
CARGO VAN		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	Electric Axle
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	
Regular (130")	E1Y	2-3	S	2.00	-	0/l <sup>1</sup>	O/A <sup>2</sup>	0	S	2.00	0	O/l <sup>1</sup>	-	(m)
	E2Y	-	-	-	-	S	0	2-0	-	2.00	-	S	-	3*3
Long (148")	E1Y	322	S	, 19 <b>2</b> 2 ,	3	0/l <sup>1</sup>	O/A <sup>2</sup>	0	S		2	0/l <sup>1</sup>	3	8 <u>1</u> 2
3(7	E2Y				- 3	S	0				- 5	S		
	R1Y		S		-	0/l <sup>1</sup>	O/A <sup>2</sup>	0	S	1.000	0	0/l <sup>1</sup>	-	-
Regular (130")	R2Y	828	Ū.	828	- 22	S	0		1	828		S		128 B
1 (4 40 11)	R1Y	2.43	S	2.00	-	0/1 <sup>1</sup>	O/A <sup>2</sup>	0	S	275	0	0/1 <sup>1</sup>		-
Long (148")	R2Y	8-8	-	3.08	-	S	0	38	-	0.00	-	S	-	
	2 4 2 2 2 4	12. SP					2							
Regular (130")	W1Y	878	S	858	-	0/l <sup>1</sup>	O/A <sup>2</sup>	0	S	878	0	0/l <sup>1</sup>	~	S
	W2Y	-	-	-	-	S	0		-	-	-	S	-	
Long (148")	W1Y	878	S	10.50		0/l1	O/A <sup>2</sup>			272	~	S	<u> </u>	S
	W2Y	-	-	-	-	S	0	5-0	-	0-0	-	S	-	200
	E1C	-	S		-	0/l <sup>1</sup>	O/A <sup>2</sup>	0	S		0	0/l <sup>1,3</sup>	- 1	-
Regular (130")	E2C	1	-		-	S	0		0	1	~	S	-	14 - 14 - 14 - 14 - 14 - 14 - 14 - 14 -
			S			0/l <sup>1</sup>	O/A <sup>2</sup>	0	S		-	0/l <sup>1,3</sup>		
Long (148")	E1C E2C			2.00		S	0/A-			200		S	-	
	EZU	-	-	-	-	5	0	-	-	-	-	5	-	-
D (420!!)	R1C	8-8	S		÷	0/l <sup>1</sup>	O/A <sup>2</sup>	0	S	2000	0	O/11.3		( <b>-</b> )
Regular (130")	R2C	Sec. 1	<u></u>	828		S	0	1948	2	842	2	S	2	12
20 00 00 00 00 00 00 00 00 00 00 00 00 0	R1C	2.48	S	2.42	~	0/l <sup>1</sup>	O/A <sup>2</sup>	0	S	2.40	0	O/I <sup>1,3</sup>	-	2743
Long (148")	R2C	Sec. 1		848	2	S	0			822		S		122
ii -														
Regular (130")	W9C	. S-S	S	5-8	÷	0/l <sup>1</sup>	O/A <sup>2</sup>	0	S	. 8 <b>-</b> 8	0	O/I <sup>1,3</sup>	Ξ.	S
nogulai (100 /	W2C	122		122	2	S	0		2	192	3	S	2	828
Long (148")	W9C	8 <b>-</b> 8	S	5-9	-	O/l <sup>1</sup>	O/A <sup>2</sup>	30-83	3	10-01	8	S	-	S
Long (140 )	W2C	1942	걸	1.122	39	S	0		8	1982	20	S	2	82
	DAY			7			0	0			0	0/l <sup>1,3</sup>		
Long (148")	R1X		-	. See .	2	_ S+3 _	S	0	S	, S#R ,	0		~	84
	R2X	0.050		0.050		0.05	S	1.15	-	0.055		S		1
E	R3X	1020	2	626		642	S	0	S	622	0	0/1 <sup>1,3</sup>	2	124
Extended-Length (148")	R3U		~		-		S		-		-	S		-
										-				
Long (148")	W1X	-	<u> </u>		9	322	S	100	<u> </u>	322	2	S	<u> </u>	S
5( )	W2X	2.00	~	2.00	-	2.00	S		~	2.53		S	~	
	W3X	-	-	-		-	S	0	S	-	0	O/l <sup>1,3</sup>	-	S
Extended-Length (148")	W3U	-	-	-	-	-	S	-	-	-	-	S	-	-
		0	-			-						10.00	-	(c+1)
Extended-Length (148")	F4X	0.00	~	10.72		2.75	S	10.00	S	878		O/l <sup>3</sup>		253
Entonuou-Eongui (140 )	F4U	0-0	-	0-0	-	5.40	S	540	-	5.40	-	S	-	324 
	CAY	10 10					0	12	6			0/l <sup>3</sup>		
Extended-Length (148")	S4X S4U	-			-		S	2*3	S	2.5	-	S		
	540	-	~	-	-		-	-	-	-	-	3	-	-
Eutonded Longth /4 40%	U8X	1.00	-	3.08	-	33:58	-			3.00	÷	S		3 <b>-</b> 3
Extended-Length (148")	U8U	1	2	828	2	822	2	1.00	2	822	0	S	2	123
	500	5 K				12 S		5 S	1					

<sup>1</sup>Included with Heavy-Duty Front Axle (41E) <sup>2</sup>Available with Heavy-Duty Front Axle (41E) <sup>3</sup>Included with Ambulance Prep Package – Cargo Van (47B)

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

PROPRIETARY

### REAR AXLE AVAILABILITY (CREW VAN)

		9	3.	5L PFD	i V6 (99	98)			3.5L	EcoBoo	ost® V6	(99G)	
	ii -		on-Limit	ted	Li	mited-S		No	n-Limit	ted	Lii	nited-S	ilip
CREW VAN		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (130")	E1Z	3-3	S	10-6		O/l <sup>1</sup>	A <sup>2</sup>	0	S	<u></u>	0	O/I <sup>1</sup>	-
	E9Z	1922	2	1928	<u></u>	S	0	848	<u></u>	1922	<u></u>	S	
Long (148")	E1Z	0-8	S	2.00	-	O/I1	O/A <sup>2</sup>	0.00	-	0-0	-	S	÷
Long (140 )	E9Z	0.00	2	543	- 2	S	0	1.2	- 2	- S-2-	- 2	S	- 2
Regular (130")	R1Z	1942	S		-	0/l <sup>1</sup>	A <sup>2</sup>	0	S		0	O/I <sup>1</sup>	
Regular (150 )	R2Z	122	2	1.122	2	S	0	1.122	12		겉	S	- 12 2
1 (4.402)	R1Z	848	S		-	0/l <sup>1</sup>	O/A <sup>2</sup>		-		-	S	
Long (148")	R2Z	192	10	1	2	S	0	12	3	192	22	S	3
	W1Z	-	S			0/l <sup>1</sup>	O/A <sup>2</sup>	0	S	-	0	0/l <sup>1</sup>	
Regular (130")	W2Z					S	0					S	-
	W1Z	5.0	S	-	2	0/l <sup>1</sup>	O/A <sup>2</sup>		2	-		S	
Long (148")	W2Z	-	-	-		S	0					S	
													1
Regular (130") Long (148")	E1D	828	S	848		0/l <sup>1</sup>	A <sup>2</sup>	0	S	828	0	0/l <sup>1</sup>	
	E2D	875		855	5	S	0	853	-	855	-	S	8
	E1D	192	S	- 82		0/11	O/A <sup>2</sup>	, 82 ,		- 82 - J		S	
2	E2D	875	<u> </u>	275	5	S	0	87	-	875	-	S	5
Regular (130")	R1D		S		3	O/l <sup>1</sup>	A <sup>2</sup>	0	S		0	O/I <sup>1</sup>	8
negular (150 )	R2D	8 <b>•</b> 8		2.00		S	0	200		2.5	~	S	
Long (148")	R1D	1922	S	1.000	2	O/l <sup>1</sup>	O/A <sup>2</sup>	122	<u></u>		<u></u>	S	<u> </u>
Long (140 /	R2D	273		200	8	S	0	200	~	2-3	-	S	~
D 1 (430)	W1D	-	S	-		0/l <sup>1</sup>	O/A <sup>2</sup>	0	S	-	0	0/l <sup>1</sup>	-
Regular (130")	W2D	3.08	-		-	S	0		-	0-8	-	S	-
	W1D		S		-	0/l <sup>1</sup>	O/A <sup>2</sup>	-	-		-	S	-
Long (148")	W2D	2.00	-	3.00	-	S	0	3.08	-	0.00	-	S	-
	R1V		-	-	-	-	S	-	-			S	-
Long (148")	R2V	-	1				S	1		-		S	
		5					2	2					
Long (148")	W1V	200		2.00		2.53	S	2:0		2.5		S	
5, ,	W2V		-	-	-	-	S	-	-	-	-	S	-
Eutonded Longth (4.40%)	F4V	2.00	-		-		S		-		-	S	-
Extended-Length (148")	F4W	82	2	848	2	82	S	828			2	S	8
	S4V		-		-	-	S		-		-	S	-
Extended-Length (148")	S4W	1922	2	1.000	2	1.00	<u> </u>		2	1.000	2	S	

<sup>1</sup>Included with Heavy Duty Front Axle (41E) <sup>2</sup>Available with Heavy Duty Front Axle (41E)

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

### REAR AXLE AVAILABILITY (PASSENGER VAN)

		9	3.	5L PFD	i V6 (99	(86		2	3.5L	EcoBoo	st® V6	(99G)	
DASSENCED W	No	n-Limit	ted	Li	Limited-Slip			n-Limi	ted	Limited-Slip			
PASSENGER V	PASSENGER VAN			4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L
Regular (130")	K1Y	1.00	S		-	0	-		-		-		-
Regulai (150 )	K2Y		2	С.	3	S	2	1	2	<u></u>	2	ас. Г	3
L	X2Y		S			0	0	0	S		0	0	-
Long (148")	X9Y	1	3		3	S	0		3	<u></u>	3	S	- 2
Demulae (120%)	K1C		S	-	-	0	-		-	-		-	
Regular (130")	K2C					S							
L == = (1 49 <sup>22</sup> )	X2C	1.2	S	-	- 2	0	0	0	S	-	0	0	2
Long (148")	X9C	852	-	1.0	8	S	0	855	5	853		S	
Long (149")	X2X		2	-	2	-	S	0	S	-	0	0	2
Long (148")	X9X			-		-	S					S	
Eutended Length (4.40%)	U4X	-					S		S		-	0	-
Extended-Length (148"	U5X	3.00		3.00	-	8-8	÷			8.00	-	S	

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

PROPRIETARY

### REAR AXLE AVAILABILITY (CUTAWAY)

												•••								
			3.	5L PFD	i V6 (99	(8)		2	3.5L	EcoBoo	st® V6	(99G)		3.5L E	coBoos	t® V6 E	conom	y-Rate	d (993)	Electric Motor (E-Transit) (99K)
CUTAWAY			n-Limit			nited-S			n-Limit			mited-S			n-Limit			nited-S		Non-Limited
CUTAWAT		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	Electric Axle
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	
Regular (138")	R5P		-		-	-	S	0	S		0	O/I <sup>1</sup>	-	-	-	100	-		-	
	R7P	-	<u> </u>	199	<u> </u>	1.00	S	8-2	-	1920	-	S	<u> </u>	-	<u> </u>	-	- P	1.00	<u> </u>	-
Long (156")	R5P	1.00	-	<u></u>		1.0	S	0	S	10-11	0	O/I <sup>1</sup>	-	( <b>-</b> )	-	0.00		100	-	
R/P	R7P	-		-		-	S	•		-		S	-	· · · ·		•	-	-	-	
Denulas (1292)	W5P		-	1940	-	(4)	S	0	S	199	0	0/l1	-		-	100	-	100	-	
Regular (138")	W7P		2		2	192	S	12	2	323	20	S	23	1992	3	382	334	323	- 8 - 8	-
Long (156")	W5P	5 <b>-</b> 2	-	-	-		S	0	S	5.00	0	0/l <sup>1</sup>	-		-	1	-	5 <b>-</b> 2	-	
Long (156 )	W7P	. 1922 .	2		33	1822	S	12	22	1922	20	S	23	122	22	322	201	1822	- 22	8 <u>-</u> 8
Extended-Length (178")	W5P	-	-	8	-	-	S	0	S	-	0	O/I1	-		-	1	-	-	-	S
Extended-Lengur (178-)	W7P		2		24	1	S		2	322	35	S	2		3	122	10			
	F6P			~			S		S			0/l <sup>1</sup>				1			-	
	F8P	-		-		-	S	-	-			S		-		-		-		-
and and an and a second s	F6P		-	-	-	-	S	1	S		2	0/l <sup>1</sup>	- 2		2	540	2		-	
Long (156")	F8P		-				S		-		-	S								-
Extended-Length (178")	F6P	1.00	-	1	-	1.541	S	14	S	1.000	-	0/l1	-	5-3		140	2	1.54	-	8-1
Extended-Length (176)	F8P						S			- 355 - 3	-	S			- 0			- 250-2		-
	S6P		<u></u>	1 S22 1	<u></u>		<u> </u>	1.020	S	1	<u></u>	O/I <sup>1,2</sup>			<u></u>	1940		-		
Regular (138")	S8P	2.00			~		~		-	2.52		S				10.00		2.50		-
1 (4 E C II)	S6P	1.02	2	1.00	<u> </u>	1.2	0	1.02	S	8.3	2	O/I <sup>1,2</sup>	2	848	2	828	2	820	<u></u>	14 C
Long (156")	S8P	878		878		875		878		878		S		878		872		878		
Extended-Length (178")	S6P	-	<u></u>	1.000	3	1	0	848	S		3	0/l <sup>1,2</sup>	3		2	1945	3	1	2	120
Extended-Length (176 )	S8P			8-8				8.5	-	878	-	S		878				8.5	-	1.7
	U6P		- U		<u></u>	-	2		<u> </u>		<u></u>	S	<u></u>		<u> </u>		<u> </u>		<u> </u>	
Regular (138")	U8P		-	-		-	-		-			S		2.00	-					
4.500	U6P	12	12		3	122	2	122	2	122	12	S		122	12	122	32	S	2	828
Long (156")	U8P	2:53		- 25						2.00		S		2:5		200		2-3		1. The second
Extended Length /470%	U6P	192	<u> </u>	1.02	<u> </u>	100	5	122	<u> </u>	1922	34	S	2	122	2	1982	<u> 3</u>	S	<u> </u>	523
Extended-Length (178")	U8P	2-3		28				2.00	-	2.03		S		2-3		283		2.00	-	

<sup>1</sup>Included with Heavy Duty Front Axle (41E) <sup>2</sup>Included with Ambulance Prep Package (47F)

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

### REAR AXLE AVAILABILITY (CHASSIS CAB)

6		8	3.	5L PFD					3.5L	EcoBoo	ost® V6	(99G)		3.5L E	coBoos	st® V6 I	Econon	ny-Rate	d (993)	Electric Motor (E-Transit) (99K)
CHASSIS CA	B	No	n-Limit	ted	Li	mited-S	lip	No	n-Limi		Li	mited-S	ilip	No	n-Limit	ted	Li	nited-S	Slip	Non-Limited
CHASSIS CAB		3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	3.31	3.73	4.10	Electric Axle
		X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	X31	X73	X41	X3L	X7L	X4L	Electric Axie
Regular (138")	R5Z		-	3-8	-	3-8	S	0	S	8-8	0	0/l <sup>1</sup>	-		-	2-8	-		-	241
nogular (100 )	R7Z			100	<u>_</u>	1949	S			1945		S	2	1.00	12	1000	2	1948	S .	520
Long (156")	R5Z	1.00	-	1.0	-	0-8	S	0	S	1.00	0	0/l <sup>1</sup>	-	1.00	-	1.0	-		-	(i*)
	R7Z	-	2	<u> </u>	2	2	S		- 2	1	2	S	- 2	1		1		2	<u> </u>	-
Regular (138") W5Z		-	-		-		S	0	S		0	O/l <sup>1</sup>	-		-		-			
Regular (150 )	W7Z		12	1920	2	828	S		2	1 1923 (	2	S	2	1929	<u> </u>	122	2	120	- S	12
Long (156")	W5Z	5.43	-	040	-	0-0	S	0	S	548	0	0/l <sup>1</sup>	-		-	1948	-	10-0	-	
Long (150 )	W7Z	120	<u></u>	1998	1	1920	S	1.000	<u>ن</u>	1.12	<u></u>	S	<u></u>	1.00	S	1.	<u></u>	-	- 12 I.	8 <b>-</b> 1
Extended-Length (178")	W5Z	() - C	-	-	н.	-	S	0	S	8-8	0	0/l <sup>1</sup>	Ξ.		Ξ.		н		-	S
Extended-Lengui (178 )	W7Z		12		3		S		2		ŭ,	S	2		ı.		29	122	- E	12
	F6Z	1	-		- 22		S		S	N and S		0/l <sup>1</sup>				1000				-
	F8Z						S					S								-
	F6Z	-		-	-	-	S	-	S	-		0/l <sup>1</sup>				-		-	-	
Long (156")	F8Z				- 5		S					S		-		-			-	-
Extended-Length (178")	F6Z	-	-	- 22		( sec )	S	3 <b>4</b> 2	S	543	-	0/l <sup>1</sup>				1.00	- 2			8 <b>-</b> 0
Extended-Lengui (110 )	F8Z	-				-	S		-		-	S		-		-		-	-	
D 1 (1991)	S6Z			1.20		1.000		1.840	s	1.000	- <u>c</u>	0/l <sup>1</sup>			- C	1.000		- au	<u> </u>	1.2
Regular (138")	S8Z	100	- 13			1000			n	13.5%		S		1000		1000		10.00	-	107.0
Long (156")	S6Z	~	<u></u>	1	್ರ		9	1	S	1 222	2	0/l <sup>1</sup>	9	100	9	1 22	9	1000	9	929
Long (130 )	<b>S8Z</b>		-	100		100	- 6				- A	S	- 2							1.5
Extended-Length (178")	S6Z	100	0	8	-	1	е. С		S	1000	2	0/l <sup>1</sup>	<u>_</u>		-	1000	1	1		(124)
Entonidod-Eoligai (110 )	<b>S8Z</b>		-			100			-	10.00		S	a.,			1.00	a.	100		250
D 1 (12011)	U6Z	-	<u> </u>	-	3		- S		2	1.1	<u> </u>	S	<u> </u>	-	<u> </u>	-	<u> </u>	-	-	-
Regular (138")	U8Z	2.00		2.00	-	273		273		2.73		S	-	2.73	-	1.27%			-	
Long (156")	U6Z	12	<u> </u>	1	5	1	<u> </u>		<u> </u>		<u> </u>	S	<u> </u>		<u> </u>	1	5	S		525
Long (150 )	U8Z	-		273	-	273		273		273	-	S	-	2.73	-	1.00			-	
Extended-Length (178")	U6Z	192	5	199	39		5	100	2	1993	2	S	2				24	S	14 A	14
Extended-Lengur (170 )	U8Z	200	-	200		223		2-3		2.53		S	-	2.53	-	2.00		2.0	-	

<sup>1</sup>Included with Heavy Duty Front Axle (41E)

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

### WHEEL AVAILABILITY (SRW)



16" Silver Steel Wheel with Black Hubcap

(Standard on Standard Front Axle configurations)



16" Black Aluminum Alloy Wheel (644)



★16" Sparkle Silver Alloy Wheel (64K)



16" Silver Steel Wheel with Silver Hubcaps and Exposed Lug Nuts (641)

(Standard on Heavy-Duty Front Axle configurations)



16" Silver Aluminum Alloy Wheel (647)



16" Steel Wheel with Full Silver Wheel Cover (64H)

(Standard on E-Transit)



16" Matte Black Alloy Wheel (64G)

Wheel Image Coming Soon

16" White Steel Wheel with Black Hubcap (64C – Fleet Only)

WHEEL AVAILABILITY (DRW)



16" Heavy-Duty Silver Steel Wheel with Silver Hubcaps and Exposed Lug Nuts

(Standard on Standard Front Axle configurations) &(Standard on Heavy-Duty Front Axle configurations)





16" Heavy-Duty Forged Aluminum Wheel

(76E – Standard Front Axle configurations) & (76G – Heavy-Duty Front Axle configurations)

### 2023 TRANSIT FUNCTIONAL EQUIPMENT

PROPRIETARY



16" Heavy-Duty White Steel Wheel with Exposed Lug Nuts (76D – Fleet Only)

### 2023 TRANSIT COLOUR & TRIM AVAILABILITY

PROPRIETARY

INTERIOR MATERIAL	CODE	Cargo Van	Crew Van	Passenger Van XL	Passenger Van XLT	Cutaway	Chassis Cab
Ebony Cloth	CB	0	0	S	0	0	0
Ebony Leather	LB	0	-	-	0	0	-
Dark Palazzo Grey Cloth	СК	0	0	-	S	0	0
Dark Palazzo Grey Vinyl	VK	S	S	0	-	S	S
Dark Palazzo Grey Vinyl	VK	S	S	0	-	S	S
Dark Palazzo Grey Vinyl (Driver Seat) + Ebony Vinyl (Passenger Seats) 3KSZH	VB	0	-	-	-	0	0

Note: Unlike the Driver Seat, dual Passenger Seat insert and bolster material will be identical





★Ebony Cloth

★Ebony Leather




★Dark Palazzo Grey Cloth



★Dark Palazzo Grey Vinyl

EXTERIOR COLOUR	CODE	Cargo Van	Crew Van	Passenger Van XL	Passenger Van XLT	Cutaway	Chassis C ab
Oxford White	YZ				•	•	
Race Red	PQ	•	•		•		
School Bus Yellow (Fleet only)	BY						
Agate Black Metallic	UM	•	-	•	•	-	•
Ingot Silver Metallic	UX						
Carbonized Grey Metallic	M7	•	-	•	•	-	•
★Blue Metallic	FT						
Avalanche Grey Metallic	DR	-	-		•	•	•
Abyss Grey Metallic	ME						
★Blue Mist	МТ	•	•		•	•	



### 2023 TRANSIT PACKAGED OPTIONS

#### EXTERIOR UPGRADE PACKAGE - SRW (18D)

#### Availability:

 Cargo Van, Crew Van, Passenger Van XLT (Standard), Cutaway and Chassis Cab

#### Not available with:

- Passenger Van XL
- E-Transit

Includes:

- Chrome HID Headlamps (91A) Except when Cutaway or Chassis Cab with 3.5L PFDi V6
- Wiper Activated Headlamps (91B)
- Front Fog Lamps
- Honeycomb Mesh Grille with Chrome Surround
- 16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only) (64H) or 16" Silver Steel Wheel with Exposed Lug Nuts (Heavy-Duty Front Axle configurations only)

#### Upgradeable Features/Options (for additional charge):

- 16" Silver Aluminum Alloy Wheel (Standard Front Axle
- configurations only) (647)
- 16" Black Aluminum Alloy Wheel (Standard Front Axle configurations only) (644)
- 16" Matte Black Alloy Wheel (Heavy-Duty Front Axle configurations only) (64G)
- 16" Sparkle Silver Alloy Wheel (Heavy-Duty Front Axle configurations only) (64K)

### EXTERIOR UPGRADE PACKAGE – DRW (18L)

- Availability:
- Cargo Van, Crew Van, Passenger Van XLT (Standard), Cutaway and Chassis Cab
- Not available with:
- Passenger Van XL

#### Includes:

- Chrome HID Headlamps (91A) Except when Cutaway or Chassis Cab with 3.5L PFDi V6
- Wiper Activated Headlamps (91B)
- Front Fog Lamps
- Honeycomb Mesh Grille with Chrome Surround
- 16" Heavy-Duty Silver Steel Wheel with Exposed Lug Nuts
- Upgradeable Features/Options (for additional charge):
  16" Heavy-Duty Forged Aluminum Wheel (Standard Front Axle configurations only) (76E)
- 16" Heavy-Duty Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only) (76G)
- 16" Heavy-Duty White Steel Wheel with Exposed Lug Nuts (Standard Front Axle configurations only) (76D – Fleet Only)

#### LOAD AREA PROTECTION PACKAGE (96D)

### Availability:Cargo Vans

#### Cargo Vans Not available with:

- Windows-All-Around, fixed (17F)
- Power Running Board (68L)
- Scuff Plate Kit (85A)
- Heavy-Duty Scuff Plate Kit (85B), unless ordered with Heavy-Duty Cargo Flooring (60B)
- 11,000lb GVWR Cofigurations
- Includes:
- Vinyl, Front and Rear (16E) (includes Wheel Well Liners)
- Full-Height LH/RH Polypropylene Cargo Area Panels.
- Upgradeable Features/Options (for additional charge):
- Heavy-Duty Cargo Flooring (60B)

#### INTERIOR UPGRADE PACKAGE – CUTAWAY/CHASSIS CAB (47A)

#### Availability:

- Cutaway and Chassis Cabs.
- Not available with:
- E-Transit
- Right Hand Door Delete (60X)

Includes:

- Cruise Control (60C) except when audio package 58F is selected
- Dark Palazzo Grey Cloth, 2-way manual Driver and 2-way manual Passenger seat (21L)
- SYNC 3 with 4" Display (58V)
- SYNC 4 with AM/FM stereo and 12" display (58B) if Blind Spot Assist 1.0 (65A) is selected
- Vinyl Sunvisor with Illuminated Vanity Mirror (Driver and Passenger) (85C)

#### Upgradeable Features/Options (for additional charge):

- Dark Palazzo Grey Cloth, 2-way manual Driver and 2-way manual Passenger seat (21C)
- Ebony Čloth, 2-way manual Driver and 2-way manual Passenger seat (21D)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seat (21M)
- Dark Palazzo Grey Cloth, 10-way power Driver and 10-way power Passenger seats (21Q)
- Ebony Cloth, 10-way power Driver and 10-way power Passenger seats (21R)
- Ebony Leather, 10-way power Driver and 10-way power Passenger seats (21S)
- SYNC 4 with AM/FM stereo and 12" display (58B)
- SYNC 4 with SiriusXM<sup>®</sup> with 360L, HD Radio<sup>™</sup>and 12" Display (58C)
- SYNC 4 with SiriusXM<sup>®</sup> with 360L, HD Radio<sup>™</sup>, Navigation and 12" Display (58E)
- SYNC 4 with SiriusXM® with 360L, HD Radio<sup>™</sup>, Navigation, Intelligent Adaptive Cruise Control (iACC) and 12" Display (58F)
- Adaptive Cruise Control (60D) except when MyKey® (62B), audio package 58E or 58F are selected

# 2023 TRANSIT

#### PACKAGED OPTIONS **INTERIOR UPGRADE PACKAGE - (CARGO VAN) (96C) RV PREP PACKAGE (47D)** Availability: Availability: Cargo Vans Not available with: Cargo Van Includes: Power Running Board (68L) Modified Vehicle Wiring System (53K) Heavy-Duty Trailer Tow Package (53B) Scuff Plate Kit (85A) Heavy-Duty Scuff Plate Kit (85B), unless ordered with Heavy-Duty Dark Palazzo Grey Cloth, 4-way manual swivel Driver and 4-way • manual swivel Passenger (21T) Cargo Flooring (60B) Includes: SYNC 4 with SiriusXMe with 360L, HD Radio™, Navigation, Full-Height Polypropylene Cargo Area Panels Intelligent Adaptive Cruise Control (iACC) and 12" Display (58F) ٠ Vinyl, Front and Rear (16E) High Resolution Digital Camera (61E) when Reverse Brake Assist Short-Arm Power, Manual-Folding Mirrors (541) when Blind Spot (43S) is not selected Black HID Headlamps (91C) (Not available w/ Exterior Upgrade Assist 1.0 (65A) is not selected Vinyl Sunvisor with Illuminated Vanity Mirror (Driver and Package - SRW (18D) and DRW (18L)) Front Fog Lamps (55D) Passenger) (85C) Dark Palazzo Grey Cloth, 2-way manual Driver and 2-way manual Wiper Activated Headlamps (91B) Passenger (21L) - included with Gas Engines only Front Bumper, Body Coloured (53G) Ebony Čloth, 2-way manual Driver and 2-way manual Passenger Illuminated Sun Visors (85C) seats (21M) - included with E-Transit Carpet, Front only (16G) Cruise Control (60C) - except when audio package 58F is selected 8 speakers (4 front/4 rear) Upgradeable Features/Options (for additional charge): Side Sensing System (94A) Heavy-Duty Cargo Flooring (60B) Blind Spot Assist 1.0 (65A) Upgradeable Features/Options (for additional charge): Dark Palazzo Grey Cloth, 2-way manual Driver and 2-way manual Passenger (21C) - not available with E-Transit Dark Palazzo Grey Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats (218) Ebony Čloth, 2-way manual Driver and 2-way manual Passenger (21D) - not available with E-Transit 360-Degree Camera with Split View and Front Washer (61D) Ebony Black Cloth, 2-way manual Driver and 2-way manual includes Honeycomb Mesh Grille with Chrome Surround Not available with: Passenger (21M) - Gas Engines only Dark Palazzo Grey Cloth, 10-way power Driver and 10-way power Radio Prep Package (58T) • Passenger seats (21Q) - not available with E-Transit Rear View Display in Rearview Mirror (61B) Ebony Cloth, 10-way power Driver and 10-way power Passenger MyKey® (62B) Bulkhead – Lockable Door with Window (47T) Bulkhead – Window Only (47U) seats (21R) - not available with E-Transit Ebony Leather, 10-way power Driver and 10-way power Passenger seats (21S) - not available with E-Transit Interior Upgrade Package (96C) Short-Arm Power Adjusting, Manual-Folding Heated with Turn Load Area Protection Package (96D) • Signals Mirrors (545) Heavy-Duty Cargo Flooring (60B) Rear Bumper Delete (43F) Long-Arm Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544) 9,900lb / 9,950lb / 10,360lb GVWR configurations Adaptive Cruise Control (60D) - not available with audio package E-Transit 58E or 58F and is only available with E-Transit when ordered with NOTE 1: Rear speakers are shipped in a dunnage box. MyKey® (62B) **RIGHT HAND DOOR DELETE (60X) MODIFIED VEHICLE WIRING SYSTEM (53K)** Availability: Availability: Cutaway Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Not available with: Cutaway (Standard) and Chassis Cab (Standard) Ambulance Prep Package - Cutaway (47F) and Motorhome Prep Required (Cargo Van, Crew Van, Passenger Van XL and Package (47M) Passenger Van XLT Only): Interior Upgrade Package - Cutaway/Chassis Cab (47A) Dual AGM Batteries (63E) Includes: Includes: Passenger Seat Delete (21J) Modified vehicle connections for customized wiring harness Exterior Mirror Delete (54X) Power Adjusting, Manual-Folding Heated with Turn Signals (544) if provisions Blind Spot Assist 1.0 is selected (65A) Upgradeable Features/Options (for additional charge): Passenger Seat Delete with Ebony Cloth Driver Seat (211)

- Power Adjusting, Manual-Folding (543) if Blind Spot Assist 1.0 is not selected
- Power Adjusting, Manual-Folding Heated with Turn Signals (544) if Blind Spot Assist 1.0 (65A) is not selected
- NOTE 1: Intended for upfitters who modify the factory roof
- When adding an audio package, besides Radio Prep NOTE 2: Package (58T), audio quality may slightly be diminished due to the deletion of the right hand door speaker.

### 2023 TRANSIT PACKAGED OPTIONS

#### HEAVY DUTY TRAILER TOW PACKAGE (53B)

#### Availability:

- Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT *Not available with:*
- Rear Tow Hook
- E-Transit
- Rear Bumper Delete (43F)

Includes:

- Tow/Haul Mode with Trailer Wiring Provisions
- 4/7 Pin Connector Assembly and Rear Jumper
- Relay system for backup/B+/running lights
- Frame mounted hitch receiver

#### Included with:

#### • RV Prep Package (47D)

**NOTE:** This package does not include a Trailer Brake Controller (67D). Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness.

# TOW/HAUL MODE WITH TRAILER WIRING PROVISIONS (53D)

#### Availability:

- Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab
- Not available with:

#### E-Transit

#### Includes:

- Trailer Wiring Harness to rear of vehicle for upfit
- Trailer Sway Control (TSC)
- 4/7 Pin Connector Assembly & Rear Jumper (Included in Cargo Van and Passenger Van only)
- Tow/Haul Mode

#### Included with:

- Motorhome Prep Package (47M)
- **NOTE:** 1 This package does not include a Trailer Brake Controller (67D). Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness.
- **NOTE:** 2 This package does not include the Frame Mounted Hitch Receiver.

#### **MOTORHOME PREP PACKAGE (47M)**

#### Availability:

#### Cutaway

- Not available with:
- Right Hand Door Delete (60X)
- 9,900lb / 9,950lb / 10,360lb GVWR configurations
- E-Transit

#### Includes:

- SYNC 4 with SiriusXM<sup>®</sup> with 360L, HD Radio <sup>™</sup>, Navigation, Intelligent Adaptive Cruise Control (iACC) and 12" Display (58F)
- Tow/Haul Mode with Trailer Wiring Provisions (53D)
- Dual AGM Batteries (63E)
- Modified Vehicle Wiring System (53K)
- Dark Palazzo Grey Cloth, 4-way manual Driver and 4-way manual swivel Passenger (21T)
- Black HID Headlamps (91C) (Not available w/ Exterior Upgrade Package – SRW (18D) and DRW (18L))
- Front Fog Lamps (55D)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Upgradeable Features/Options (for additional charge):
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seat (21D)
- Dark Palazzo Grey Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats (218)

#### SHUTTLE BUS PREP PACKAGE - (47S)

#### Availability:

Cutaway

#### Not available with:

#### E-Transit Includes:

- Exterior Upgrade Package (18D) on SRW configurations
- Exterior Upgrade Package (18L) on DRW configurations
- Dual AGM Batteries (63E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Modified Vehicle Wiring System (53K)
- SYNC 3 with 4" Display (58V)
- SYNC 4 with AM/FM stereo and 12" display (58B) if Blind Spot Assist 1.0 (65A) is selected

#### Applicable Options (not part of Prep Package):

- Right Door Delete (60X)
- SYNC 4 with AM/FM stereo and 12" display (58B)
- SYNC 4 with SiriusXM<sup>®</sup> with 360L, HD Radio<sup>™</sup> and 12" Display (58C)
- SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation and 12" Display (58E)
- SYNC 4 with SiriusXM® with 360L, HD Radio<sup>™</sup>, Navigation, Intelligent Adaptive Cruise Control (iACC), Intersection Assist and 12" Display (58F)
- Radio Prep Package (58T) is only available when Rear Video Camera and Prep Kit (61A) is selected

#### SCHOOL BUS PREP PACKAGE - (47C)

- Availability:
- Cutaway
- Fleet only
- Not available with:
- Extended-Length configurations (Gas Engines Only)
- Includes:
- Safety Glass (65B)
- Right Hand Door Delete (60X)
- Dual AGM Batteries (63E)
- Modified Vehicle Wiring System (53K)
   Sector Trail Learner LED Enclosed (
- Separate Stop Turn Tail Lamp LED Enabled (43Q)
   Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)
- **NOTE:** Requires Passenger Seat Delete (21J) and School Bus Yellow (BY) Paint

#### MULTI-FUNCTIONAL SCHOOL ACTIVITY BUS (MFSAB) PREP PACKAGE (47Q)

- Availability:
- Cutaway
- Fleet only
- Not available with:
- Extended-Length configurations (Gas Engines Only)
- Includes:
- Safety Glass (65B)
- Right Hand Door Delete (60X)
  Dual AGM Batteries (63E)
- Dual AGM Batteries (63E)
   Separate Step Turp Toil Loop
- Separate Stop Turn Tail Lamp LED Enabled (43Q)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
   Dual-note Horn (85D)
- Modified Vehicle Wiring System (53K)
- **NOTE:** Requires Passenger Seat Delete (21J) and Oxford White (YZ) Paint

### 2023 TRANSIT PACKAGED OPTIONS

#### AMBULANCE PREP PACKAGE - CARGO VAN (47B)

#### Availability:

- Medium Roof or High Roof Cargo Van with Sliding Passenger-side Cargo-Door
- 3.5L EcoBoost® V6 (99G)

#### Not available with:

- Passenger Seat Delete (21J, 21K) ٠
  - 3-Passenger Seating (212, 213, 216 and 217)

#### E-Transit • Includes:

- Dual AGM Batteries (63E)
- Dual Alternator (63C) •
- Fixed Rear Cargo Door Glass and Fixed Passenger-side Glass • (17B)
- 3.73 Limited-Slip Axle (X7L) .
- Modified Vehicle Wiring System (53K) .
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)

#### Upgradeable Features/Options (for additional charge):

#### Privacy Glass (92E)

- NOTE 1: Check with Upfitter on charge margin acceptability
- NOTE 2: 3.5L EcoBoost® V6 (99G) engine does not include Auto Start-Stop technology on this particular application

#### AMBULANCE PREP PACKAGE – CUTAWAY (47F) Availability:

### Cutaway

3.5L EcoBoost® V6 (10,360lb or 11,000lb GVWR configurations only) (99G)

#### Not available with:

- Passenger Seat Delete (21J, 21K and 211) 3-Passenger Seating (212, 213, 216 and 217) •
- •
- Right Hand Door Delete (60X)
- **F**-Transit

#### Includes:

- Short-Arm Power Adjusting, Manual-Folding Mirrors (541)
- Power Adjusting, Manual-Folding Heated with Turn Signals (544) if • Blind Spot Assist 1.0 (65A) is selected
- Dual AGM Batteries (63E) •
- Dual Alternator (63C)
- 3.73 Limited-Slip Axle
- Spare Tire and Wheel (51D) •
- Separate Stop Turn Tail Lamp LED Enabled (43Q) •
- Auxiliary Heater / AC Prep Package without Rear Controls (62C) • Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)
- Modified Vehicle Wiring System (53K)

#### Upgradeable Features/Options (for additional charge):

- Short-Arm Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm Power Adjusting, Manual-Folding Mirrors (543)
- Long-Arm Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Exterior Mirror Delete (54X)
- **NOTE 1:** Check with Upfitter on charge margin acceptability
- 3.5L EcoBoost® V6 (99G) engine does not include Auto NOTE 2: Start-Stop technology on this particular application

#### **REAR VIDEO CAMERA AND PREP KIT (61A)** Availability:

- Cutaway and Chassis Cab Pre-installed Content Includes:
- Cab Wiring
- Frame Wiring to the rear most cross member
- Will display in rearview mirror when ordered with Radio Prep
- Package (58T), otherwise will display in multi-function display

#### Upfitters Kit Includes:

- Camera with mounting bracket
- 20' Jumper wire
- Camera mounting and aiming instructions
- NOTE: For incomplete vehicles, upfitter must add a rear view camera to vehicles that are 10,000lb GVWR or less to complete the vehicle and meet FMVSS 111 requirements. Rear Video Camera and Prep Kit (61A) is available as a dunnage kit that requires upfitter installation.
- $\star$  = New for this model year

#### Availability:

Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab

#### Not Available with: E-Transit

3-Passenger seating (212, 213, 216 and 217)

#### Includes:

- High Capacity Upfitter Switches
- Large Centre Console (67E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual AGM Batteries (63E)
- Modified Vehicle Wiring System (53K) •

### LIVERY PACKAGE (47L) (LIVERY FIN REQUIRED)

#### Availability:

- Medium or High Roof Passenger Van XLT with Long or Extended Lenath
- Not Available with:

#### NA Includes

- Ebony Leather, 10-way power Driver and 10-way power Passenger seats (21S)
- Chrome HID Headlamps (91A)
- Privacy Glass (92E)
- 16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only) (64H) or 16" Silver Steel Wheel with Exposed Lug Nuts (Heavy-Duty Front Axle configurations only) - SRW
- 16" Heavy-Duty Silver Steel Wheel with Exposed Lug Nuts, Standard and Heavy-Duty Front Axle configurations – DRW
- Keyless Entry Keypad (52C) .
- Dual AGM Batteries (63E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Modified Vehicle Wiring System (53K) Egress Window (17L)

#### Upgradeable Features/Options (for additional charge):

- 16" Heavy-Duty Forged Aluminum Wheel DRW (Standard Front Axle configurations only) (76E)
- 16" Heavy-Duty Forged Aluminum Wheel DRW (Heavy-Duty Front Axle configurations only) (76G)
- Power Sliding Door (65C) (Late Availability)
- NOTE: Fleet only option requires valid Livery FIN code.

### 2023 TRANSIT PACKAGED OPTIONS

PACKAGE	DOPTIONS
<ul> <li>Availability:         <ul> <li>Cargo Van</li> <li>3.5L PFDi V6 (998) Engine (Medium/High Roof SRW and DRW Configuration F4X)</li> <li>E-Transit (Long and Extended Lengths only)</li> </ul> </li> <li>Cutaway         <ul> <li>3.5L PFDi V6 (998) Engine (SRW configurations and DRW configuration F6P)</li> <li>E-Transit</li> </ul> </li> <li>Full Rear Compartment Lighting (15F) – Cargo Van only</li> <li>50/50 Hinged Rear Door, 253-degree Opening (18P) – Long or Extended Length Cargo Van only</li> <li>Ebony Cloth 2-way manual Driver and 2-way manual Passenger seats without armrests (219)</li> <li>Centre Console with Right-Side Shifter (67F) (Only included with 998 engine)</li> </ul> <li>Additional Options to consider (may result in additional charges):         <ul> <li>Rear Bumper Delete (43F) – Cargo Van only</li> <li>B-Pillar Assist Handle (41B) – Medium and High Roof Cargo Van only</li> <li>Passenger Seat Delete Ebony Cloth, 2-way manual Driver seat without an armrest (211) – Cutaway only and is included when Right Hand Door Delete (60X) is selected</li> </ul> </li> <li>Not Available with:         <ul> <li>Exterior Upgrade Package – SRW (18D)</li> <li>Exterior Upgrade Package – SRW (18D)</li> <li>Exterior Upgrade Package – Cargo Van (96C)</li> <li>Load Area Protection Package (96D)</li> <li>3.5L EcoBoost V6 (99G)</li> <li>Upfitter Package (67C)</li> <li>Trailer Brake Controller (67D)</li> </ul> </li> <li>FLEET FUEL ECONOMY PACKAGE (98B)         <ul> <li>Availability:</li> <li>S.5L PFDi V6 (998)</li> <li>Fleet Orders Only</li> </ul> </li> <li>Morale Binde Shutdown 5 Minute Timer (55E)</li> <li>75-mph Governed Top Speed (52N)</li> <ul> <li>Aut</li></ul>	
feature remains permanently active. FLEET SAFETY PACKAGE (59C) Availability: • Fleet Orders Only Includes: • Driver Alert • Pre-Collision Assist with Automatic Emergency Braking (AEB) • Lane Keeping Aid • Auto High Beam • Reverse Speed Limiter Additional Options to consider (may result in additional charges): • Blind Spot Assist 1.0 (65A) • Reverse Brake Assist (43S) NOTE: With this package, the safety features are set to "ON" with no driver ability to change settings.	

### 2023 TRANSIT POWERTRAIN

# **ENGINE HORSEPOWER AND TORQUE RATINGS\***

		NOMINAL COMPRESSION	HORSEPOWER	TORQUE
ENGINE	TRANSMISSON	RATIO	H.P. @ RPM	LBFT. @ RPM
3.5L PFDi V6	10-Speed Automatic Overdrive	11.8:1	275 @ 6,250	260 @ 4000
3.5L EcoBoost® V6	10-Speed Automatic Overdrive	10.0:1	310 @ 5,000	400 @ 2,500
Electric Motor (E-Transit)	Single-Speed	N/A	198kW / 266 HP	317 LBFT.