

MAJOR PRODUCT CHANGES

OVERVIEW

The 2024 Super Duty® Chassis Cab reinforces the long tradition of F-Series toughness and continues to meet the needs of a multitude of commercial vocations, as well as personal use towing customers. Trademark "Built Ford Tough®" attributes such as capability to get the job done, quality, reliability, power, breadth and depth of product choices are solidly behind Chassis Cab users.

To learn more about the features on this vehicle, go to www.fordsourcebook.com

MODEL/SERIES/AVAILABILITY

- XL, XLT, Lariat

MECHANICAL

★ **New/Changed**

- None
- **Deleted**
 - F-350 SRW RC 4x2 60" CA w/ 6.7L Diesel
 - F-450/550 SC 4x2 60" CA w/ 6.7L Diesel
 - F-350 SRW & DRW SC 4x2 60" CA w/ 6.7L Diesel
 - F-450/550 SC 4x2 84" CA w/ 7.3L Gas

EXTERIOR

★ **New/Changed**

- None

★ **New Colors**

- Darkened Bronze Metallic (LJ)
- Glacier Gray (R7)
- Green Gem (W6) (Fleet Only)

• **Deleted Colors**

- Azure Gray Metallic Tri-Coat (G4)
- Stone Gray

INTERIOR/COMFORT

★ **New/Changed**

- None

SAFETY/SECURITY

★ **New/Changed**

- None

• **Deleted**

- None

FORD CO-PILOT360™ TECHNOLOGY

★ **New/Changed**

- None

FUNCTIONAL

★ **New/Changed**

- Automated Emergency Braking (AEB) Removal (60X) – XL only
- Connected Navigation trial period of one year
- Programmable Engine Idle Shutdown (86K) optional on XL and XLT

PACKAGES

★ **New/Changed**

- None

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information.

09/28/23

2024 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) MAJOR PRODUCT SUMMARY

PROPRIETARY

The all-new 2024 F-SUPER DUTY® reinforces the tough image of the F-Series and continues to meet the needs of both commercial and personal use towing customers.

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where otherwise noted:

XL	XL ¹	LARIAT
<p>MECHANICAL</p> <ul style="list-style-type: none">Brakes – Four-wheel Disc Brakes; Anti-lock Brake System (ABS)Electronic-Shift-On-the-Fly (ESOF) (4x4 only)Engine<ul style="list-style-type: none">7.3L 2V DEVCT NA PFI V8 Gas StandardOperator Commanded Regeneration (OCR) (6.7L Power Stroke Diesel engine only)Transmission – Ten-Speed Automatic Transmission with Neutral Idle and Selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/HaulTransmission Power Take-Off Provision <p>EXTERIOR</p> <ul style="list-style-type: none">Bumper – front, black paintedDaytime Running LampsFender vents – frontFuel Tank<ul style="list-style-type: none">40 gallon aft axleGlass – solar-tintedGrille – black paintedScuff plates – front, color-coordinatedSplash Guards/Mud Flaps – Front (F-450/550/F-600 only)“Three Blink” Lane change signalTow hooks – front (2)Trailer wiring – 7 wire harness w/relays, blunt cut & labeledWheels<ul style="list-style-type: none">F-350 SRW – 18” Argent Painted Steel wheel w/Painted Hub Cover/Center OrnamentsF-350 DRW – 17” Argent Painted Steel (hub covers/center ornaments not included)F-450, F-550 & F-600 – 19.5” Argent Painted SteelManual Locking Hub (4x4)Windshield Wipers – intermittent <p>INTERIOR/COMFORT</p> <ul style="list-style-type: none">4.2” LCD Productivity Screen: Includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications12V Powerpoint, auxiliaryAir conditioning – single-zone, manualAir conditioning vents – black w/chrome ring and knobCabin Air Particulate FilterDoor-trim – armrest/grab handle and reflectorFloor covering – black, full length vinylMirror – rearview 11.5” day/nightOutside Temperature DisplayPower Equipment Group – 1st row (front-seat) windows w/one-touch up/down, power 2nd row (rear-seat) windows (Super/Crew Cab); power/door-locks w/backlit switches & accessory delaySeat – Front, HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage (manual lumbar – driver’s side)Steering – powerSteering wheel – black urethane with tilt and telescoping steering wheel/column; includes three (3) button message controlSun visors – color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror insert with 6 inch overheadUplifter switches – 6 located in Overhead ConsoleWindow – Rear, fixed <p>SAFETY/SECURITY</p> <ul style="list-style-type: none">AdvanceTrac® with RSC® (Roll Stability Control™)Belt-Minder® (front safety belt reminder)Driver and passenger frontal airbag; passenger side deactivation switchHeadlamps – Quad beam jewel effect halogenIndividual Tire Pressure Monitoring System (TPMS) – F-350 and F-600 OnlyLamps – Roof marker/clearance – LEDMirrors – manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signalsRemote keyless entrySafety Belts – w/weight adjustment (front-outboard seating positions only)Safety Canopy® System (incl. side-curtain airbags)Stationary Elevated Idle Control (SEIC)SecurLock® Passive Anti-Theft System (PATS)SOS Post-Crash Alert System™ <p>FORD CO-PILOT360™ TECHNOLOGY</p> <ul style="list-style-type: none">Audible Lane Departure WarningAutoLamp – Auto On/Off HeadlampsCruise Control (Steering wheel-mounted)Pre-Collision Assist (PCA) with Automatic Emergency Braking (AEB) <p>FUNCTIONAL</p> <ul style="list-style-type: none">Alternators:<ul style="list-style-type: none">7.3L 2 Valve Gas – 250 AMP6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel – 250 AMPAudio – AM/FM stereo (four (4) speakers)FordPass™ Connect 5G Wi-Fi Modem<ul style="list-style-type: none">5G LTE Wi-Fi hotspot connects up to 10 devices¹Remotely start, lock and unlock vehicle²Schedule specific times to remotely start vehicle²Locate parked vehicle³Check vehicle status³<p>Note: Ford Telematics™ and Data Services Prep included for Fleet Only: FordPass™ Connect 5G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673.</p>Stabilizer bars – front & rearSYNC® 4<ul style="list-style-type: none">Enhanced Voice Recognition Communication and Entertainment911 Assist®8” LCD Center Stack screenAppLink®Smart-Charging USB port – one (1)Trailer Brake Controller	<p><i>All XL¹ content, plus:</i></p> <p>EXTERIOR</p> <ul style="list-style-type: none">Bumper – front, chromeGrille – bright chromeWheels – F-350 SRW – 18” Argent Painted Steel Wheel w/Painted Hub Cover/Center Ornaments <p>INTERIOR/COMFORT</p> <ul style="list-style-type: none">110V/400W Outlet dash mountedAuxiliary audio input jackDoor-trim – soft armrest, grab handle, power window/lock switches and reflector; front map pockets on Regular Cab and SuperCab; front and rear map pockets on Crew CabFloor covering – color-coordinated full carpetFloor mats – color-coordinated carpetSeats, Front<ul style="list-style-type: none">Front, high-series cloth 40/20/40 split bench – 20% center under-seat storage, w/center armrest, cupholder and storageTwo-way adjustable driver/passenger headrestsSun visors – Color-coordinated cloth, both driver and passenger w/covered mirrorsWindow – rear, fixed privacy glass <p>SAFETY/SECURITY</p> <ul style="list-style-type: none">Mirrors – manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signals <p>FUNCTIONAL</p> <ul style="list-style-type: none">Audio – AM/FM stereo MP3 player & four (4) speakers w/Reg Cab, six (6) speakers w/Super/Crew Cabs	<p><i>All XL¹ content, plus:</i></p> <p>MECHANICAL</p> <ul style="list-style-type: none">4X4 Only <p>EXTERIOR</p> <ul style="list-style-type: none">Fog lampsGrille – two (2) bar, chrome (includes additional chrome inserts)Handles – door, body-colorWheels<ul style="list-style-type: none">F-350 SRW – 18” Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright Hub Covers/Center OrnamentsF-350 DRW – 17” Forged Polished Aluminum w/bright hub covers/center ornamentsF-450/F-550 – 19.5” Forged Polished Aluminum w/bright hub covers/center ornaments <p>INTERIOR/COMFORT</p> <ul style="list-style-type: none">12” LCD Productivity Screen: includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road application110V/400W outlets; one (1) dash mounted and one (1) in rear consoleAir conditioning – Dual-Zone Electronic Automatic Temperature Control (DEATC)Air conditioning vents – painted obsidian with chrome ringInstrumentation Center – 8” LCD Productivity Screen with steering wheel-mounted five (5) button control: includes compass and menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applicationsMirror – rearview, electrochromic self-dimmingEasy Entry Driver’s Seat w/ MemoryMemory Power-Adjustable PedalsSeats, Front<ul style="list-style-type: none">Leather seating surfaces, 40/Console/40Front Heated/Ventilated Seating8-way power driver & front-passenger seats (six-way power-adjustable track, two-way power recline and two-way power lumbar) with MemorySeats, Rear<ul style="list-style-type: none">Armrest with cupholders (Crew Cab)Rear under-seat storage (SuperCab); floor fold-flat and locking (Crew Cab)Steering wheel – leather-wrapped, color-coordinatedSun visors – color-coordinated cloth; both driver and passenger w/covered illuminated visor vanity mirrorsWindow – rear, power-sliding with privacy glass and defrost <p>SAFETY/SECURITY</p> <ul style="list-style-type: none">Advanced Security PackAutolock, Auto unlockMirrors – Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights and body-color skull caps)SecuriCode™ keyless entry keypad <p>FUNCTIONAL</p> <ul style="list-style-type: none">Audio – B&O® Sound System by Bang & Olufsen with HD Radio™ – eight (8) speakers including subwooferRemote Start SystemSiriusXM® with 360L³<p>Note: Includes a three (3)-month prepaid subscription. Service is not available in Alaska and Hawaii</p>SYNC® 4 with Enhanced Voice Recognition<ul style="list-style-type: none">12” LCD Capacitive Touchscreen with Swipe CapabilityInformation On Demand PanelWireless Phone ConnectionCloud ConnectedAppLink® w/ App Catalog911 AssistApple CarPlay® and Android Auto™ CompatibilityDigital Owner’s ManualConversational Voice Command RecognitionConnected Navigation⁴

¹ Includes a complimentary trial subscription of 3 months or 3 gigabytes – whichever comes first, Wireless Service Plan required after trial subscription ends. Visit att.com/ford to start complimentary trial and sign up for a Wireless Service Plan

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information.

★ = New for this model year

MAJOR PRODUCT SUMMARY

Please see Standard Equipment pages for more details.

² Includes Service for one year from the vehicle sale date as recorded by the dealer

³ SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc. Your SiriusXM service will automatically stop at the end of your trial unless you decide to subscribe. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Not all vehicles or devices are capable of receiving all services offered by SiriusXM. Current information and features may not be available in all locations, or on all receivers. Satellite and streaming lineups vary slightly. © 2020 Sirius XM Radio Inc. Sirius, XM, SiriusXM and all related marks and logos are trademarks of Sirius XM Radio Inc.

⁴ Navigation services require SYNC®4 and FordPass Connect (optional on select vehicles), complimentary connect service and the FordPass app (see FordPass Terms for details). Eligible vehicles receive a complimentary 3-year trial of navigation services that begins on the new vehicle warranty start date. Customers must unlock the navigation service trial by activating the eligible vehicle with a FordPass member account. If not subscribed by the end of the complimentary period, the connected navigation service will terminate, and the system will revert to embedded offline navigation.

Connected service and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features.

FordPass App, compatible with select smartphone platforms, is available via a download. Message and data rates may apply.

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information.

★ = New for this model year

2024 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) STANDARD EQUIPMENT

The following features are standard on every 2024 SUPER DUTY® Chassis Cab vehicle:

MECHANICAL

- Brakes – Four-wheel Disc Brakes with Anti-Lock Brake System (ABS)
- Operator Commanded Regeneration (OCR) (6.7L Power Stroke® Diesel Engine Only)
- Transmission Power Take-Off Provision

EXTERIOR

- Doors
 - Two (Regular Cab only)
 - Four (SuperCab/Crew Cab only)
- Fuel Tank
 - 40 gallon aft axle
 - Diesel Exhaust Fluid (DEF) Tank Location:
 - Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails.
 - Mid ship fuel tank is paired with the DEF tank located outside of the frame rail
 - Dual tanks are paired with the DEF tank located outside of the frame rail
- Glass
 - Solar-tinted complete (Std. on XL)
 - Privacy (Std. on XLT and Lariat; NA front-seat windows)
- Manual Locking Hub (4x4)
- Scuff plates – front, color-coordinated
- "Three-Blink" lane change signal
- Tow hooks – front, (two) (2)
- Trailer wiring – 7 wire harness w/relays, blunt cut and labeled
- Windshield wipers – intermittent

INTERIOR/COMFORT

- Convenience
 - Coat hooks, LH/RH color-coordinated
 - Dash top tray
 - Dome lamp – LH/RH door activated & I/P switch operated w/delay
 - Handles, grab – driver & front-passenger
 - Handles, roof ride – front-passenger (also over rear-doors on Crew Cab)
 - Map lights – dual (front and rear w/Crew Cab)
 - 12V Powerpoint, auxiliary
- Door-trim – color-coordinated molded w/grab handle & reflector
- Gauges and Meters – Fuel, Transmission Temperature, Engine Coolant Temperature, Oil Pressure (Gas engine) and Turbo (Diesel engine) Gauges; Speedometer, Odometer and Tachometer
- Headliner – color-coordinated cloth
- Instrument panel – color-coordinated w/ glove box, four (4) air registers w/positive shut-off and powerpoint

INTERIOR/COMFORT (continued)

- Instrumentation Center
 - 4.2" LCD Productivity Screen in IP Cluster (standard on XL and XLT)
 - 12" LCD Productivity Screen in IP Cluster (Standard on Lariat)
- Power Equipment Group – 1st row (front-seat) windows w/ one-touch up/down, power 2nd row (rear-seat) windows (Super/Crew Cab); power/door-locks w/backlit switches & accessory delay
- Overhead Console with 6 Upfitter Switches
- Steering – power
- Steering damper

SAFETY/SECURITY

- AdvanceTrac® with RSC® (Roll Stability Control™)
- Airbags
 - Driver and Passenger frontal and side airbag/curtain
 - Passenger side airbag deactivation switch
- Child tethers (Regular Cab front-passenger and all rear-seating positions)
- Lamps – LED Roof marker/clearance
- Safety Belts
 - Belt-Minder® (front safety belt reminder) – chime and flashing warning lights on I/P if belts not buckled
 - Color-coordinated safety belts w/height adjustment (front-outboard seating positions only)
- SecuriLock® Passive Anti-Theft System (PATS)
- SOS Post-Crash Alert System™
- Stationary Elevated Idle Control (SEIC)

FORD CO-PILOT360™ TECHNOLOGY

- AutoLamp – Auto On/Off Headlamps
- Cruise Control (steering wheel-mounted)

FUNCTIONAL

- Alternator
 - XL:
 - 7.3L 2 Valve Gas – 250 AMP
 - 6.7L 4 Valve Diesel – 250 AMP
 - XLT:
 - 7.3L 2 Valve Gas – 410 AMP Dual
 - 6.7L 4 Valve Diesel – 350 AMP Dual
 - Lariat:
 - 7.3L 2 Valve Gas – 410 AMP Dual
 - 6.7L 4 Valve Diesel – 350 AMP Dual
- Ford Pro Upfit Integration System
- Hood release
- Horn – dual electric
- Intelligent Oil-Life Monitor® (6.7L Power Stroke® Diesel engine)
- Oil minder system
- Shock absorbers – heavy-duty gas
- Springs, rear auxiliary
- Stabilizer bar – front and rear
- Trailer Brake Controller

The following features are standard on selected 2024MY SUPER DUTY® Chassis Cab vehicles:

MECHANICAL	XL	XLT	LARIAT
Engine			
7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550/F-600)	•	•	•
Transmission			
Ten-Speed 10R140 with Neutral Idle Automatic Transmission with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery	•	•	•
Base Alternator			
250 Amp (F-350/F-450/F-550/F-600 Std. on 7.3L Gas Engine)	•		
250 Amp (F-350/F-450/F-550/F-600 w/ 6.7L Diesel Engine)	•		
350 Amp Dual (F-350/F-450/F-550/F-600 w/ 6.7L Diesel)		•	•
410 Amp (F-350/F-450/F-550/F-600 w/ 7.3L Engine)		•	•
Axle			
Monobeam front axle w/coil spring suspension (F-350 4x4, F-450, F-550 and F-600)	•	•	•
Independent Twin-I-beam front axle w/coil spring suspension (F-350 4x2)	•	•	

★ = New for this model year

• = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

2024 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)
STANDARD EQUIPMENT

MECHANICAL (continued)	XL	XLT	LARIAT
Battery			
750 CCA, 78 AH Single	•		
750 CCA, Dual (7.3L Gas F-450 and F-550 XLT & Lariat)		•	•
Fuel Tanks			
40 gallon aft axle	•	•	•
KEY EXTERIOR FEATURES			
Bumper – Front			
Black painted steel w/grained MIC top cover and black lower air dam	•		
Chrome w/grained MIC top cover and black lower air dam		•	•
Grille			
Black MIC	•		
Bright Chrome – two (2) bar		•	
Chrome – two (2) bar (includes additional chrome inserts)			•
Handles – Door and Tailgate			
Black	•	•	
Body-color			•
Headlamps/Taillamps/Lamps			
Quad-beam halogen jewel effect	•	•	
LED Reflector			•
Halogen Taillamps	•	•	•
LED Fog lamps			•
LED Roof Marker/Clearance Lamps	•	•	•
Utility Lighting System (LED Side-mirror Spotlights) (see mirror descriptions below)			•
Mirrors			
Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, Integrated Clearance Lamps/Turn Signals	•	•	
Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights)			•
Wheels (SRW)			
18" Argent Painted Steel w/painted hub covers/center ornaments (F-350)	•		
18" Sparkle Silver Painted Cast Aluminum w/bright hub covers/center ornaments (F-350)		•	
18" Bright Machined Cast Aluminum w/Carbonized Gray Painted Pockets and bright hub covers/center ornaments (F-350)			•
Wheels (DRW)			
17" Argent Painted Steel (hub covers/center ornaments not included (F-350)	•	•	
17" Forged Polished Aluminum w/bright hub covers/center ornaments (F-350)			•
19.5" Argent Painted Steel (F-450/F-550/F-600)	•	•	
19.5" Forged Polished Aluminum w/bright hub covers/center ornaments (F-450/F-550)			•
Windows and Glass			
1 st Row (front-seat) – Power w/one-touch up/down	•	•	•
2 nd Row (rear-seat) – Power	•(2,3)	•(2,3)	•(2,3)
Rear (backlight) – Fixed	•	•	
Rear (backlight) – Power-sliding w/defrost			•
Solar-tinted glass (complete)	•		
Privacy glass, (rear backlight on all cabs; 2 nd Row (rear-seat) windows on SuperCab and Crew Cab. Other glass is solar-tinted.)		•	•
KEY INTERIOR/COMFORT FEATURES			
Air Conditioning			
Manual, Single Zone	•	•	
Dual-Zone Electronic Automatic Temperature Control (DEATC)			•

2024 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)
STANDARD EQUIPMENT

KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
Audio			
AM/FM stereo MP3 Player(speakers; four (4) w/ Regular Cab, six (6) w/ SuperCab and Crew Cab)	•		
AM/FM stereo MP3 player (speakers; four (4) with Regular Cab, seven (7) with SuperCab and Crew Cab)		•	
★ SiriusXM® with 360L Radio Note: Includes a three (3)-month prepaid subscription. Service is not available in Alaska and Hawaii. Note: SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com . All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc			•
B&O® Sound System by Bang & Olufsen w/ HD Radio™ (eight (8) speakers including subwoofer)			•
SYNC® 4 – 8" LCD Capacitive Touchscreen with Swipe Capability – Wireless Phone Connection – Cloud Connected – AppLink® w/ App Catalog – 911 Assist® – Apple CarPlay™ and Android Auto™ Compatibility – Digital Owner's Manual	•	•	
★ SYNC® 4 with Enhanced Voice Recognition – 12" LCD Capacitive Touchscreen with Swipe Capability – Information On Demand Panel – Wireless Phone Connection – Cloud Connected – AppLink® w/ App Catalog – 911 Assist® – Apple CarPlay® and Android Auto™ Compatibility – Digital Owner's Manual – Conversational Voice Command Recognition			•
FordPass™ Connect 5G – Wi-Fi Modem – Wi-Fi® hotspot connects up to 10 devices ¹ – Remotely start, lock and unlock vehicle ² – Schedule specific times to remotely start vehicle ² – Locate parked vehicle ² – Check vehicle status ² Note: Ford Telematics™ and Data Services Prep included for Fleet Only: FordPass™ Connect 5G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673.	•	•	•
Cupholders			
Dual, instrument panel-mounted	•	•	•
Integrated w/armrest on rear-seat			•(3)
Door-Trim			
Armrest, grab handle and reflector	•		
Soft armrest, grab handle, power window/lock switches and reflector; front map pockets on Regular Cab and SuperCab; front and rear map pockets on Crew Cab		•	
Soft armrest, grab handle, power window/lock switches, upper applique, reflector; front map pockets on SuperCab; front and rear map pockets on Crew Cab			•
Floor Covering			
Black vinyl	•		
Color-coordinated carpet and carpeted floor mats (includes rear mats on SuperCab & Crew Cab) (deleted when all-weather floor mats are ordered)		•	•

¹ Includes a trial subscription of 3 months or 3 gigabytes – whichever comes first, Wireless Service Plan required after trial subscription ends

² Includes Service for one year from the vehicle sale date as recorded by the dealer

★ = New for this model year

• = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

2024 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)
STANDARD EQUIPMENT

KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
Instrumentation Center			
4.2" Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications five (5) button message control on steering wheel (included with the SYNC® and SYNC® Services)	•	•	
12" Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications; five (5) button message control on steering wheel			•
Overhead Console – with dual storage bin and map lights	•	•	•
Power Equipment			
Accessory delay	•	•	•
Door-locks w/backlit switches	•	•	•
Windows w/backlit switches	•	•	•
Powerpoint and 110V/400W Outlet			
One (1) Powerpoint in front center under-seat storage		•	
Two (2) Powerpoints in instrumentation center	•	•	•
Two (2) Powerpoints in rear side of Flow-through Console			•
120V/400W Outlet dash mounted		•	•
120V/150W Outlet in rear side of Flow-through Console			•
120V/150W Inverter outlet in IP		•	•
Rearview Mirror			
11.5" day/night	•	•	
Electrochromic self-dimming			•
Remote Start System			•
Seats (Front)			
HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage	•		
Cloth, 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and storage		•	
Leather seating surfaces, 40/Console/40			•
Manual lumbar support, driver's side	•	•	
8-way power driver & power front-passenger seats (four-way power-adjustable track, two-way power recline and two-way power lumbar)			•
Two-way adjustable driver/passenger headrests	•	•	•
Easy Entry Driver's Seat w/ Memory			•
Seats (Rear) SuperCab			
Vinyl, 60/40 fold-up bench seat	•		
Cloth, 60/40 fold-up bench seat		•	
Premium vinyl seating surfaces			•
Seats (Rear) Crew Cab			
60/40 bench w/flip-up/fold-down w/2 outboard head restraints and a center head restraint	•		
60/40 bench w/flip-up seats & fold-down backrests, two (2) outboard head restraints and a center head restraint.		•	
60/40 bench w/flip-up seats & fold-down backrests w/under-seat partitioned lockable fold-flat storage, two (2) outboard head restraints and a center head restraint. Dual integrated cupholders in armrest			•
Vinyl	•		
Cloth		•	
Leather			•
Steering Wheel			
Urethane – Black – w/redundant audio and SYNC® controls	•	•	
Leather-Wrapped – w/redundant audio and SYNC® controls (Lariat, color-coordinated)			•
Cruise Control (steering wheel-mounted)	•	•	•
Tilt and Telescoping steering wheel/column (Manual on XL and XLT; Power with memory on Lariat)	•	•	•
Sun Visors			
Color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror	•		
Color-coordinated Cloth, both driver and passenger w/covered mirrors		•	
Color-coordinated Cloth; both driver and passenger w/covered illuminated visor vanity mirror			•
SAFETY/SECURITY	XL	XLT	LARIAT
AdvanceTrac® with RSC® (Roll Stability Control™)	•	•	•
Advanced Security Pack (incl. Inclination / Intrusion Sensors)			•
AutoLamp (Auto On/Off Headlamps), Rainlamp Wiper Activated Headlamps	•	•	•
Autolock, Auto unlock		•	•
Remote Keyless Entry	•	•	•
SecuriLock® Passive Anti-Theft System (PATS)	•	•	•
Trailer Sway Control and Hill Start Assist	•	•	•
Airbags			
Driver & Passenger side	•	•	•
Passenger-side deactivation switch	•	•	•

★ = New for this model year
 • = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

2024 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)
FUNCTIONAL EQUIPMENT

AXLE AVAILABILITY

Series	Engine	Transmission	Non-Limited-Slip			Limited-Slip				Electronic-Locking	
			3.73	4.10	4.88	4.10	4.10	4.30	4.88	3.73	4.30
			X37	X41	X48	X4N	X4W	X4L	X8L	X3E	X4M
F-350 SRW	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	—	—	—	S
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	—	—	S	—
F-350 DRW	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	—	—	—	—	O	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	—	—	O, O-47A / 47L	P-47A / P-47L	—	—	—	—
F-450	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	S	—	O	—	—	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	O ¹	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	S ²	—	—	—
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	S	—	—	—	O	—	—
F-550	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	S	—	O	—	—	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	O ³	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	S ⁴	—	—	—
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	S ⁵	—	—	—	O	—	—
F-600	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	S	—	—	—
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	—	—	—	—	—	S	—	—

¹ Requires Trailer Tow Package – High Capacity (535)² Standard when Extra Heavy Duty Front End Suspension (67P)³ Requires Trailer Tow Package – High Capacity (535) with Payload Downgrade Package (68D), Trailer Tow Package – High Capacity (535) with Base Payload or Extra Heavy-Duty Front End Suspension (67P)⁴ Standard when Extra Heavy Duty Front End Suspension (67P) is ordered⁵ Not available with the Payload Upgrade Package (68U) or Payload Plus Upgrade Package (68M)

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

★ = New for this model year

S = Standard, O = Optional, P = Packaged Option

2024 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) FUNCTIONAL EQUIPMENT

			(F-350 / F-450 / F-550 / F-600) Super Duty		Alternators		
			7.3L Gas - Chassis Cab				
Series	Engine	Drive	Option Code	Description	XL	XLT	Lariat
					Standard	Standard	Standard
F350 F450 F550 F600	7.3L Gas 2 Valve V8	4x2 & 4x4	(43C)	110V/400W Inverter (Req Dual Battery / Std XLT & Lariat)	See Inverter & Upfitter Switches		
			Standard	6 Upfitter Switches	Standard	See Inverter & Upfitter Switches	
			(473)	Snow Plow Pkg.	See Upfitter Switches & Snow Plow		
			(43C)	Inverter & Upfitter Switches	67B	Standard	Standard
			(43C & 473)	Inverter & Snow Plow	See Invert. & Upfit Switches & Snowplow		
			(473)	Upfitters Switches & Snowplow	Standard	67B	67B
			(43C & 473)	Invert. & Upfit Switches & Snowplow	67B	67B	67B
			(86M)	Dual Battery (Standard XLT & Lariat)	67B	67B	67B
			(47A)	Ambulance Package	67B	67B	
			(43K)	2kW Pro Power Onboard	Included	Included	Included
					Standard (250 Amp)		
					67A (350 Amp Dual: 190 Amp + 160 Amp)		
					67B (410 Amp Dual: 250 Amp + 160 Amp)		
					Included (Dual 12V 250 Amp + 24V 150 Amp)		

			(F-350 / F-450 / F-550 / F-600) Super Duty 6.7L Diesel - Chassis Cab		Alternators		
Series	Engine	Drive	Option Code	Description	XL	XLT	Lariat
F350 F450 F550 F600	6.7L Diesel 4 Valve V8	4x2 & 4x4	(43C)	110V/400W Inverter (Req Dual Battery / Std on 6.7L)	Standard	Standard (67B opt.)	Standard (67B opt.)
			Standard	6 Upfitter Switches	See Inverter & Upfitter Switches		
			(473)	Snow Plow Pkg.	Standard	See Inverter & Upfitter Switches	
			(43C)	Inverter & Upfitter Switches	See Upfitter Switches & Snow Plow		
			(43C & 473)	Inverter & Snow Plow	67A (67B opt.)	Standard (67B opt.)	Standard (67B opt.)
			(473)	Upfitters Switches & Snowplow	See Invert. & Upfit Switches & Snowplow		
			(43C & 473)	Invert. & Upfit Switches & Snowplow	67A (67B opt.)	67A (67B opt.)	67A (67B opt.)
			Standard on 6.7L	Dual Battery	67A (67B opt.)	67A (67B opt.)	67A (67B opt.)
			(47A)	Ambulance Package	67B	67B	
			(43K)	2kW Pro Power Onboard	Included	Included	Included
					Standard (250 Amp)		
					67A (350 Amp Dual: 190 Amp + 160 Amp)		
					67B (410 Amp Dual: 250 Amp + 160 Amp)		
					Included (Dual 12V 250 Amp + 24V 150 Amp)		

2024 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)
FUNCTIONAL EQUIPMENT

WHEEL AVAILABILITY – SRW ONLY



18" Argent Painted Steel
w/painted hub
cover/center ornament
(Std. on XL F-350 SRW)
– 64F



18" Sparkle Silver
Painted Cast Aluminum
w/bright hub cover/center
ornament
(Std. on XLT F-350 SRW)
– 648



18" Bright Machined Cast
and Carbonized Gray
Painted
(Std. on Lariat) – 64C

WHEEL AVAILABILITY – DRW ONLY



17" Argent Painted Steel
(hub covers/center
ornament not included)
(Std. on XL and XLT F-
350) – 64K



17" Forged Polished
Aluminum w/bright hub
cover/center ornament
(Std. on Lariat F-350;
Opt. on XL and XLT F-
350) – 64J



19.5" Argent Painted
Steel (19.5"x6.75"; std on
XL and XLT F-600) – 64B

**Wheel Image Coming
Soon**

19.5" Argent Painted
Steel (19.5"x6"; hub
cover/center ornament
not included; Std. on XL
and XLT F-450 and F-
550) – 64Z



19.5" Forged Polished
Aluminum w/bright hub
cover/center ornament;
19.5"x6.75" (Opt. on XLT
F-600) – 64M



19.5" Forged Polished
Aluminum w/bright hub
cover/center ornament;
19.5"x6" (Std. on Lariat F-
450 and F-550; Opt. on
XLT F-450 and F-550) –
64D

**Wheel Image Coming
Soon**

17" or 19.5" Stainless
Steel Wheel Covers
(Front & Rear) (Opt. on
XL and XLT) – 945

OPTIONAL EQUIPMENT

	Order Code	XL					XLT					LARIAT				
		F-350		F-450	F-550	F-600	F-350		F-450	F-550	F-600	F-350		F-450	F-550	
		SRW	DRW				SRW	DRW				SRW	DRW			
		630A	640A	650A	660A	680A	633A	643A	653A	663A	683A	638A	648A	658A	668A	
BODYSTYLE & WHEELBASE																
Regular Cab 4X2 – Cab to Axle 60"	145"	F3E	F3G	F4G	F5G	F6K	F3E	F3G	F4G	F5G	F6K	—	—	—	—	
Regular Cab 4X2 – Cab to Axle 84"	169"	—	F3G	F4G	F5G	F6K	—	F3G	F4G	F5G	F6K	—	—	—	—	
Regular Cab 4X2 – Cab to Axle 108"	193"	—	—	F4G	F5G	F6K	—	—	F4G	F5G	F6K	—	—	—	—	
Regular Cab 4X2 – Cab to Axle 120"	205"	—	—	F4G	F5G	F6K	—	—	F4G	F5G	F6K	—	—	—	—	
Regular Cab 4X4 – Cab to Axle 60"	145"	F3F	F3H	F4H	F5H	F6L	F3F	F3H	F4H	F5H	F6L	—	—	—	—	
Regular Cab 4X4 – Cab to Axle 84"	169"	—	F3H	F4H	F5H	F6L	—	F3H	F4H	F5H	F6L	—	—	—	—	
Regular Cab 4X4 – Cab to Axle 108"	193"	—	—	F4H	F5H	F6L	—	—	F4H	F5H	F6L	—	—	—	—	
Regular Cab 4X4 – Cab to Axle 120"	205"	—	—	F4H	F5H	F6L	—	—	F4H	F5H	F6L	—	—	—	—	
SuperCab 4X2 – Cab to Axle 60"	168"	X3E	X3G	X4G	X5G	—	X3E	X3G	X4G	X5G	—					
SuperCab 4X2 – Cab to Axle 84"	192"	—	—	X4G	X5G	—	—	—	X4G	X5G	—	—	—	—	—	
SuperCab 4X4 – Cab to Axle 60"	168"	X3F	X3H	X4H	X5H	—	X3F	X3H	X4H	X5H	—	X3F	X3H	X4H	X5H	
SuperCab 4X4 – Cab to Axle 84"	192"	—	—	X4H	X5H	—	—	—	X4H	X5H	—	—	—	X4H	X5H	
Crew Cab 4X2 – Cab to Axle 60"	179"	W3E	W3G	W4G	W5G	—	W3E	W3G	W4G	W5G	—					
Crew Cab 4X2 – Cab to Axle 84"	203"	—	—	W4G	W5G	—	—	—	W4G	W5G	—	—	—	—	—	
Crew Cab 4X4 – Cab to Axle 60"	179"	W3F	W3H	W4H	W5H	—	W3F	W3H	W4H	W5H	—	W3F	W3H	W4H	W5H	
Crew Cab 4X4 – Cab to Axle 84"	203"	—	—	W4H	W5H	—	—	—	W4H	W5H	—	—	—	W4H	W5H	
ENGINE/TRANSMISSION																
★7.3L 2V DEVCT NA PFI V8 Gas/TorqShift® Ten-Speed 10R140 with Neutral Idle Automatic with Selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul, Trail (4x2), Off-Raod (4x4)	99N/44G	S	S	S ¹	S ¹	S	S	S	S ¹	S ¹	S	S	S	S	S	
6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine-Exhaust Braking/TorqShift® Ten-Speed 10R140 with Neutral Idle Automatic with Selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul, Trail (4x2), Off-Road (4x4) w/Transmission Power Take-Off Provision	99T/44G	O ^{2, 4}	O ⁴	O ³	O ³	O	O ^{2, 4}	O ⁴	O ³	O ³	O	O	O	O	O	
WHEELS																
4-Wheels (SRW); 6 Wheels (DRW). Spare Wheel included with Spare Tire.																
17" Argent Painted Steel (Hub Covers/Center Ornaments not included)	64K	—	S	—	—	—	—	S	—	—	—	—	—	—	—	
17" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner)	64J	—	O	—	—	—	—	O	—	—	—	—	S	—	—	
18" Argent Painted Steel w/Painted Hub Cover/Center Ornaments	64F	S	—	—	—	—	—	—	—	—	—	—	—	—	—	
18" Bright Machined and Carbonized Gray Painted Aluminum	64C	—	—	—	—	—	—	—	—	—	—	S	—	—	—	
18" Sparkle Silver Painted Cast Aluminum w/Bright Hub Covers/Center Ornaments	648	—	—	—	—	—	S	—	—	—	—	—	—	—	—	
19.5" Argent Painted Steel (19.5"x 6")	64Z	—	—	S	S	—	—	—	S	S	—	—	—	—	—	
19.5" Argent Painted Steel (19.5"x 6.75")	64B	—	—	—	—	S	—	—	—	—	S	—	—	—	—	
19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6")	64D	—	—	—	—	—	—	—	O	O	—	—	—	S	S	
19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75")	64M	—	—	—	—	—	—	—	—	—	O	—	—	—	—	
TIRES																
4 Tires (SRW); 6 Tires (DRW)																
Spare Tire required in Rhode Island, optional in all other states. Spare may not be the same as road tire. Ford reserves the right to shift tire manufacturers to meet production capacity demands.																
LT245/75Rx17E BSW A/S PLU	TD8	—	S	—	—	—	—	S	—	—	—	—	S	—	—	
LT245/75Rx17E BSW A/T	TBM	—	O	—	—	—	—	O	—	—	—	—	O	—	—	
LT275/65Rx18E BSW A/S	TCH	S	—	—	—	—	S	—	—	—	—	S	—	—	—	
LT275/70Rx18E BSW A/T Plus, 4X4	TDX	O	—	—	—	—	O	—	—	—	—	O	—	—	—	
225/70Rx19.5G BSW A/P	TGJ	—	—	S	S	—	—	—	S	S	—	—	—	S	S	
245/70RX19.5G BSW A/P	TD5	—	—	—	—	S	—	—	—	—	S	—	—	—	—	
225/70Rx19.5G BSW Traction (includes 4 traction tires on the rear and 2 A/P tires on the front.)	TGM	—	—	O	O	—	—	—	O	O	—	—	—	O	O	
225/70Rx19.5G BSW Traction, 4X4 (includes 4 traction tires on the rear and 2 traction tires on the front. Not recommended for over the road applications; could incur irregular front tire wear and/or NVH.)	TGK	—	—	O	O	—	—	—	O	O	—	—	—	O	O	
245/70RX19.5 BSW Traction (includes 6 traction tires.)	TGT	—	—	—	—	O	—	—	—	—	O	—	—	—	—	

¹ Not Available w/ X4G & X5G w/ 192" WB² Not Available w/ F3E³ Not Available w/ X4G & X5G w/ 168" WB⁴ Not Available w/ X3E & X3G

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

□ = New for this model year

S = Standard, O = Optional, P = Packaged Option

F = Fleet Only Option

OPTIONAL EQUIPMENT

	Order Code	XL					XLT					LARIAT			
		F-350		F-450	F-550	F-600	F-350		F-450	F-550	F-600	F-350		F-450	F-550
		SRW	DRW				SRW	DRW				SRW	DRW		
		630A	640A	650A	660A	680A	633A	643A	653A	663A	683A	638A	648A	658A	668A
TIRES															
4 Tires (SRW); 6 Tires (DRW)															
Spare Tire required in Rhode Island, optional in all other states. Spare may not be the same as road tire. Ford reserves the right to shift tire manufacturers to meet production capacity demands. (continued)															
245/70R19.5 BSW Traction (includes 4 traction tires on the rear and 2 A/P tires on the front.)	TGU	—	—	—	—	O	—	—	—	—	O	—	—	—	—
Spare Tire, Wheel and Jack (Excludes carrier; includes Hydraulic Jack (61J); required in RI)	512	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Jack (Three-ton Mechanical – F-350 SRW / Four-ton Hydraulic – F-350 DRW / Six-ton Hydraulic – F-450, F-550 & F-600) (required in RI)	61J	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Spare Tire and Wheel Delete (only available to Pool Accounts for sales to RI)	51D	O	O	O	O	O	O	O	O	O	O	O	O	O	O
GROUPS/PACKAGES (see Packaged Options/Emissions pages for complete content and restrictions)															
XL Chrome Package	96V			O					—					—	
XLT Value Package	17V			—					O					—	
Heavy-Service Front Suspension Package (NA w/F-600)	67H			O					O					O	
Extra Heavy-Service Suspension Package (NA w/F-600)	67X			O					O					O	
Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on F-600 (requires 4.30 or 4.88 axle)	67P			O					O					O	
Payload Downgrade Package (see extended description for details) avail. On F-450 & F-550: NA w/ Trailer Tow Package – High Capacity (535) on F-550)	68D			O					O					O	
16,000 GVWR Package (avail. on F-450 only)	68L			O					O					O	
Payload Upgrade Package (F-550 only w/7.3L Gas and 145" WB)	68U			O					O					—	
Payload Plus Upgrade Package (avail. on F-550 only; req. Trailer Tow Package – High Capacity (535) on 6.7L Diesel (99T))	68M			O					O					O	
Snow Plow Prep Package (req. 4x4 on F-350) Note: Reference alternator chart for required engine / alternator requirements	473			O					O					O	
Trailer Tow Package – High Capacity (avail. on F-450 & F-550 only; reqs. 6.7L Engine (99T); reqs. Payload Plus Upgrade Pkg (68M) on F-550)	535			O					O					O	
Low Deflection Package (avail. on F-450, F-550 & F-600 only (NA w/4x4 w/145"WB or F-600 w/ 145" WB, 4x2))	86S			O					O					O	
CNG/Propane Gaseous Engine Prep Package (req. 7.3L Gas Engine w/ F-450, F-550 or F-600 & Regular Cab)	98G			O					O					—	
FUNCTIONAL															
Aft-Axle Frame Extension (req. 145" or 169" wheelbase) – F-450/F-550/F-600 only (145" Wheelbase/60" CA – 42.4" aft-of-axle frame extension increases AF dimension to 89.4") (169" Wheelbase/84" CA – 32.4" aft-of-axle frame extension increases AF dimension to 79.6")	63C			O					O					—	
Engine Block Heater	41H			O					O					O	
Programmable Engine Idle Shutdown Timer Note: Selection of this option enables the driver to select a time period between 1 to 30 minutes before the engine will shut off after idling. There will not be an option to override this timing. Customers needing to idle their vehicles for longer periods should not select this option	86K			O					O					—	
Skid Plates – Transfer Case (4X4 only)	41P			O					O					O	
★Automated Emergency Braking (AEB) Removal (removes Pre-Collision Assist with Automated Emergency Braking (AEB) and Forward Collision Warning, Auto High Beams, Post Impact Braking and Audible Lane Departure Warning)	60X			O					—					—	

09/28/23

2024 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)

PROPRIETARY

OPTIONAL EQUIPMENT

	Order Code	XL					XLT					LARIAT			
		F-350		F-450	F-550	F-600	F-350		F-450	F-550	F-600	F-350		F-450	F-550
		SRW	DRW				SRW	DRW				SRW	DRW		
		630A	640A	650A	660A	680A	633A	643A	653A	663A	683A	638A	648A	658A	668A
FUNCTIONAL (continued)															
★Pro Power Onboard – 2kW (reqs. Dual Battery (86M)) Note: Placement and connection of the aux outlet is the responsibility of the final stage manufacturer.	43K			O					O					O	
Dual Battery (Dual Battery – 68 AH/65 AGM; incl. with 6.7L Diesel; std on 7.3L Gas w/ 120V/400W Outlet (43C) or w/ Ambulance Pkg. (47A/47L); std on XLT and Lariat w/ 7.3L Gas engine)	86M			S/O					S					S	
Alternators (*Refer to alternator charts on pg. 10 for further details)															
350 Amp Alternators (req. 6.7L Power Stroke® Diesel engine; required with 120V/400W Outlet (43C) and Snow Plow Pkg. (473) when the 6.7L is ordered)	67A			S					S					S	
410 Amp Dual Alternators (250 + 160 Amp; see alternator charts for ordering requirements and restrictions; req. 6.7L Power Stroke® Diesel engine; required with Rapid-Heat Supplemental Cab Heater (41A), unless ordered with ★Pro Power Onboard – 2KW (43K), Ambulance (47A/47L) or Fire Truck (47J); req. 7.3L Gas reqs. Dual Battery (86M) – std on XLT & Lariat, required with 120V/400W Outlet (43C) on XL)	67B			O					S/O					S/O	
Fuel Tanks															
26.5 Gallon Mid Ship (NA w/193" WB Regular Cabs & 203.4" WB Crew Cabs equipped w/gas engines; removes 40 gallon fuel tank)	65M			O					O					O	
Dual Diesel – combines 40 gallon aft-of-axle & 26.5 gallon mid ship tank (req. DRW)	65C			O					O					O	
Trailer Towing Equipment															
Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights)	54F			—					O					S	
Steps															
Platform Running Boards	18B			O					O					O	
KEY EXTERIOR OPTIONS															
Center High-Mounted Stop Lamp (CHMSL)	59H			O					O					O	
Front License Plate Bracket Note: See "Emissions" section for additional information	153			O					O					O	
Rear View Camera and Prep Kit (includes loose camera, wiring bundle)	872			O					O					O	
KEY INTERIOR OPTIONS															
Carpet Delete (XLT & Lariat replaced w/black flooring)	166			S					O					O	
★Interior Work Surface (req. 40/20/40)	52S			O					O					—	
Rapid-Heat Supplemental Cab Heater (Optional in all states with 6.7L Power Stroke® Diesel engine)	41A			O					O					O	
110V/400W Outlet (with 40/20/40 seats, there is one in-dash mounted outlet; 2 nd outlet in the console req. 40/Console/40 seats; req. 332 Amp Alternator (67A) when 6.7L Power Stroke® Diesel engine is ordered and the 397 Amp Alternators (67B) when 7.3L Gas is ordered; std on 7.3L Gas w/ Dual Battery (86M))	43C			O					S					S	
Front-Seats (See Color & Trim Availability page for additional information)															
Cloth, 40/20/40 Split Bench	1			O					—					—	
Vinyl, 40/Mini Console/40	L			O					—					—	
Cloth, 40/Mini Console/40	4			O					—					—	
Cloth, 40/Console/40	2			—					O-2,3					—	
LPO/FLEET OPTIONS (Requires Valid FIN Code) (see Packaged Options/Emissions pages for complete content and restrictions on packages)															
Ambulance Prep Package – req. 6.7 Power Stroke® Diesel Engine (99T) or 7.3L Gas	47A			F					F					—	
Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions – req. 6.7 Power Stroke® Diesel Engine (99T)	47L			F					F					—	
Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine – req. 6.7 Power Stroke® Diesel Engine (99T)	47J			F					F					—	

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only
 □ = New for this model year

S = Standard, O = Optional, P = Packaged Option
 F = Fleet Only Option

OPTIONAL EQUIPMENT

	Order Code	XL					XLT					LARIAT			
		F-350		F-450	F-550	F-600	F-350		F-450	F-550	F-600	F-350		F-450	F-550
		SRW	DRW				SRW	DRW				SRW	DRW		
		630A	640A	650A	660A	680A	633A	643A	653A	663A	683A	638A	648A	658A	668A
LPO/FLEET OPTIONS (Requires Valid FIN Code) (see Packaged Options/Emissions pages for complete content and restrictions on packages)															
(continued)															
Speed Limitation – 75-mph governed top speed	927	F					F					—			
Dealer Installed Options (DIO) – Shipped separately from the vehicle for dealer installation															
Side Window Deflector Kit – Smoke (Set of 4) Low Profile by Lund		O-2,3					O-2,3					O-2,3			
First Aid Kit – With Ford Logo		O					O					O			
Roadside Assistance Kit – With Ford Logo		O					O					O			
Commercial Roadside Assistance Kit – USA		O													
FORD ACCESSORIES, PRE-INSTALLED															
O															
Vehicle Safe by Console Vault (reqs. Seat-Bucket 40/console/40)	21X	—					O					O			
Exterior Backup Alarm	76C	O					O					O			
★360-Degree Dual Beacon LED Warning Strobes – Amber (req. Center High-mounted Stop Lamp (CHMSL))	91S	O					O					—			
★360-Degree Dual Beacon LED Warning Strobes – Amber-White (req. Center High-mounted Stop Lamp (CHMSL))	91G	O					O					—			
Splash Guards/Mud Flaps – Front only (optional on F-350 only; SRW only on XL and XLT)	61S	O					O					O			
Stainless Steel Wheel Covers – Front & Rear (NA F-350 SRW; req. 64K 17" Argent Painted Steel Wheel or 64Z 19.5" Argent Painted Steel Wheel)	945	O					O					—			
Wheel Well, Front	61L	O					O					O			
All weather floor mats (Doesn't include carpet floor mats)	16T	—					O-2,3					O-2,3			

07/17/23

2024 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)

PROPRIETARY

COLOR & TRIM AVAILABILITY

		INTERIOR AND SEAT COLOR		
INTERIOR COLOR		Medium Dark Slate	Black/ Onyx	Baja ^{1, 3}
XL	• HD Vinyl, 40/20/40 Split Bench w/center armrest, cupholder and storage; manual lumbar (driver's side only) • Cloth, 40/20/40 Split Bench w/center armrest, cupholder and storage; manual lumbar (driver's side only) • Vinyl, 40/Mini Console/40 manual lumbar (driver's side only) • Cloth, 40/Mini Console/40 manual lumbar (driver's side only)	AS		
		1S		
		LS		
		4S		
XLT	• Cloth, 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and storage, Two-way adjustable driver/passenger headrests, manual lumbar (driver's side only) • Cloth, 40/Console/40; Two-way adjustable driver/passenger headrests manual lumbar (driver's side only); Flow-through Console with 110V/400W outlet in rear (SuperCab & Crew Cab Only).	3S		3J
		2S		2J
Lariat	• Front, leather seating surfaces, 40/Console/40; 8-way power driver and passenger seating, Two-way adjustable driver/passenger headrests, matching 60/40 Rear Bench w/partitioned locking under-seat storage and 12V Powerpoint, Flow-through Console with 110v/150w Inverter outlet in rear.		5B	5J
EXTERIOR COLOR		MONOTONE	Availability	
XL				
Agate Black Metallic	UM	•		
Antimatter Blue Metallic	HX	•		
Carbonized Gray Metallic	M7	•		
Iconic Silver Metallic	JS	•		
Oxford White	Z1	•		
Race Red	PQ	•		
★Darkened Bronze Metallic ²	LJ	•		
XLT				
Agate Black Metallic	UM	•		•
Antimatter Blue Metallic	HX	•		•
Carbonized Gray Metallic	M7	•		•
Iconic Silver Metallic	JS	•		•
Oxford White	Z1	•		•
Race Red	PQ	•		•
Rapid Red Metallic Tinted Clearcoat ^{2, 3}	D4	•		•
★Darkened Bronze Metallic ²	LJ	•		•
LARIAT				
Agate Black Metallic	UM		•	•
Antimatter Blue Metallic	HX		•	•
★ Glacier Gray Metallic Tri-Coat ²	R7		•	•
Carbonized Gray Metallic	M7		•	
Iconic Silver Metallic	JS		•	•
Oxford White	Z1		•	•
Race Red	PQ		•	•
Rapid Red Metallic Tinted Clearcoat ²	D4		•	•
Star White Metallic Tri-Coat ²	AZ		•	•
★Darkened Bronze Metallic ²	LJ		•	•
FLEET ONLY EXTERIOR COLORS – (REQUIRES VALID FIN CODE) ⁴		MONOTONE	Availability	
XL				
Green	GR	•		
Orange	MB	•		
School Bus Yellow	BY	•		
Vermillion Red	E4	•		
Yellow	AT	•		
Green Gem	W6	•		

¹ Crew Cab Only² Extra Charge Paint³ NA w/ ★F-600 and Aft-Axle Frame Extension (63C)⁴ Fleet only exterior colors will be priced as VSO colors.

★ = New for this model year

• = Available

07/17/23

2024 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)

PROPRIETARY

COLOR & TRIM AVAILABILITY

XLT				
Green	GR	•		
Orange	MB	•		
School Bus Yellow	BY	•		
Vermillion Red	E4	•		
Yellow	AT	•		
Green Gem	W6	•		

PACKAGED OPTIONS/EMISSIONS

XL CHROME PACKAGE (96V)**Availability:**

- Optional on XL

Includes:

- Bright chrome hub covers and center ornaments (F-350 SRW only)
- Chrome front bumper
- Bright Grille
- Power Sliding Rear Glass w/ Rear Window Defrost (SuperCab and Crew Cab only)
- Remote Start
- Halogen Fog Lamps

XLT VALUE PACKAGE (17V)**Availability:**

- Optional on XLT

Includes:

- Autolock/Auto unlock
- Electrochromic Rear View Mirror
- Power Driver's Seat (eight-way)
- Rear Under Seat Storage (NA w/ Regular Cab or Crew Cab; fixed/non-locking on SuperCab)
- SecuriCode™ keyless entry keypad (driver's side)
- Heated Driver Seat (NA w/ Regular Cab)
- Rear Window Defrost
- Remote Start
- Power Adjustable Pedals
- Halogen Fog Lamps

TRAILER TOW PACKAGE – HIGH CAPACITY (535)**Availability:**

- Optional on all F-450 and F-550

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- Payload Plus Upgrade Pkg (68M) on F-550

Includes:

- Trailer brake wiring kit
- Increase GCW on diesel engine from 32,500 lbs. to 35,000 lbs. (F-450)
- Increase GCW on diesel engine from 32,500 lbs. to 40,000 lbs. (F-550)
- Upgraded rear-axle

NOTE: Salesperson's Portfolio or Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability. See Supplemental Reference for vehicle height consideration.

SNOW PLOW PREP PACKAGE (473)**Availability:**

- Optional on all Chassis Cabs

Not available with:

- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Packages (47A/47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J) or Extra Heavy Duty Front End Suspension (67P)

Requires:

- 4x4 (F-350 only)

Includes:

- Alternator: 6.7L – 350 Amp Alternators (67A)
- Pre-selected springs (See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations)

Options Available: (Highly recommended for max power output)

- 410 Amp Alternators (67B) (diesel only)

NOTE 1: Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details.

NOTE 2: Also allows for the attachment of a winch

NOTE 3: Highly recommended to add (86M) dual battery on 7.3L gas engine

HEAVY-SERVICE FRONT SUSPENSION PACKAGE (67H)**Availability:**

- Optional on all Chassis Cabs

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Extra Heavy-Service Suspension Package (67X)

- F-600A

Includes:

- Heavy-service front springs. (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: May result in a deterioration of ride quality.

NOTE 2: Vehicle ride height will increase w/the addition of this package

EXTRA HEAVY-SERVICE SUSPENSION PACKAGE (67X)**Availability:**

- Optional on all Chassis Cabs

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Heavy-Service Front Suspension Package (67H)

- F-600A

Includes:

- Extra heavy-service front springs (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: May result in a deterioration of ride quality.

NOTE 2: Vehicle ride height will increase w/the addition of this package

EXTRA HEAVY DUTY FRONT END SUSPENSION – 7500 GAWR (67P)**Availability:**

- Optional on F-450 or F-550
- Standard on F-600

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer

Not available with:

- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X) or Snow Plow Prep Package (473)

Includes:

- (3) Unique Front Axle
 - 7500 LB GAWR for 4x2 Chassis
 - 7500 LB GAWR for 4x4 Chassis @ 4.30 Ratio
 - 7500 LB GAWR for 4x4 Chassis @ 4.88 Ratio
- Max 7500 lbs. Front Springs/GAWR rating for configuration selected

PACKAGED OPTIONS/EMISSIONS

AMBULANCE PREP PACKAGE (47A)**Availability:**

- Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances only if equipped w/the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package to produce an ambulance voids the Ford warranty

Not available with:

- Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package w/Special Emissions (47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- 7.3L Gas engine (99N)

Includes:

- 410 Amp Alternator (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit fordbbas.com for complete details. (F-450, F-550, F-600)
- 5250 to 5990 lbs. Max Front Springs / Front GAWR (F-350) see supplemental Order Guide for complete details
- 4.10 Limited-slip "Wide track" axle included w/F-350 DRW (X4W) – 6.7L Power Stroke® Diesel engine (99T) only

Options Available:

- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)

NOTE: *Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.*

AMBULANCE PREP PACKAGE W/EPA SPECIAL EMERGENCY VEHICLE EMISSIONS (47L)**Availability:**

- Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances with special emissions only if equipped w/the Ford Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package w/EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty

Not available with:

- Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package (47A) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)

Includes:

- 410 Amp Alternator (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit fordbbas.com for complete details. (F-450, F-550, F-600)
- 5250 to 5990 lbs. Max Front Springs / Front GAWR (F-350) see supplemental Order Guide for complete details
- "Wide track" axle included w/F-350 DRW (X4W)

Options Available:

- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)

NOTE 1: *Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.*

NOTE 2: *Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation*

NOTE 3: *Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.*

NOTE 4: *California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.*

FIRE/RESCUE PREP PACKAGE W/EPA SPECIAL EMISSIONS – FOR DIESEL ENGINE (47J)**Availability:**

- Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford urges fire/rescue vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).

Not available with:

- Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X) or Ambulance Prep Packages (47A/47L)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)

Includes:

- 410 Amp Alternator (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit fordbbas.com for complete details.

NOTE 1: *Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.*

NOTE 2: *Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation*

PACKAGED OPTIONS/EMISSIONS

NOTE 3: *Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.*

NOTE 4: *California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.*

PAYLOAD DOWNGRADE PACKAGE (68D)**Availability:**

- Optional F-450 and F-550

Not available with:

- F-350
- Trailer Tow Package – High Capacity (535) on F-550

Includes:

- 15,000 lbs. Gross Vehicle Weight Rating (F-450 Only)
- 17,500 lbs. Gross Vehicle Weight Rating (F-550 Only)

PAYLOAD UPGRADE PACKAGE (68U)**Availability:**

- Optional on XL and XLT F-550 Chassis Cabs 145" wheelbase with 7.3L Gas engine (99N)

Requires:

- 4.88 Limited-slip rear-axle (X8L)

Includes:

- Increased GVWR to 19,000 lbs.
- Upgraded frame
- Upgraded rear-axle

NOTE: See Order Guide Supplemental Reference for further details on GVWR and payload ranges

PAYLOAD PLUS UPGRADE PACKAGE (68M)**Availability:**

- Optional on F-550

Not available with:

- 145" wheelbase on gas engine

Requires:

- Trailer Tow Pkg – High Capacity (535) on 6.7L Diesel (99T)

Includes:

- Increases GVWR from 18,000 lbs. to 19,500 lbs.
- Increases max RGAWR to 14,706
- Low Deflection/High Capacity Rear Springs
- Upgraded frame
- Upgraded rear-axle

Options Available:

- Low Deflection Spacer (86S)

NOTE: See Order Guide Supplemental Reference for further details on GVWR.

16,000 GVWR PACKAGE (68L)**Availability:**

- Optional on all F-450 Chassis Cabs

Includes:

- Provides 16,000 lbs. Gross Vehicle Weight Rating

LOW DEFLECTION SPACER (86S)**Availability:**

- Optional on F-450, F-550 and F-600 Chassis Cabs

Not available with:

- 4x4 w/145" WB
- F-600 w/ 145" WB, 4x2

Usage:

- Recommended for rear-biased loading, such as wrecker/retriever applications

Includes:

- 2" spacer blocks

CNG/Propane GASEOUS ENGINE PREP PACKAGE (98G)**Availability:**

- Optional on all XL and XLT F-450, F-550 and F-600

Requires:

- 7.3L Gas engine (99N)
- Regular Cab

Includes:

- Hardened Engine Intake Valves and Valve Seats

NOTE: *This package does not include CNG/Propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide:*

www.ford.com/altfuelbuyersguide

Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or Propane fuel. Ford does not represent that a vehicle converted to use CNG or Propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements

REAR VIEW CAMERA AND PREP KIT (872)**Availability:**

- Optional on all Chassis Cabs

Pre-installed Content Includes:

- Cab Wiring
- Frame Wiring to the rear most cross member

Upfitters kit Includes:

- Camera with mounting bracket
- 20' jumper wire
- Camera mounting and aiming instructions

Vehicle Special Order (VSO)

FLEET ONLY. See www.fmcdealer.com for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email vsomail@ford.com or call 1.800.34.FLEET, menu 4 with any VSO questions you may have.

High Sulfur Diesel Fuel Usage

Vehicles for intended usage with diesel fuel sulfur content greater than 15ppm require Euro II (>500ppm sulfur) or Euro III (<500ppm sulfur) packages to avoid engine functionality issues.

Packages are available through Export Order Guide with the appropriate US EPA exemption or verifiable export usage.

NOTE: JP8 fuel is supported and compatible with these packages

Leaded Fuel Capable

NOTE: Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

PACKAGED OPTIONS/EMISSIONS**European Certified Headlamps**

European certified headlamp package is available for export usage through Export Order Guide.

NOTE: Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

MISCELLANEOUS OPTIONS

COV required 79V

Priced DORA..... C09

PAYLOAD PACKAGE SELECTOR CHART – Refer to Supplemental Reference Section for Payload Information.

EMISSIONS STANDARD/OPTIONAL EQUIPMENT

50-STATE EMISSIONS SYSTEM..... 425

Standard on all Vehicles

**FRONT LICENSE PLATE
BRACKET**.....153

Standard in states requiring two license plates and optional to all others

POWERTRAIN**ENGINE HORSEPOWER AND TORQUE RATINGS***

ENGINE	TRANSMISSION	NOMINAL COMPRESSION RATIO	50-STATE	
			HORSEPOWER	TORQUE
			H.P. @ RPM	FT. LBS. @ RPM
ALL				
7.3L 2V Gas DEVCT NA PFI V8	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	TBD	TBD	TBD
6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	TBD	TBD	TBD

FUEL ECONOMY

TRUCKS WITH GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.